



DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

Experiment-5

Student Name: RAVI

Branch: CSE

Semester: 6th

Subject Name: System Design

UID: 23BCS10340

Section/Group: KRG 2-A

Date of Performance: 24/02/2026

Subject Code: 23CSH-314

1. Aim: Design a Messenger Application (Similar to WhatsApp / Facebook Messenger): To design and analyze the architecture of a scalable real-time messenger application that supports one-to-one and group communication with high availability and low latency.

2. Objective:

- To implement real-time message delivery using WebSockets.
- To support one-to-one and group messaging.
- To preserve chat history.
- To ensure high availability and reliability.
- To design APIs for user management and chat operations.
- To design the system for large-scale usage (up to 1 Billion users).

3. Tools Used:

- **Frontend (ReactJS, HTML, CSS, JavaScript, WebSocket)** ○ Built responsive UI with real-time communication support
- **Backend (Node.js / Java / Spring Boot)** ○ Developed scalable REST APIs & WebSocket server
- **Database (MongoDB / MySQL / PostgreSQL)** ○ Managed structured & unstructured data efficiently
- **Redis** ○ Implemented caching & pub-sub for high performance
- **Deployment (AWS / GCP, Load Balancer, Docker)** ○ Cloud deployment with scalability, containerization & traffic distribution

4. System Requirements:

A. Functional Requirements


- **User Registration**
 - a. POST /user/register
 - b. Fields: userName, email, phoneNumber
- **User Login**
 - a. POST /user/login

- **One-to-One Messaging**
 - a. WS: /messages/send
 - b. GET /messages/{userId}/{receiverId}
 - c. Pagination support
- **Group Messaging**
 - a. POST /groups/create
 - b. POST /groups/{groupId}/add
 - c. DELETE /groups/{groupId}/remove
 - d. WS: /messages/send
- **Message Types**
 - a. Text messages
 - b. Media messages (images, videos, files)
- **Message History**
 - a. Persistent storage
 - b. Chat list view
- **Read Receipts**
 - a. Delivered
 - b. Seen


B. Non-Functional Requirements



- **Scalability** ○ Target: **1 Billion users** ○ 100 messages per user per day ○ $\approx$ 100 Billion messages/day ○ Estimated storage: ~100 TB
- **CAP Theorem**
System prioritizes:
 - High Availability ○
 - Partition Tolerance ○
 - Eventual Consistency
- **Latency: 200-300ms** ○ Target message delivery time: **200–300 ms**


5. High Level Design (HLD)



6. Low Level Design (LLD):









DEPARTMENT OF

COMPUTER SCIENCE & ENGINEERING

8. Learning Outcomes (What I Have Learnt)

- Understand real-time communication using WebSockets.
- Learn how to design scalable distributed systems.
- Apply CAP Theorem concepts in real-world system design.
- Design RESTful APIs and WebSocket endpoints.
- Analyze trade-offs between consistency, availability, and latency.