

Flex Box exercise

Questions from <http://flexboxfroggy.com>

Activities Google Chrome Thu 13:03

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 1 of 24

Welcome to Flexbox Froggy, a game where you help Froggy and friends by writing CSS code! Guide this frog to the lilypad on the right by using the **justify-content** property, which aligns items horizontally and accepts the following values:

- flex-start**: Items align to the left side of the container.
- flex-end**: Items align to the right side of the container.
- center**: Items align at the center of the container.
- space-between**: Items display with equal spacing between them.
- space-around**: Items display with equal spacing around them.

For example, **justify-content: flex-end;** will move the frog to the right.

```
1 #pond {
2   display: flex;
3   justify-content: flex-end;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Activities Google Chrome Thu 13:03

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 2 of 24

Use **justify-content** again to help these frogs get to their lilypads. Remember that this CSS property aligns items horizontally and accepts the following values:

- flex-start**: Items align to the left side of the container.
- flex-end**: Items align to the right side of the container.
- center**: Items align at the center of the container.
- space-between**: Items display with equal spacing between them.
- space-around**: Items display with equal spacing around them.

```
1 #pond {
2   display: flex;
3   justify-content: center;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#)

Activities Google Chrome Thu 13:03

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 3 of 24

Help all three frogs find their lilypads just by using `justify-content`. This time, the lilypads have lots of space all around them.


If you find yourself forgetting the possible values for a property, you can hover over the property name to view them. Try hovering over `justify-content`.

```
1 #pond {
2   display: flex;
3   justify-content: space-around;
4 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:04

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 4 of 24


Now the lilypads on the edges have drifted to the shore, increasing the space between them. Use `justify-content`. This time, the lilypads have equal spacing between them.

```
1 #pond {
2   display: flex;
3   justify-content: space-between;
4 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:04

Non-C x Soun x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 5 of 24

Now use `align-items` to help the frogs get to the bottom of the pond. This CSS property aligns items vertically and accepts the following values:


- `flex-start`: Items align to the top of the container.
- `flex-end`: Items align to the bottom of the container.
- `center`: Items align at the vertical center of the container.
- `baseline`: Items display at the baseline of the container.
- `stretch`: Items are stretched to fit the container.

```
1 #pond {
2   display: flex;
3   align-items: flex-end;
4 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#)



Activities Google Chrome Thu 13:04

Non-C x Soun x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 6 of 24


Lead the frog to the center of the pond using a combination of `justify-content` and `align-items`.

```
1 #pond {
2   display: flex;
3   justify-content: center;
4   align-items: center;
5 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#)



Activities Google Chrome Thu 13:05

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 7 of 24


The frogs need to cross the pond again, this time for some lilypads with plenty of space around them. Using a combination of `justify-content` and `align-items`.

```
1 #pond {
2   display: flex;
3   justify-content: space-around;
4   align-items: flex-end;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:06

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 8 of 24

The frogs need to get in the same order as their lilypads using `flex-direction`. This CSS property defines the direction items are placed in the container, and accepts the following values:


- `row`: Items are placed the same as the text direction.
- `row-reverse`: Items are placed opposite to the text direction.
- `column`: Items are placed top to bottom.
- `column-reverse`: Items are placed bottom to top.

```
1 #pond {
2   display: flex;
3   flex-direction: row-reverse;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:06

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 9 of 24

Help the frogs find their column of lilypads using **flex-direction**. This CSS property defines the direction items are placed in the container, and accepts the following values:


- row**: Items are placed the same as the text direction.
- row-reverse**: Items are placed opposite to the text direction.
- column**: Items are placed top to bottom.
- column-reverse**: Items are placed bottom to top.

```
1 #pond {
2   display: flex;
3   flex-direction: column;
4 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:34

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 10 of 24

Help the frogs get to their own lilypads. Although they seem close, it will take both **flex-direction** and **justify-content** to get them there.


Notice that when you set the direction to a reversed row or column, start and end are also reversed.

```
1 #pond {
2   display: flex;
3   flex-direction: row-reverse;
4   justify-content: flex-end;
5 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:09

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 11 of 24

Help the frogs find their lilypads using `flex-direction` and `justify-content`.


Notice that when the flex direction is a column, `justify-content` changes to the vertical and `align-items` to the horizontal.

```
1 #pond {
2   display: flex;
3   flex-direction: column;
4   justify-content: flex-end;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Coderojo](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:10

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 12 of 24


Help the frogs find their lilypads using `flex-direction` and `justify-content`.

```
1 #pond {
2   display: flex;
3   flex-direction: column-reverse;
4   justify-content: space-between;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Coderojo](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:11

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 13 of 24


Help the frogs find their lilypads using `flex-direction`, `justify-content`, and `align-items`.

```
1 #pond {
2   display: flex;
3   flex-direction: row-reverse;
4   justify-content: center;
5   align-items: flex-end;
6 }
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:14

Non-C x Soun: x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 14 of 24

Sometimes reversing the row or column order of a container is not enough. In these cases, we can apply the `order` property to individual items. By default, items have a value of 0, but we can use this property to set it to a positive or negative integer value.


Use the `order` property to reorder the frogs according to their lilypads.

```
1 #pond {
2   display: flex;
3 }
4
5 .yellow {
6   order: 1;
7 }
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:14

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 15 of 24


Use the `order` property to send the red frog to his lilypad.

```
1 #pond {
2   display: flex;
3 }
4
5 .red {
6   order: -3;
7 }
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:14

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 16 of 24



Another property you can apply to individual items is `align-self`. This property accepts the same values as `align-items` and its value for the specific item.

```
1 #pond {
2   display: flex;
3   align-items: flex-start;
4 }
5
6 .yellow {
7   align-self: flex-end;
8 }
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:15

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 17 of 24


Combine **order** with **align-self** to help the frogs to their destinations.

```
1 #pond {
2   display: flex;
3   align-items: flex-start;
4 }
5
6 .yellow {
7   order: 1;
8   align-self: flex-end;
9 }
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:16

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 18 of 24

Oh no! The frogs are all squeezed onto a single row of lily pads. Spread them out using the **flex-wrap** property, which accepts the following values:


- **nowrap**: Every item is fit to a single line.
- **wrap**: Items wrap around to additional lines.
- **wrap-reverse**: Items wrap around to additional lines in reverse.

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:17

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 19 of 24


Help this army of frogs form three orderly columns using a combination of [flex-direction](#) and [flex-wrap](#).

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   flex-direction: column;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:17

Non-C x Soun: x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 20 of 24

The two properties [flex-direction](#) and [flex-wrap](#) are used so often together that the shorthand property [flex-flow](#) was created to combine them. This shorthand property accepts the value of one of the two properties separated by a space.

For example, you can use [flex-flow: row wrap](#) to set rows and wrap them.


Try using [flex-flow](#) to repeat the previous level.

```
1 #pond {
2   display: flex;
3   flex-flow: column wrap;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:19

Non-C x Sound x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 21 of 24


The frogs are spread all over the pond, but the lilypads are bunched at the top. You can use `align-content` to set how multiple lines are spaced apart from each other. This property takes the following values:

- `flex-start`: Lines are packed at the top of the container.
- `flex-end`: Lines are packed at the bottom of the container.
- `center`: Lines are packed at the vertical center of the container.
- `space-between`: Lines display with equal spacing between them.
- `space-around`: Lines display with equal spacing around them.
- `stretch`: Lines are stretched to fit the container.

This can be confusing, but `align-content` determines the spacing between lines, while `align-items` determines how the items as a whole are aligned within the container. When there is only one line, `align-content` has no effect.

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   align-content: flex-start;
5 }
6
7
8
9
10
```

Next



Activities Google Chrome Thu 13:20

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 22 of 24


Now the current has bunched the lilypads at the bottom. Use `align-content` to guide the frogs there.

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   align-content: flex-end;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



Activities Google Chrome Thu 13:21

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 23 of 24

The frogs have had a party, but it is time to go home. Use a combination of flex-direction and align-content to get them to their lilypads.

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   align-content: center;
5   flex-direction: column-reverse;
6 }
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).

Activities Google Chrome Thu 13:33

Non-C x Inbox x Copy x index x TEST x Flexb x A Con x Explo x Explo x A Pen x Flexb x

Not secure | flexboxfroggy.com

FLEXBOX FROGGY

Level 24 of 24

Bring the frogs home one last time by using the CSS properties you've learned:

- justify-content
- align-items
- flex-direction
- order
- align-self
- flex-wrap
- flex-flow
- align-content

```
1 #pond {
2   display: flex;
3   flex-flow: wrap-reverse column-reverse;
4   align-content: space-between;
5   justify-content: center;
6 }
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)