

JobKit - 500 interview and ATS questions

Combined bank: Teradata DBA, Tosca/SAP, Playwright, SQL, and application forms. Download each type on its own link at <https://raviacn95.github.io/job-apply-status/download.html>

1. What is notice period?

Time you must serve after resigning before the last working day.

2. What is current CTC?

Total annual cost to company you earn now, usually in LPA in India.

3. What is expected CTC?

Compensation you are targeting for the new role.

4. Are you willing to relocate?

Say yes only if you can actually move; JobKit default for these profiles is Yes.

5. Do you need visa sponsorship?

For India-based roles the usual answer is No.

6. Are you authorized to work in India?

Yes if you are an Indian citizen or otherwise legally allowed to work.

7. How did you hear about this job?

Company careers site, job board, or recruiter post - be truthful.

8. Why are you leaving?

Look for a closer skill match, scale, or domain - never badmouth the employer.

9. When can you join?

Tie it to notice period, for example 30 days after offer.

10. Will you work hybrid?

Yes if the JD allows; confirm location days before you accept.

11. Are you open to night shifts?

Only say yes if you truly can; on-call DBA work is different from BPO shifts.

12. What is your serving notice?

Same as notice period if you have already resigned; else your contractual notice.

13. Can you join immediately?

Only if you are already serving notice or are on the bench.

14. Do you have a passport?

Answer from fact; many banks ask this for background checks.

15. Have you been through a background check?

Yes if a prior employer ran one; say so plainly.

16. Any gap in employment?

Explain months honestly; do not hide them.

17. Are you bound by a non-compete?

Follow the contract you signed; most India IT bonds are limited.

18. Can you provide payslips?

Yes if you have them; never fake documents.

19. What is variable pay?

The bonus or incentive part of CTC that is not guaranteed.

20. What is take-home vs CTC?

JobKit - 500 interview and ATS questions

Take-home is in-hand after tax and deductions; CTC is the full employer cost.

21. Do you have PF and UAN?

Yes if you were on payroll; share UAN only on official HR forms.

22. Are you comfortable with a bond?

Decide before you apply; do not agree in a form if you will refuse later.

23. Current location?

City you live in now, for example Bengaluru.

24. Preferred location?

Where you will work; match the JD.

25. Highest education?

Degree, school, and year from your profile.

26. Current employer?

Your latest company name.

27. Current designation?

Your latest title.

28. Total years of experience?

Full-time years from your profile, not internships unless asked.

29. Relevant years of experience?

Years on the track in the JD, for example Teradata or Tosca.

30. LinkedIn URL?

Your public profile URL.

31. Cover letter in one line?

I am applying for this role because my production work matches the JD skills.

32. Why this company?

Point to the product, scale, or domain in the JD, not generic praise.

33. Why this role?

Map two or three JD skills to work you have actually done.

34. What is your strength?

A skill from the JD you can prove with a metric.

35. What is your weakness?

A real gap you are closing, not a humble-brag.

36. Tell me about yourself.

60-second story: years, stack, one result, why this role.

37. Describe a conflict at work.

Situation, what you did, outcome, no blame.

38. Describe a production incident.

Impact, what you checked, fix, and how you prevented a repeat.

39. Are you a team player?

Give one example of pairing or handover, not a slogan.

40. How do you handle pressure?

Prioritize P1, communicate ETA, and write the timeline after.

41. Where do you see yourself in 5 years?

Deeper in the same craft (lead DBA or automation architect), not a random MBA line.

JobKit - 500 interview and ATS questions

42. Do you have managerial experience?

Only if you have led people; else say you have led workstreams.

43. Salary negotiation opening?

State expected CTC from the profile and wait; do not undercut 30 LPA search floor.

44. Counter-offer from current company?

Decide before the call; most people who stay after a counter leave within a year.

45. Can you work from office 5 days?

Answer the real policy; do not say yes and then refuse.

46. Do you have a laptop?

Yes if you use your own; company kit is usual after joining.

47. Any ongoing interviews?

You may say you are exploring options without naming companies.

48. Are you interviewing with our competitor?

Do not volunteer names; stay professional.

49. Can we contact your current manager?

Usually after resignation; say so.

50. References?

Keep two ready: a lead and a peer who know your work.

51. What is garden leave?

Paid period after resigning when you do not work, if the contract says so.

52. What is a buyout?

Paying remaining notice so you can join earlier, if both employers agree.

53. What is serving vs remaining notice?

Serving means you already resigned; remaining is days left.

54. Are you on a contract?

Say payroll vs vendor vs contract-to-hire exactly.

55. Open to contract roles?

Only if you want them; many 30 LPA+ hunts are full-time.

56. Open to startup vs MNC?

Pick from the JD; do not apply to both with opposite stories.

57. Night on-call for DBA?

Production DBA work often includes on-call; confirm the roster.

58. Weekend releases?

Common in banks; say yes only if you have done them.

59. Travel percentage?

Answer from fact; many India roles are local plus rare onsite.

60. Language requirements?

English plus any language you actually speak.

61. Disability or accommodations?

Share only what you want HR to know; it is optional.

62. Relatives in the company?

Disclose if the form asks; conflicts of interest matter.

63. Have you applied here before?

JobKit - 500 interview and ATS questions

Tell the truth; ATS stores history.

64. How soon for an interview?

Give two windows in the next week.

65. Online vs onsite interview?

Follow their process; keep a quiet room for video.

66. What to take to an interview?

ID, updated resume, and questions for them.

67. Questions to ask the interviewer?

Team size, on-call, tech stack version, and success in 90 days.

68. How do you learn a new tool?

Sandbox, vendor docs, then a small production-safe change.

69. How do you document work?

Runbook plus change ticket; not only chat messages.

70. How do you estimate a task?

Break it, add review and rollback time, then give a range.

71. What is a good handover?

Access, runbooks, open risks, and a live walkthrough.

72. How do you deal with an unclear JD?

Ask which systems are in scope and what success looks like.

73. STAR method?

Situation, Task, Action, Result - use numbers in Result.

74. What is a PIP?

Performance improvement plan; answer only if you have been on one.

75. Reason for a short stint?

Project end, location, or scope mismatch - keep it factual.

76. Can you share client names?

Only if NDA allows; else describe industry and scale.

77. NDA in interviews?

Do not paste internal docs; speak in general terms.

78. What is double employment?

Working two full-time jobs at once; most employers forbid it.

79. Notice buyout who pays?

Sometimes the new employer; get it in the offer letter.

80. Expected CTC in words?

Match the number on the form; do not put a range if they want one figure.

81. Current CTC breakup?

Have basic, HRA, special, and bonus ready if they ask.

82. Last hike percentage?

Use the real number from your letter.

83. Holding an offer?

You may say you have one without inflating the number.

84. Joining bonus expectation?

Do not demand it unless they offer; it is not guaranteed.

JobKit - 500 interview and ATS questions

85. Stock or RSU?

Ask after base and bonus are clear.

86. Shift allowance?

Relevant for 24x7 support roles; confirm in the offer.

87. Relocation bonus?

Ask if you must move cities.

88. Probation length?

Typical 3-6 months; confirm confirmation criteria.

89. What is Teradata?

A shared-nothing MPP database for large analytic workloads.

90. What is an AMP?

Access Module Processor: a parallel worker that stores and processes part of the data.

91. What is a PE?

Parsing Engine: parses SQL, optimizes, and sends steps to AMPs.

92. What is BYNET?

The interconnect that moves messages and data between PEs and AMPs.

93. What is a vproc?

A virtual processor such as AMP or PE running on a node.

94. What is a clique?

A set of nodes that share disks so a failed node can fail over.

95. What is a hot standby node?

A spare node that can take over vprocs after a failure.

96. What is Fallback?

A second copy of a table on another AMP for availability.

97. When do you use Fallback?

Critical tables that must survive AMP or disk loss.

98. What is a Primary Index?

The distribution key that decides which AMP stores a row.

99. Unique vs non-unique PI?

UPI enforces uniqueness; NUPI allows duplicates and can skew.

100. What is a Secondary Index?

An extra access path; it has a subtable and extra I/O.

101. What is a Join Index?

A stored join or aggregation that the optimizer can use.

102. What is PPI?

Partitioned Primary Index: partitions rows inside each AMP.

103. What is a NoPI table?

A table without a PI; used for fast staging loads.

104. What is a sparse map?

A map that uses a subset of AMPs for smaller tables.

105. What is a contiguous map?

The default map that uses all AMPs in the system.

106. What is hashing in Teradata?

JobKit - 500 interview and ATS questions

The PI value is hashed to pick the AMP.

107. What is skew?

Uneven row or CPU distribution across AMPs.

108. How do you find skewed tables?

Compare AMP row counts or use DBQL and Viewpoint.

109. What is a hot AMP?

An AMP doing more work than others, often from skew.

110. What is spool space?

Temporary space for intermediate query results.

111. What is perm space?

Permanent table storage quota.

112. What is temp space?

Space for global temporary tables.

113. User vs database in Teradata?

A user can log on; a database is a space container.

114. What is a profile in Teradata?

A set of account, spool, and password settings for users.

115. What is a role?

A bundle of rights you grant to users.

116. What is GRANT vs role?

GRANT is a privilege; a role groups many privileges.

117. What is a macro?

A stored SQL snippet executed with EXEC.

118. What is a stored procedure?

Procedural SQL with logic, not just a macro.

119. What is a volatile table?

Session-scoped table that disappears on logoff.

120. Global temporary vs volatile?

GTT definition is permanent; data is session-scoped.

121. What is a derived table?

An inline subquery in the FROM clause.

122. What is a CTE?

WITH clause query that names a result set.

123. What is COLLECT STATISTICS?

Gather data demographics so the optimizer can plan well.

124. When do you collect stats?

After large loads, skew, or bad plans; not blindly every hour.

125. What is SUMMARY stats?

A cheaper stats option on some releases for quick demographics.

126. What is sampled stats?

Stats on a sample; faster but less accurate.

127. How do you see a plan?

EXPLAIN SELECT ...

JobKit - 500 interview and ATS questions

128. What is a confidence level in EXPLAIN?

How sure the optimizer is about row estimates.

129. What is a product join?

Every row compared to every row; often a warning sign.

130. What is a merge join?

Join on sorted/hashed keys; usually cheaper.

131. What is a hash join?

Build a hash table of the smaller set and probe it.

132. What is a nested join?

Index-driven lookup join.

133. What is redistribution?

Moving rows across AMPs so join keys co-locate.

134. What is duplication of a table in a join?

Copying a small table to all AMPs.

135. What is a residual condition?

A filter applied after the join or retrieve step.

136. What is a lock in Teradata?

Access, read, write, or exclusive lock on a table or row hash.

137. What is a deadlock?

Two sessions waiting on each other; one is aborted.

138. How do you reduce lock contention?

Shorter transactions, nightly batch windows, and row-hash locks.

139. What is a transaction in Teradata?

BT/ET or ANSI transaction around SQL.

140. BTET vs ANSI mode?

BTET is Teradata transaction mode; ANSI is commit-oriented.

141. What is FastLoad?

Utility to load empty tables quickly with two phases.

142. FastLoad limitation?

Target must be empty; no SI during load in classic use.

143. What is MultiLoad?

Utility for insert/update/delete on populated tables.

144. What is TPump?

Low-volume continuous load with row-hash locks.

145. What is FastExport?

High-volume export from Teradata.

146. What is BTEQ?

CLI for SQL, scripts, and simple imports.

147. What is TPT?

Teradata Parallel Transporter: modern load/export framework.

148. TPT vs legacy utilities?

TPT can replace FastLoad/MultiLoad/FastExport with operators.

149. What is a load slot?

JobKit - 500 interview and ATS questions

A limit on concurrent load jobs.

150. What is a checkpoint in MultiLoad?

A restart point after a failure.

151. What is an error table?

Where utilities land rejected rows.

152. What is a UV table?

Uniqueness violation table in MultiLoad.

153. What is Viewpoint?

Web console for health, queries, and alerts.

154. What is QueryGrid?

Fabric to query Hadoop, Oracle, and other systems from Teradata.

155. What is TASM?

Teradata Active System Management: workload rules and throttles.

156. What is a workload in TASM?

A class of queries with priority and limits.

157. What is a throttle?

A cap on concurrency for a workload.

158. What is a filter in TASM?

A rule that rejects or delays some queries.

159. What is exception handling in TASM?

Move or abort queries that exceed CPU or skew.

160. What is WD-Default?

The default workload when nothing else matches.

161. What is a utility session?

Sessions used by load/export utilities.

162. What is BAR?

Backup and restore, often with DSA or NetBackup.

163. What is DSA?

Data Stream Architecture for backups.

164. Full vs incremental backup?

Full copies everything; incremental copies changes.

165. How do you restore one table?

Use BAR object-level restore if the backup supports it.

166. What is a dump vs backup?

Dump often means a system dump for support; backup is data protection.

167. What is PDBA vs production DBA?

PDBA may own platform; production DBA owns day-to-day jobs and users.

168. What is space reclamation?

Freeing perm after deletes; packing and fallback copies matter.

169. What is a cylinder?

A unit of disk allocation on an AMP.

170. What is a table header?

Metadata stored with the table on each AMP.

JobKit - 500 interview and ATS questions

171. What is a journal?

Before/after image used for recovery on some tables.

172. Permanent journal vs transient?

Permanent is extra protection; transient is for transactions.

173. What is TVS?

Teradata Virtual Storage: storage virtualization layer.

174. What is FSYS?

File system layer under AMPs.

175. What is a node crash recovery?

Vprocs migrate; cliques and HSN determine downtime.

176. What is a database restart?

TPA reset: sessions drop; need to reconnect.

177. What is TPA?

Teradata parallel database process stack.

178. What is PDE?

Parallel Database Extensions: OS layer for vprocs.

179. What is a gateway?

Connection manager for client sessions.

180. What is a session?

A logged-on PE connection from a client.

181. Default session mode?

Depends on client; know if you are ANSI or Teradata mode.

182. What is a request vs a transaction?

A request is one SQL; a transaction may be many requests.

183. How do you kill a bad query?

Abort in Viewpoint or with a console abort after checking impact.

184. How do you find who filled the spool?

DBQL plus user spool limits.

185. What is DBQL?

Database Query Log: history of queries and steps.

186. What is ResUsage?

Resource usage macros for CPU, disk, and BYNET.

187. What is a heart beat in Viewpoint?

System health pulse; red means investigate now.

188. What is a blocked session?

Waiting on a lock held by another session.

189. How do you see blockers?

Lock viewer in Viewpoint or lock query views.

190. What is a deadlock timeout?

How long Teradata waits before aborting a deadlock victim.

191. What is a PPI advantage?

Partition elimination so fewer cylinders are read.

192. What is a character PPI?

JobKit - 500 interview and ATS questions

Partitioning on a character column; less common than date PPI.

193. What is multilevel PPI?

More than one partition expression.

194. What is a column partition (CP)?

Columnar storage for analytic tables on some releases.

195. What is Hybrid Row/Column?

Mix of row and column partitions.

196. What is compression in Teradata?

MVC, UDT, algorithmic, or block-level depending on release.

197. What is MVC?

Multi-Value Compression: dictionary compression on a column.

198. What is a UDT?

User-defined type.

199. What is a UDF?

User-defined function.

200. What is a table operator?

SQL-HMR style operator for custom processing.

201. What is Native Object Store (NOS)?

Read/write object storage (S3-style) from Teradata Vantage.

202. What is Vantage?

Teradata's analytics platform branding for newer releases.

203. What is QueryBand?

Name/value tags on a session or transaction for workload and audit.

204. What is an account string?

Account used for chargeback and TASM mapping.

205. What is a performance group?

Older priority scheme; TASM workloads replaced much of this.

206. What is a resource partition?

A slice of CPU reserved for a set of workloads.

207. What is tactical vs decision support?

Tactical is short; DSS is heavy reporting.

208. How do you protect tactical queries?

TASM: high priority, low throttle, and exception on long CPU.

209. What is a delayed query?

Queued by a throttle until a slot is free.

210. What is a reject in TASM?

The query is not allowed to run.

211. What is an object lock vs row hash lock?

Object is table-level; row hash is finer.

212. What is a dummy row lock?

Locking a hash with no row; still blocks that hash.

213. How do you load a large fact table daily?

Stage NoPI or FastLoad, then INSERT-SELECT with collect stats.

JobKit - 500 interview and ATS questions

214. What is an INSERT-SELECT?

Load from one table into another set-based.

215. What is MERGE INTO?

Upsert based on a match condition.

216. What is UPDATE from a join?

Set-based update using another table.

217. What is a SET vs MULTiset table?

SET rejects duplicate rows; MULTiset allows them.

218. Duplicate row check cost?

SET tables can be expensive on NUPI during inserts.

219. What is a queue table?

A table with consume semantics for messaging-style pulls.

220. What is an identity column?

System-generated numbers; be careful with distribution.

221. What is a date PI problem?

Low cardinality dates skew if used as PI.

222. Good PI for a fact table?

A high-cardinality join key, often a customer or transaction id.

223. What is referential integrity in Teradata?

Optional; soft RI is often used for optimizer hints.

224. What is a batch vs tactical window?

Batch at night with loads; tactical during business hours.

225. How do you handle a failed FastLoad?

Drop or empty the target, fix the file, restart; check error tables.

226. What is a two-phase FastLoad?

Phase 1 loading to AMPs; phase 2 sorting into the table.

227. Can FastLoad load a PI with SI?

Classic FastLoad wants no secondary indexes on the target.

228. What is a MiniBatch?

A pattern of small MultiLoad or TPT jobs.

229. What is streaming ingest?

TPump or TPT Stream for near-real-time.

230. How do you grant access to a new analyst?

Role-based: create user, grant role, set spool and profile.

231. How do you revoke a leaver?

Lock the user, revoke roles, drop or keep for audit per policy.

232. What is a password logout?

Profile setting after failed logons.

233. What is LDAP vs TD database auth?

Enterprise directory vs Teradata passwords.

234. What is SSO to Viewpoint?

Viewpoint can use corporate identity; still map TD users.

235. What is a zone in Viewpoint?

JobKit - 500 interview and ATS questions

A filtered view of systems for a team.

236. What is a portlet?

A Viewpoint dashboard widget.

237. What is a system heartbeat alert?

Pager-worthy if the database is down.

238. How do you plan an upgrade?

Read the release, test BAR, check views, schedule an outage window.

239. What is a compat view?

Older dictionary views kept for scripts.

240. DBC vs SYSLIB?

DBC is the data dictionary; SYSLIB holds functions.

241. What is DBC.TablesV?

Dictionary view of tables.

242. How do you find table size?

SUM of currentperm from DBC.TableSizeV grouped by table.

243. How do you find user space?

DBC.DiskSpaceV or Viewpoint space portlet.

244. What is currentperm vs peakperm?

Current used vs high-water used.

245. What is a stall?

AMPs waiting on I/O or each other; check ResUsage.

246. What is a bottleneck on BYNET?

Heavy redistribution; redesign PI or join.

247. What is a CPU-bound query?

High AMP CPU; check product joins and functions on columns.

248. What is a missing stats symptom?

Wrong join type and huge spool.

249. How often to collect stats on a large fact?

After major loads; use THRESHOLD where available.

250. What is stats THRESHOLD?

Skip collect if data has not changed enough.

251. What is a copy job in BAR?

Copy backup data to another system.

252. What is a restore to a different system?

Needs compatible maps and enough AMPs or a remap strategy.

253. What is a map change?

Redistribute tables after adding AMPs.

254. What is a reconfig?

System change such as adding nodes; planned outage.

255. What is HSN vs clique failover?

HSN is a spare node; clique shares disks among nodes.

256. What is a down AMP?

AMP not processing; fallback or HSN may cover.

JobKit - 500 interview and ATS questions

257. What is a catchup?

Recovering fallback copies after a component returns.

258. What is a checktable?

Utility to check table integrity.

259. What is a scandisk?

Lower-level disk integrity check.

260. What is a perm cache?

Memory cache of perm data; watch hit rates.

261. What is FSG cache?

File segment cache for I/O.

262. What is a TVS temperature?

Hot/cold data placement on mixed storage.

263. What is a 1-AMP operation?

A query that hits a single AMP via unique PI access.

264. What is an all-AMP retrieve?

Every AMP reads its piece of the table.

265. What is a group AMP operation?

A subset of AMPs, for example sparse maps.

266. What is a join index maintenance cost?

Extra work on every base-table change.

267. When is a JI worth it?

Stable, repeated joins that dominate CPU.

268. What is an aggregate JI?

Pre-aggregated stored result.

269. What is a single-table JI?

A stored projection or extra access path on one table.

270. What is a covering index?

An index that satisfies a query without the base table.

271. What is a value-ordered NUSI?

NUSI stored in value order for range access.

272. What is a hash-ordered NUSI?

Default NUSI organization.

273. What is a unique secondary index?

Enforces uniqueness and supports lookups.

274. Cost of USI on load?

Load utilities may require dropping USI first.

275. What is a soft RI?

Optimizer uses the relationship without enforcing it.

276. What is a batch error table?

Landing for failed rows in a batch.

277. How do you handle late-arriving dimensions?

Staging and MERGE; do not invent keys.

278. What is slowly changing dimension?

JobKit - 500 interview and ATS questions

Type 1 overwrite vs Type 2 history rows.

279. How does a DBA support SCD2?

PI, PPI on dates, and space for history.

280. What is a surrogate key?

Internal integer key; pick a PI that does not skew.

281. What is a natural key?

Business key such as account number.

282. What is 3NF vs star schema?

3NF is normalized EDW; star is dimensional mart.

283. Where does Teradata sit in a lakehouse?

Often the governed EDW; NOS can query the lake.

284. What is data lineage?

Where a column came from; DBA supports via views and docs.

285. What is a view vs a table?

View is stored SQL; table is stored rows.

286. What is a recursive view?

View that refers to itself; use carefully.

287. What is a locking view?

A view that includes LOCKING modifiers.

288. LOCKING ROW FOR ACCESS?

Allows dirty reads to reduce blocking.

289. When is ACCESS locking dangerous?

When the reader must see committed consistent numbers.

290. What is a deadlock victim?

The session Teradata aborts to break a deadlock.

291. How do you tune a product join?

Stats, better join keys, or rewrite to merge/hash.

292. What is a character set issue?

Latin vs Unicode; conversions can cost CPU.

293. What is a case-specific compare?

CS vs CASESPECIFIC in comparisons.

294. What is a format in BTEQ?

How numbers and dates print in reports.

295. What is .IF ERRORCODE in BTEQ?

Branch on failure in a script.

296. What is a return code in jobs?

Scheduler uses it to fail the job.

297. How do you alert on a failed load?

Scheduler plus Viewpoint alerts plus mail.

298. What is a runbook?

Step-by-step for a repeat incident.

299. What is a CAB?

Change advisory board for production changes.

JobKit - 500 interview and ATS questions

300. What is a back-out plan?

How you undo a change if it fails.

301. What is Tosca?

Tricentis Tosca: model-based test automation, largely scriptless.

302. What is model-based testing in Tosca?

You scan the app into modules and reuse them in test cases.

303. What is Tosca Commander?

The main UI to design, run, and manage tests.

304. What is a workspace?

A Tosca repository you open in Commander.

305. Multi-user vs single-user repo?

Multi-user uses a DB for check-in; single-user is file-based.

306. What is a module?

A reusable model of UI or API controls.

307. What is XScan?

Scanner that identifies controls and builds modules.

308. What is TBox?

Tosca's engine layer for steering applications.

309. What is a test case?

A sequence of test steps using modules.

310. What is a test step value?

The action and data on a module attribute.

311. What is ActionMode?

Input, Output, Verify, Buffer, WaitOn, Select, Constraint, Insert, etc.

312. What is Buffer?

Save a runtime value to reuse later.

313. What is Verify?

Assert that a control equals an expected value.

314. What is WaitOn?

Wait until a control reaches a value or exists.

315. What is Constraint?

Limit which row or item is used.

316. What is a TestCaseDesign sheet?

Data-driven instances from a template.

317. What is an instance?

One data combination generated from TCD.

318. What is a template test case?

A test case that instantiates from TCD.

319. What is a business parameter?

A named value passed into a test case.

320. What is a library in Tosca?

Reusable test step folders.

321. What is a TestStepFolder?

JobKit - 500 interview and ATS questions

A grouping of steps, sometimes used as a reusable block.

322. What is a recovery scenario?

Cleanup or retry after a failed step.

323. What is a cleanup folder?

Steps that run after a test to leave the app stable.

324. What is an execution list?

A set of test cases to run in order.

325. What is ScratchBook?

Ad-hoc run without saving results to an execution list.

326. What is TC-Shell?

Command-line Tosca for CI.

327. What is DEX?

Distributed Execution: run tests on agent machines.

328. What is a DEX agent?

A machine that executes tests from a queue.

329. What is Tosca Server?

Services for DEX, dashboards, and integrations.

330. What is AOS?

Automation Object Service, depending on the Tosca version.

331. What is TDS?

Test Data Service: managed test data.

332. What is Test Data Management?

Create, mask, and provision data for tests.

333. How do you scan a web page?

XScan with the browser extension or engine, then map controls.

334. What is a steering engine?

The adapter for HTML, SAP, API, and others.

335. What is the HTML engine?

Steers browser DOM controls.

336. What is the SAP engine?

Steers SAP GUI controls.

337. What is API Scan?

Build modules from REST/SOAP definitions.

338. How do you test REST in Tosca?

API Scan or API Engine modules with payload and verify.

339. What is a payload?

JSON or XML body you send.

340. How do you verify status 200?

Verify the status attribute on the API module.

341. How do you chain API calls?

Buffer an id from the first response into the second request.

342. What is a module attribute?

One field or control in a module.

JobKit - 500 interview and ATS questions

343. What is a technical ID?

How Tosca finds the control, for example id or xpath-like path.

344. What if XScan cannot find a control?

Try another engine, frame, or identify by parent.

345. What is a dynamic ID problem?

IDs change each session; use a stable property.

346. How do you handle iFrames?

Scan inside the frame or switch context per engine rules.

347. How do you handle a dropdown?

Input or Select action on the combo control.

348. How do you handle a table?

Constraint on a row plus Input/Verify on cells.

349. How do you upload a file?

File control Input with a path the agent can see.

350. How do you handle CAPTCHA?

You do not automate CAPTCHA; tests skip or use a test hook.

351. How do you handle SSO?

Test account plus storage of a session if the project allows.

352. What is a business-focused test case?

Steps named in business language, modules underneath.

353. What is risk-based testing in Tosca?

Weight tests by business risk if the project uses it.

354. What is exploratory testing vs Tosca?

Exploratory is unscripted; Tosca is designed automation.

355. What is a requirements folder?

Optional mapping of tests to requirements.

356. What is coverage in Tosca?

Which requirements or TCD instances ran.

357. How do you run from CI?

TC-Shell or Tosca CI against a workspace and execution list.

358. How do you pass results to Jenkins?

CI result files or Tosca Server reporting.

359. What is a configuration parameter?

Settings such as browser, timeout, or test config.

360. What is TCP?

Test configuration parameter.

361. How do you run Chrome vs Edge?

TCP or test configuration for the browser.

362. What is a buffer syntax?

Curly braces with the buffer name, depending on version.

363. What is a date expression in Tosca?

Dynamic date functions in test step values.

364. What is a random value?

JobKit - 500 interview and ATS questions

Generated test data; do not use it for unique keys without control.

365. How do you wait for a spinner?

WaitOn existence or wait for the spinner to vanish.

366. Why not use a huge static wait?

It slows suites and still flakes; WaitOn is better.

367. What is synchronization?

Waiting for the app to be ready before the next step.

368. What is a flaky test?

Passes and fails without product bugs; fix waits and identifications.

369. How do you stabilize SAP tests?

SAP engine, proper GUI scripting, and wait for busy indicators.

370. What is SAP scripting setting?

SAP GUI must allow scripting on the client and server.

371. What is a TCode?

SAP transaction code you steer to.

372. How do you test an SAP Fiori app?

Often HTML/browser engine, not classic SAP GUI.

373. What is a Tosca license type?

Commander, execution-only, etc. - follow what the project bought.

374. What is a subset?

An export of part of the repo to share.

375. How do you avoid merge conflicts?

Small check-outs, folders by team, frequent check-in.

376. What is a checkout?

Lock objects so you can edit in multi-user.

377. What is a check-in?

Save objects back to the common repo.

378. What happens if you lose a checkout?

Admin recover or take ownership per process.

379. What is a branch in Tosca?

Versioning approach depends on repo type and version.

380. How do you review a test case?

Peer review modules, data, and verifies, not only a green run.

381. What is a smoke execution list?

A short list that proves the app starts and login works.

382. What is a regression pack?

The suite you run before a release.

383. How do you select tests for a change?

Impact on modules used by the changed screens.

384. What is a data-driven test?

Same steps, many TCD instances.

385. What is a keyword-driven test?

Reusable business steps; Tosca libraries play that role.

JobKit - 500 interview and ATS questions

386. Tosca vs Selenium?

Tosca is model-based commercial; Selenium is code-first OSS.

387. When is Tosca a poor fit?

Tiny apps, heavy CAPTCHA, or teams that only want code.

388. What is a TestCase workstate?

Status such as COMPLETED used in some processes.

389. What is a log in Tosca?

Run log with passed/failed steps and screenshots if configured.

390. How do you capture a screenshot on fail?

Execution settings for screenshots.

391. What is a recovery scenario example?

Close a leftover dialog so the next case can start.

392. How do you skip a step?

Condition or disable the step; do not leave broken verifies.

393. What is a condition in Tosca?

If-then style control of whether steps run.

394. What is a repetition?

Loop a folder while a condition holds.

395. How do you loop a table?

Repetition with Constraint moving through rows.

396. What is a buffer overwrite risk?

Two tests share a buffer name and leak data.

397. How do you isolate buffers?

Unique names per test or clear them in cleanup.

398. What is a test configuration 'Standard'?

Default config used if none is specified.

399. How do you handle 2FA in tests?

Test hooks or a non-prod OTP process. Never bypass production 2FA.

400. Should you automate production?

Prefer test environments; production automation is rare and gated.

401. What is a service virtualization?

Fake a dependency; Tosca may call a stub instead of a live API.

402. What is a contract test?

API schema and status checks between services.

403. How do you version modules?

Change with the app; keep old tests green or retire them.

404. What is technical debt in Tosca?

Duplicate modules, absolute waits, and unused instances.

405. How do you name modules?

Screen plus control group, stable and unique.

406. How do you name test cases?

Story or risk plus expected outcome.

407. What is a Definition of Done for a test?

JobKit - 500 interview and ATS questions

Runs green twice on CI, reviewed, and data is documented.

408. What is Playwright?

A Microsoft library to automate Chromium, Firefox, and WebKit.

409. Playwright vs Selenium?

Auto-wait, browsers included, and a single API across engines.

410. What is a browser context?

An isolated incognito-like session inside a browser.

411. What is a page?

A tab inside a context.

412. What is a locator?

A lazy handle to find elements, not a one-time query.

413. Why are locators better than element handles?

They re-query and wait; handles go stale.

414. What is getByRole?

Locate by accessible role and name.

415. What is getByTestId?

Locate by a test id attribute you control.

416. What is getByText?

Locate by visible text.

417. What is a strict mode violation?

Locator resolved to more than one element.

418. How do you pick one of many?

nth, filter, or a tighter locator.

419. What is auto-waiting?

Playwright waits for actionability before click or fill.

420. What is actionability?

Visible, enabled, stable, and receiving events.

421. What is a timeout in Playwright?

Default 30s for many actions; set per test or per action.

422. What is expect(locator).toBeVisible()?

An assertion that waits until the element is visible.

423. Web-first assertions?

Assertions that retry until they pass or time out.

424. What is a fixture?

Shared setup in Playwright Test, such as page.

425. What is test.extend?

Custom fixtures for login or data.

426. What is storageState?

Saved cookies/localStorage to skip login.

427. How do you reuse login?

Save storageState in a setup project.

428. What is a project in playwright.config?

A browser or setup target.

JobKit - 500 interview and ATS questions

429. What is a worker?

A parallel process that runs tests.

430. What is fullyParallel?

Run tests in a file in parallel.

431. How do you stop test pollution?

Isolated contexts and no shared mutable files.

432. What is test.step?

A named chunk in the report.

433. What is a trace?

A recording you can open in Trace Viewer.

434. When do you keep traces?

On first retry or on failure in CI.

435. What is Trace Viewer?

UI to inspect DOM, network, and actions.

436. What is codegen?

Record actions into a test script.

437. Why not ship raw codegen?

It is a start; you still clean locators and asserts.

438. What is page.route?

Intercept and mock network requests.

439. How do you mock an API?

route fulfill with JSON.

440. How do you wait for a response?

page.waitForResponse with a URL predicate.

441. What is APIRequestContext?

HTTP requests without a browser, for setup or API tests.

442. How do you test downloads?

Wait for download event and save the file.

443. How do you test uploads?

setInputFiles on the file input.

444. Can Playwright set a file input?

Yes in tests; a Chrome extension cannot.

445. How do you handle a new tab?

Wait for a popup page event.

446. How do you handle a dialog?

page.on('dialog') accept or dismiss.

447. How do you run headed on a laptop?

headed: true or --headed.

448. How do you run in CI?

headless, HTML report, retries 1-2.

449. What is a flake retry?

Re-run a failed test; fix the flake, do not hide it forever.

450. What is a screenshot on failure?

JobKit - 500 interview and ATS questions

Configured in use: screenshot: 'only-on-failure'.

451. What is video on failure?

use.video: 'retain-on-failure'.

452. What is a soft assertion?

expect.soft that does not stop the test immediately.

453. What is test.describe?

A group of tests.

454. What is test.beforeEach?

Runs before every test in the group.

455. What is a tag in Playwright?

test.info().annotations or grep @smoke.

456. How do you run only smoke?

npx playwright test --grep @smoke

457. What is a locator filter?

Narrow a locator by text or another locator.

458. What is getByLabel?

Find a control via its label text.

459. What is getByPlaceholder?

Find an input by placeholder.

460. What is a frame locator?

Enter an iframe without driver.switchTo.

461. How do you work with Shadow DOM?

Locators pierce open shadow roots.

462. What is fill vs type?

fill sets the value; type sends key events.

463. When do you use pressSequentially?

When the app listens to each key.

464. What is click force?

Bypasses some checks; use rarely.

465. What is hover?

Move the mouse for menus.

466. How do you select a dropdown?

selectOption on a select, or click options in a custom combo.

467. How do you check a checkbox?

locator.check().

468. How do you read text?

locator.innerText() or toHaveText.

469. How do you count rows?

locator.count() or toHaveCount.

470. What is a clock in Playwright?

Fake timers for time-dependent UI.

471. What is authentication setup project?

A project that logs in once and writes storageState.

JobKit - 500 interview and ATS questions

472. How do you test localization?

A project per locale.

473. How do you test a mobile viewport?

Device descriptor in a project.

474. Does Playwright drive a real phone?

It emulates viewport and UA; real devices need another stack.

475. What is Playwright for Python vs Node?

Same browser engine; this kit uses Python in places and Node is common in web teams.

476. How do you install browsers?

playwright install.

477. What is a `browserType.launch`?

Lower-level API vs Playwright Test fixtures.

478. When do you use persistent context?

To keep a profile, as JobKit does for LinkedIn session.

479. What is CDP?

Chrome DevTools Protocol; Playwright can connect over it.

480. Why not click Submit in JobKit?

Sites forbid bots; you submit yourself after fill.

481. What is a POM?

Page Object Model: locators and actions in a class.

482. Playwright and POM?

Use fixtures plus small page objects; avoid huge base classes.

483. What is a component locator?

A locator root for a widget, then `getByRole` inside it.

484. How do you avoid xpath soup?

Prefer role, label, and test id.

485. What is an accessible name?

The name screen readers use; `getByRole` uses it.

486. How do you test file download names?

`download.suggestedFilename()`.

487. How do you wait for URL?

`expect(page).toHaveURL`.

488. How do you wait for title?

`expect(page).toHaveTitle`.

489. What is `networkidle`?

Wait until no connections; often too brittle, prefer response waits.

490. What is `domcontentloaded`?

HTML parsed; assets may still load.

491. What is load?

Window load event.

492. Which wait is default for goto?

Usually load; you can pass `waitUntil`.

493. How do you debug a test?

JobKit - 500 interview and ATS questions

PWDEBUG=1 or --debug and Trace Viewer.

494. What is UI mode?

playwright test --ui for watch and time travel.

495. How do you seed test data?

APIRequestContext in beforeEach or a factory.

496. How do you hide secrets in CI?

Env vars, not committed .env.

497. What is a visual snapshot?

Screenshot compare with toHaveScreenshot.

498. Why do visual tests flake?

Fonts, animation, and time; mask dynamic regions.

499. What is a mask in screenshots?

Hide volatile locators before compare.

500. How do you test accessibility?

axe via a Playwright plugin or extra library.