

## 500 interview and ATS questions

Practice bank for Teradata DBA, Tosca/SAP, Playwright, SQL, and application forms. Use facts from your own profile. Download: <https://raviacn95.github.io/job-apply-status/interview-500-questions.pdf>

**1. What is notice period?**

Time you must serve after resigning before the last working day.

**2. What is current CTC?**

Total annual cost to company you earn now, usually in LPA in India.

**3. What is expected CTC?**

Compensation you are targeting for the new role.

**4. Are you willing to relocate?**

Say yes only if you can actually move; JobKit default for these profiles is Yes.

**5. Do you need visa sponsorship?**

For India-based roles the usual answer is No.

**6. Are you authorized to work in India?**

Yes if you are an Indian citizen or otherwise legally allowed to work.

**7. How did you hear about this job?**

Company careers site, job board, or recruiter post - be truthful.

**8. Why are you leaving?**

Look for a closer skill match, scale, or domain - never badmouth the employer.

**9. When can you join?**

Tie it to notice period, for example 30 days after offer.

**10. Will you work hybrid?**

Yes if the JD allows; confirm location days before you accept.

**11. Are you open to night shifts?**

Only say yes if you truly can; on-call DBA work is different from BPO shifts.

**12. What is your serving notice?**

Same as notice period if you have already resigned; else your contractual notice.

**13. Can you join immediately?**

Only if you are already serving notice or are on the bench.

**14. Do you have a passport?**

Answer from fact; many banks ask this for background checks.

**15. Have you been through a background check?**

Yes if a prior employer ran one; say so plainly.

**16. Any gap in employment?**

Explain months honestly; do not hide them.

**17. Are you bound by a non-compete?**

Follow the contract you signed; most India IT bonds are limited.

**18. Can you provide payslips?**

Yes if you have them; never fake documents.

**19. What is variable pay?**

The bonus or incentive part of CTC that is not guaranteed.

**20. What is take-home vs CTC?**

## **JobKit - 500 interview and ATS questions**

Take-home is in-hand after tax and deductions; CTC is the full employer cost.

### **21. Do you have PF and UAN?**

Yes if you were on payroll; share UAN only on official HR forms.

### **22. Are you comfortable with a bond?**

Decide before you apply; do not agree in a form if you will refuse later.

### **23. Current location?**

City you live in now, for example Bengaluru.

### **24. Preferred location?**

Where you will work; match the JD.

### **25. Highest education?**

Degree, school, and year from your profile.

### **26. Current employer?**

Your latest company name.

### **27. Current designation?**

Your latest title.

### **28. Total years of experience?**

Full-time years from your profile, not internships unless asked.

### **29. Relevant years of experience?**

Years on the track in the JD, for example Teradata or Tosca.

### **30. LinkedIn URL?**

Your public profile URL.

### **31. Cover letter in one line?**

I am applying for this role because my production work matches the JD skills.

### **32. Why this company?**

Point to the product, scale, or domain in the JD, not generic praise.

### **33. Why this role?**

Map two or three JD skills to work you have actually done.

### **34. What is your strength?**

A skill from the JD you can prove with a metric.

### **35. What is your weakness?**

A real gap you are closing, not a humble-brag.

### **36. Tell me about yourself.**

60-second story: years, stack, one result, why this role.

### **37. Describe a conflict at work.**

Situation, what you did, outcome, no blame.

### **38. Describe a production incident.**

Impact, what you checked, fix, and how you prevented a repeat.

### **39. Are you a team player?**

Give one example of pairing or handover, not a slogan.

### **40. How do you handle pressure?**

Prioritize P1, communicate ETA, and write the timeline after.

### **41. Where do you see yourself in 5 years?**

Deeper in the same craft (lead DBA or automation architect), not a random MBA line.

## **JobKit - 500 interview and ATS questions**

### **42. Do you have managerial experience?**

Only if you have led people; else say you have led workstreams.

### **43. Salary negotiation opening?**

State expected CTC from the profile and wait; do not undercut 30 LPA search floor.

### **44. Counter-offer from current company?**

Decide before the call; most people who stay after a counter leave within a year.

### **45. Can you work from office 5 days?**

Answer the real policy; do not say yes and then refuse.

### **46. Do you have a laptop?**

Yes if you use your own; company kit is usual after joining.

### **47. Any ongoing interviews?**

You may say you are exploring options without naming companies.

### **48. Are you interviewing with our competitor?**

Do not volunteer names; stay professional.

### **49. Can we contact your current manager?**

Usually after resignation; say so.

### **50. References?**

Keep two ready: a lead and a peer who know your work.

### **51. What is garden leave?**

Paid period after resigning when you do not work, if the contract says so.

### **52. What is a buyout?**

Paying remaining notice so you can join earlier, if both employers agree.

### **53. What is serving vs remaining notice?**

Serving means you already resigned; remaining is days left.

### **54. Are you on a contract?**

Say payroll vs vendor vs contract-to-hire exactly.

### **55. Open to contract roles?**

Only if you want them; many 30 LPA+ hunts are full-time.

### **56. Open to startup vs MNC?**

Pick from the JD; do not apply to both with opposite stories.

### **57. Night on-call for DBA?**

Production DBA work often includes on-call; confirm the roster.

### **58. Weekend releases?**

Common in banks; say yes only if you have done them.

### **59. Travel percentage?**

Answer from fact; many India roles are local plus rare onsite.

### **60. Language requirements?**

English plus any language you actually speak.

### **61. Disability or accommodations?**

Share only what you want HR to know; it is optional.

### **62. Relatives in the company?**

Disclose if the form asks; conflicts of interest matter.

### **63. Have you applied here before?**

## **JobKit - 500 interview and ATS questions**

Tell the truth; ATS stores history.

### **64. How soon for an interview?**

Give two windows in the next week.

### **65. Online vs onsite interview?**

Follow their process; keep a quiet room for video.

### **66. What to take to an interview?**

ID, updated resume, and questions for them.

### **67. Questions to ask the interviewer?**

Team size, on-call, tech stack version, and success in 90 days.

### **68. How do you learn a new tool?**

Sandbox, vendor docs, then a small production-safe change.

### **69. How do you document work?**

Runbook plus change ticket; not only chat messages.

### **70. How do you estimate a task?**

Break it, add review and rollback time, then give a range.

### **71. What is a good handover?**

Access, runbooks, open risks, and a live walkthrough.

### **72. How do you deal with an unclear JD?**

Ask which systems are in scope and what success looks like.

### **73. STAR method?**

Situation, Task, Action, Result - use numbers in Result.

### **74. What is a PIP?**

Performance improvement plan; answer only if you have been on one.

### **75. Reason for a short stint?**

Project end, location, or scope mismatch - keep it factual.

### **76. Can you share client names?**

Only if NDA allows; else describe industry and scale.

### **77. NDA in interviews?**

Do not paste internal docs; speak in general terms.

### **78. What is double employment?**

Working two full-time jobs at once; most employers forbid it.

### **79. Notice buyout who pays?**

Sometimes the new employer; get it in the offer letter.

### **80. Expected CTC in words?**

Match the number on the form; do not put a range if they want one figure.

### **81. Current CTC breakup?**

Have basic, HRA, special, and bonus ready if they ask.

### **82. Last hike percentage?**

Use the real number from your letter.

### **83. Holding an offer?**

You may say you have one without inflating the number.

### **84. Joining bonus expectation?**

Do not demand it unless they offer; it is not guaranteed.

## **JobKit - 500 interview and ATS questions**

### **85. Stock or RSU?**

Ask after base and bonus are clear.

### **86. Shift allowance?**

Relevant for 24x7 support roles; confirm in the offer.

### **87. Relocation bonus?**

Ask if you must move cities.

### **88. Probation length?**

Typical 3-6 months; confirm confirmation criteria.

### **89. What is Teradata?**

A shared-nothing MPP database for large analytic workloads.

### **90. What is an AMP?**

Access Module Processor: a parallel worker that stores and processes part of the data.

### **91. What is a PE?**

Parsing Engine: parses SQL, optimizes, and sends steps to AMPs.

### **92. What is BYNET?**

The interconnect that moves messages and data between PEs and AMPs.

### **93. What is a vproc?**

A virtual processor such as AMP or PE running on a node.

### **94. What is a clique?**

A set of nodes that share disks so a failed node can fail over.

### **95. What is a hot standby node?**

A spare node that can take over vprocs after a failure.

### **96. What is Fallback?**

A second copy of a table on another AMP for availability.

### **97. When do you use Fallback?**

Critical tables that must survive AMP or disk loss.

### **98. What is a Primary Index?**

The distribution key that decides which AMP stores a row.

### **99. Unique vs non-unique PI?**

UPI enforces uniqueness; NUPI allows duplicates and can skew.

### **100. What is a Secondary Index?**

An extra access path; it has a subtable and extra I/O.

### **101. What is a Join Index?**

A stored join or aggregation that the optimizer can use.

### **102. What is PPI?**

Partitioned Primary Index: partitions rows inside each AMP.

### **103. What is a NoPI table?**

A table without a PI; used for fast staging loads.

### **104. What is a sparse map?**

A map that uses a subset of AMPs for smaller tables.

### **105. What is a contiguous map?**

The default map that uses all AMPs in the system.

### **106. What is hashing in Teradata?**

## **JobKit - 500 interview and ATS questions**

The PI value is hashed to pick the AMP.

### **107. What is skew?**

Uneven row or CPU distribution across AMPs.

### **108. How do you find skewed tables?**

Compare AMP row counts or use DBQL and Viewpoint.

### **109. What is a hot AMP?**

An AMP doing more work than others, often from skew.

### **110. What is spool space?**

Temporary space for intermediate query results.

### **111. What is perm space?**

Permanent table storage quota.

### **112. What is temp space?**

Space for global temporary tables.

### **113. User vs database in Teradata?**

A user can log on; a database is a space container.

### **114. What is a profile in Teradata?**

A set of account, spool, and password settings for users.

### **115. What is a role?**

A bundle of rights you grant to users.

### **116. What is GRANT vs role?**

GRANT is a privilege; a role groups many privileges.

### **117. What is a macro?**

A stored SQL snippet executed with EXEC.

### **118. What is a stored procedure?**

Procedural SQL with logic, not just a macro.

### **119. What is a volatile table?**

Session-scoped table that disappears on logoff.

### **120. Global temporary vs volatile?**

GTT definition is permanent; data is session-scoped.

### **121. What is a derived table?**

An inline subquery in the FROM clause.

### **122. What is a CTE?**

WITH clause query that names a result set.

### **123. What is COLLECT STATISTICS?**

Gather data demographics so the optimizer can plan well.

### **124. When do you collect stats?**

After large loads, skew, or bad plans; not blindly every hour.

### **125. What is SUMMARY stats?**

A cheaper stats option on some releases for quick demographics.

### **126. What is sampled stats?**

Stats on a sample; faster but less accurate.

### **127. How do you see a plan?**

EXPLAIN SELECT ...

## **JobKit - 500 interview and ATS questions**

### **128. What is a confidence level in EXPLAIN?**

How sure the optimizer is about row estimates.

### **129. What is a product join?**

Every row compared to every row; often a warning sign.

### **130. What is a merge join?**

Join on sorted/hashed keys; usually cheaper.

### **131. What is a hash join?**

Build a hash table of the smaller set and probe it.

### **132. What is a nested join?**

Index-driven lookup join.

### **133. What is redistribution?**

Moving rows across AMPs so join keys co-locate.

### **134. What is duplication of a table in a join?**

Copying a small table to all AMPs.

### **135. What is a residual condition?**

A filter applied after the join or retrieve step.

### **136. What is a lock in Teradata?**

Access, read, write, or exclusive lock on a table or row hash.

### **137. What is a deadlock?**

Two sessions waiting on each other; one is aborted.

### **138. How do you reduce lock contention?**

Shorter transactions, nightly batch windows, and row-hash locks.

### **139. What is a transaction in Teradata?**

BT/ET or ANSI transaction around SQL.

### **140. BTET vs ANSI mode?**

BTET is Teradata transaction mode; ANSI is commit-oriented.

### **141. What is FastLoad?**

Utility to load empty tables quickly with two phases.

### **142. FastLoad limitation?**

Target must be empty; no SI during load in classic use.

### **143. What is MultiLoad?**

Utility for insert/update/delete on populated tables.

### **144. What is TPump?**

Low-volume continuous load with row-hash locks.

### **145. What is FastExport?**

High-volume export from Teradata.

### **146. What is BTEQ?**

CLI for SQL, scripts, and simple imports.

### **147. What is TPT?**

Teradata Parallel Transporter: modern load/export framework.

### **148. TPT vs legacy utilities?**

TPT can replace FastLoad/MultiLoad/FastExport with operators.

### **149. What is a load slot?**

## **JobKit - 500 interview and ATS questions**

A limit on concurrent load jobs.

### **150. What is a checkpoint in MultiLoad?**

A restart point after a failure.

### **151. What is an error table?**

Where utilities land rejected rows.

### **152. What is a UV table?**

Uniqueness violation table in MultiLoad.

### **153. What is Viewpoint?**

Web console for health, queries, and alerts.

### **154. What is QueryGrid?**

Fabric to query Hadoop, Oracle, and other systems from Teradata.

### **155. What is TASM?**

Teradata Active System Management: workload rules and throttles.

### **156. What is a workload in TASM?**

A class of queries with priority and limits.

### **157. What is a throttle?**

A cap on concurrency for a workload.

### **158. What is a filter in TASM?**

A rule that rejects or delays some queries.

### **159. What is exception handling in TASM?**

Move or abort queries that exceed CPU or skew.

### **160. What is WD-Default?**

The default workload when nothing else matches.

### **161. What is a utility session?**

Sessions used by load/export utilities.

### **162. What is BAR?**

Backup and restore, often with DSA or NetBackup.

### **163. What is DSA?**

Data Stream Architecture for backups.

### **164. Full vs incremental backup?**

Full copies everything; incremental copies changes.

### **165. How do you restore one table?**

Use BAR object-level restore if the backup supports it.

### **166. What is a dump vs backup?**

Dump often means a system dump for support; backup is data protection.

### **167. What is PDBA vs production DBA?**

PDBA may own platform; production DBA owns day-to-day jobs and users.

### **168. What is space reclamation?**

Freeing perm after deletes; packing and fallback copies matter.

### **169. What is a cylinder?**

A unit of disk allocation on an AMP.

### **170. What is a table header?**

Metadata stored with the table on each AMP.



## **JobKit - 500 interview and ATS questions**

### **171. What is a journal?**

Before/after image used for recovery on some tables.

### **172. Permanent journal vs transient?**

Permanent is extra protection; transient is for transactions.

### **173. What is TVS?**

Teradata Virtual Storage: storage virtualization layer.

### **174. What is FSYS?**

File system layer under AMPs.

### **175. What is a node crash recovery?**

Vprocs migrate; cliques and HSN determine downtime.

### **176. What is a database restart?**

TPA reset: sessions drop; need to reconnect.

### **177. What is TPA?**

Teradata parallel database process stack.

### **178. What is PDE?**

Parallel Database Extensions: OS layer for vprocs.

### **179. What is a gateway?**

Connection manager for client sessions.

### **180. What is a session?**

A logged-on PE connection from a client.

### **181. Default session mode?**

Depends on client; know if you are ANSI or Teradata mode.

### **182. What is a request vs a transaction?**

A request is one SQL; a transaction may be many requests.

### **183. How do you kill a bad query?**

Abort in Viewpoint or with a console abort after checking impact.

### **184. How do you find who filled the spool?**

DBQL plus user spool limits.

### **185. What is DBQL?**

Database Query Log: history of queries and steps.

### **186. What is ResUsage?**

Resource usage macros for CPU, disk, and BYNET.

### **187. What is a heart beat in Viewpoint?**

System health pulse; red means investigate now.

### **188. What is a blocked session?**

Waiting on a lock held by another session.

### **189. How do you see blockers?**

Lock viewer in Viewpoint or lock query views.

### **190. What is a deadlock timeout?**

How long Teradata waits before aborting a deadlock victim.

### **191. What is a PPI advantage?**

Partition elimination so fewer cylinders are read.

### **192. What is a character PPI?**

## **JobKit - 500 interview and ATS questions**

Partitioning on a character column; less common than date PPI.

### **193. What is multilevel PPI?**

More than one partition expression.

### **194. What is a column partition (CP)?**

Columnar storage for analytic tables on some releases.

### **195. What is Hybrid Row/Column?**

Mix of row and column partitions.

### **196. What is compression in Teradata?**

MVC, UDT, algorithmic, or block-level depending on release.

### **197. What is MVC?**

Multi-Value Compression: dictionary compression on a column.

### **198. What is a UDT?**

User-defined type.

### **199. What is a UDF?**

User-defined function.

### **200. What is a table operator?**

SQL-HMR style operator for custom processing.

### **201. What is Native Object Store (NOS)?**

Read/write object storage (S3-style) from Teradata Vantage.

### **202. What is Vantage?**

Teradata's analytics platform branding for newer releases.

### **203. What is QueryBand?**

Name/value tags on a session or transaction for workload and audit.

### **204. What is an account string?**

Account used for chargeback and TASM mapping.

### **205. What is a performance group?**

Older priority scheme; TASM workloads replaced much of this.

### **206. What is a resource partition?**

A slice of CPU reserved for a set of workloads.

### **207. What is tactical vs decision support?**

Tactical is short; DSS is heavy reporting.

### **208. How do you protect tactical queries?**

TASM: high priority, low throttle, and exception on long CPU.

### **209. What is a delayed query?**

Queued by a throttle until a slot is free.

### **210. What is a reject in TASM?**

The query is not allowed to run.

### **211. What is an object lock vs row hash lock?**

Object is table-level; row hash is finer.

### **212. What is a dummy row lock?**

Locking a hash with no row; still blocks that hash.

### **213. How do you load a large fact table daily?**

Stage NoPI or FastLoad, then INSERT-SELECT with collect stats.

## **JobKit - 500 interview and ATS questions**

### **214. What is an INSERT-SELECT?**

Load from one table into another set-based.

### **215. What is MERGE INTO?**

Upsert based on a match condition.

### **216. What is UPDATE from a join?**

Set-based update using another table.

### **217. What is a SET vs MULTiset table?**

SET rejects duplicate rows; MULTiset allows them.

### **218. Duplicate row check cost?**

SET tables can be expensive on NUPI during inserts.

### **219. What is a queue table?**

A table with consume semantics for messaging-style pulls.

### **220. What is an identity column?**

System-generated numbers; be careful with distribution.

### **221. What is a date PI problem?**

Low cardinality dates skew if used as PI.

### **222. Good PI for a fact table?**

A high-cardinality join key, often a customer or transaction id.

### **223. What is referential integrity in Teradata?**

Optional; soft RI is often used for optimizer hints.

### **224. What is a batch vs tactical window?**

Batch at night with loads; tactical during business hours.

### **225. How do you handle a failed FastLoad?**

Drop or empty the target, fix the file, restart; check error tables.

### **226. What is a two-phase FastLoad?**

Phase 1 loading to AMPs; phase 2 sorting into the table.

### **227. Can FastLoad load a PI with SI?**

Classic FastLoad wants no secondary indexes on the target.

### **228. What is a MiniBatch?**

A pattern of small MultiLoad or TPT jobs.

### **229. What is streaming ingest?**

TPump or TPT Stream for near-real-time.

### **230. How do you grant access to a new analyst?**

Role-based: create user, grant role, set spool and profile.

### **231. How do you revoke a leaver?**

Lock the user, revoke roles, drop or keep for audit per policy.

### **232. What is a password lockout?**

Profile setting after failed logons.

### **233. What is LDAP vs TD database auth?**

Enterprise directory vs Teradata passwords.

### **234. What is SSO to Viewpoint?**

Viewpoint can use corporate identity; still map TD users.

### **235. What is a zone in Viewpoint?**

## **JobKit - 500 interview and ATS questions**

A filtered view of systems for a team.

### **236. What is a portlet?**

A Viewpoint dashboard widget.

### **237. What is a system heartbeat alert?**

Pager-worthy if the database is down.

### **238. How do you plan an upgrade?**

Read the release, test BAR, check views, schedule an outage window.

### **239. What is a compat view?**

Older dictionary views kept for scripts.

### **240. DBC vs SYSLIB?**

DBC is the data dictionary; SYSLIB holds functions.

### **241. What is DBC.TablesV?**

Dictionary view of tables.

### **242. How do you find table size?**

SUM of currentperm from DBC.TableSizeV grouped by table.

### **243. How do you find user space?**

DBC.DiskSpaceV or Viewpoint space portlet.

### **244. What is currentperm vs peakperm?**

Current used vs high-water used.

### **245. What is a stall?**

AMPs waiting on I/O or each other; check ResUsage.

### **246. What is a bottleneck on BYNET?**

Heavy redistribution; redesign PI or join.

### **247. What is a CPU-bound query?**

High AMP CPU; check product joins and functions on columns.

### **248. What is a missing stats symptom?**

Wrong join type and huge spool.

### **249. How often to collect stats on a large fact?**

After major loads; use THRESHOLD where available.

### **250. What is stats THRESHOLD?**

Skip collect if data has not changed enough.

### **251. What is a copy job in BAR?**

Copy backup data to another system.

### **252. What is a restore to a different system?**

Needs compatible maps and enough AMPs or a remap strategy.

### **253. What is a map change?**

Redistribute tables after adding AMPs.

### **254. What is a reconfig?**

System change such as adding nodes; planned outage.

### **255. What is HSN vs clique failover?**

HSN is a spare node; clique shares disks among nodes.

### **256. What is a down AMP?**

AMP not processing; fallback or HSN may cover.

## **JobKit - 500 interview and ATS questions**

### **257. What is a catchup?**

Recovering fallback copies after a component returns.

### **258. What is a checktable?**

Utility to check table integrity.

### **259. What is a scandisk?**

Lower-level disk integrity check.

### **260. What is a perm cache?**

Memory cache of perm data; watch hit rates.

### **261. What is FSG cache?**

File segment cache for I/O.

### **262. What is a TVS temperature?**

Hot/cold data placement on mixed storage.

### **263. What is a 1-AMP operation?**

A query that hits a single AMP via unique PI access.

### **264. What is an all-AMP retrieve?**

Every AMP reads its piece of the table.

### **265. What is a group AMP operation?**

A subset of AMPs, for example sparse maps.

### **266. What is a join index maintenance cost?**

Extra work on every base-table change.

### **267. When is a JI worth it?**

Stable, repeated joins that dominate CPU.

### **268. What is an aggregate JI?**

Pre-aggregated stored result.

### **269. What is a single-table JI?**

A stored projection or extra access path on one table.

### **270. What is a covering index?**

An index that satisfies a query without the base table.

### **271. What is a value-ordered NUSI?**

NUSI stored in value order for range access.

### **272. What is a hash-ordered NUSI?**

Default NUSI organization.

### **273. What is a unique secondary index?**

Enforces uniqueness and supports lookups.

### **274. Cost of USI on load?**

Load utilities may require dropping USI first.

### **275. What is a soft RI?**

Optimizer uses the relationship without enforcing it.

### **276. What is a batch error table?**

Landing for failed rows in a batch.

### **277. How do you handle late-arriving dimensions?**

Staging and MERGE; do not invent keys.

### **278. What is slowly changing dimension?**

## **JobKit - 500 interview and ATS questions**

Type 1 overwrite vs Type 2 history rows.

### **279. How does a DBA support SCD2?**

PI, PPI on dates, and space for history.

### **280. What is a surrogate key?**

Internal integer key; pick a PI that does not skew.

### **281. What is a natural key?**

Business key such as account number.

### **282. What is 3NF vs star schema?**

3NF is normalized EDW; star is dimensional mart.

### **283. Where does Teradata sit in a lakehouse?**

Often the governed EDW; NOS can query the lake.

### **284. What is data lineage?**

Where a column came from; DBA supports via views and docs.

### **285. What is a view vs a table?**

View is stored SQL; table is stored rows.

### **286. What is a recursive view?**

View that refers to itself; use carefully.

### **287. What is a locking view?**

A view that includes LOCKING modifiers.

### **288. LOCKING ROW FOR ACCESS?**

Allows dirty reads to reduce blocking.

### **289. When is ACCESS locking dangerous?**

When the reader must see committed consistent numbers.

### **290. What is a deadlock victim?**

The session Teradata aborts to break a deadlock.

### **291. How do you tune a product join?**

Stats, better join keys, or rewrite to merge/hash.

### **292. What is a character set issue?**

Latin vs Unicode; conversions can cost CPU.

### **293. What is a case-specific compare?**

CS vs CASESPECIFIC in comparisons.

### **294. What is a format in BTEQ?**

How numbers and dates print in reports.

### **295. What is .IF ERRORCODE in BTEQ?**

Branch on failure in a script.

### **296. What is a return code in jobs?**

Scheduler uses it to fail the job.

### **297. How do you alert on a failed load?**

Scheduler plus Viewpoint alerts plus mail.

### **298. What is a runbook?**

Step-by-step for a repeat incident.

### **299. What is a CAB?**

Change advisory board for production changes.

## **JobKit - 500 interview and ATS questions**

### **300. What is a back-out plan?**

How you undo a change if it fails.

### **301. What is Tosca?**

Tricentis Tosca: model-based test automation, largely scriptless.

### **302. What is model-based testing in Tosca?**

You scan the app into modules and reuse them in test cases.

### **303. What is Tosca Commander?**

The main UI to design, run, and manage tests.

### **304. What is a workspace?**

A Tosca repository you open in Commander.

### **305. Multi-user vs single-user repo?**

Multi-user uses a DB for check-in; single-user is file-based.

### **306. What is a module?**

A reusable model of UI or API controls.

### **307. What is XScan?**

Scanner that identifies controls and builds modules.

### **308. What is TBox?**

Tosca's engine layer for steering applications.

### **309. What is a test case?**

A sequence of test steps using modules.

### **310. What is a test step value?**

The action and data on a module attribute.

### **311. What is ActionMode?**

Input, Output, Verify, Buffer, WaitOn, Select, Constraint, Insert, etc.

### **312. What is Buffer?**

Save a runtime value to reuse later.

### **313. What is Verify?**

Assert that a control equals an expected value.

### **314. What is WaitOn?**

Wait until a control reaches a value or exists.

### **315. What is Constraint?**

Limit which row or item is used.

### **316. What is a TestCaseDesign sheet?**

Data-driven instances from a template.

### **317. What is an instance?**

One data combination generated from TCD.

### **318. What is a template test case?**

A test case that instantiates from TCD.

### **319. What is a business parameter?**

A named value passed into a test case.

### **320. What is a library in Tosca?**

Reusable test step folders.

### **321. What is a TestStepFolder?**

## **JobKit - 500 interview and ATS questions**

A grouping of steps, sometimes used as a reusable block.

### **322. What is a recovery scenario?**

Cleanup or retry after a failed step.

### **323. What is a cleanup folder?**

Steps that run after a test to leave the app stable.

### **324. What is an execution list?**

A set of test cases to run in order.

### **325. What is ScratchBook?**

Ad-hoc run without saving results to an execution list.

### **326. What is TC-Shell?**

Command-line Tosca for CI.

### **327. What is DEX?**

Distributed Execution: run tests on agent machines.

### **328. What is a DEX agent?**

A machine that executes tests from a queue.

### **329. What is Tosca Server?**

Services for DEX, dashboards, and integrations.

### **330. What is AOS?**

Automation Object Service, depending on the Tosca version.

### **331. What is TDS?**

Test Data Service: managed test data.

### **332. What is Test Data Management?**

Create, mask, and provision data for tests.

### **333. How do you scan a web page?**

XScan with the browser extension or engine, then map controls.

### **334. What is a steering engine?**

The adapter for HTML, SAP, API, and others.

### **335. What is the HTML engine?**

Steers browser DOM controls.

### **336. What is the SAP engine?**

Steers SAP GUI controls.

### **337. What is API Scan?**

Build modules from REST/SOAP definitions.

### **338. How do you test REST in Tosca?**

API Scan or API Engine modules with payload and verify.

### **339. What is a payload?**

JSON or XML body you send.

### **340. How do you verify status 200?**

Verify the status attribute on the API module.

### **341. How do you chain API calls?**

Buffer an id from the first response into the second request.

### **342. What is a module attribute?**

One field or control in a module.



## **JobKit - 500 interview and ATS questions**

### **343. What is a technical ID?**

How Tosca finds the control, for example id or xpath-like path.

### **344. What if XScan cannot find a control?**

Try another engine, frame, or identify by parent.

### **345. What is a dynamic ID problem?**

IDs change each session; use a stable property.

### **346. How do you handle iFrames?**

Scan inside the frame or switch context per engine rules.

### **347. How do you handle a dropdown?**

Input or Select action on the combo control.

### **348. How do you handle a table?**

Constraint on a row plus Input/Verify on cells.

### **349. How do you upload a file?**

File control Input with a path the agent can see.

### **350. How do you handle CAPTCHA?**

You do not automate CAPTCHA; tests skip or use a test hook.

### **351. How do you handle SSO?**

Test account plus storage of a session if the project allows.

### **352. What is a business-focused test case?**

Steps named in business language, modules underneath.

### **353. What is risk-based testing in Tosca?**

Weight tests by business risk if the project uses it.

### **354. What is exploratory testing vs Tosca?**

Exploratory is unscripted; Tosca is designed automation.

### **355. What is a requirements folder?**

Optional mapping of tests to requirements.

### **356. What is coverage in Tosca?**

Which requirements or TCD instances ran.

### **357. How do you run from CI?**

TC-Shell or Tosca CI against a workspace and execution list.

### **358. How do you pass results to Jenkins?**

CI result files or Tosca Server reporting.

### **359. What is a configuration parameter?**

Settings such as browser, timeout, or test config.

### **360. What is TCP?**

Test configuration parameter.

### **361. How do you run Chrome vs Edge?**

TCP or test configuration for the browser.

### **362. What is a buffer syntax?**

Curly braces with the buffer name, depending on version.

### **363. What is a date expression in Tosca?**

Dynamic date functions in test step values.

### **364. What is a random value?**

## **JobKit - 500 interview and ATS questions**

Generated test data; do not use it for unique keys without control.

### **365. How do you wait for a spinner?**

WaitOn existence or wait for the spinner to vanish.

### **366. Why not use a huge static wait?**

It slows suites and still flakes; WaitOn is better.

### **367. What is synchronization?**

Waiting for the app to be ready before the next step.

### **368. What is a flaky test?**

Passes and fails without product bugs; fix waits and identifications.

### **369. How do you stabilize SAP tests?**

SAP engine, proper GUI scripting, and wait for busy indicators.

### **370. What is SAP scripting setting?**

SAP GUI must allow scripting on the client and server.

### **371. What is a TCode?**

SAP transaction code you steer to.

### **372. How do you test an SAP Fiori app?**

Often HTML/browser engine, not classic SAP GUI.

### **373. What is a Tosca license type?**

Commander, execution-only, etc. - follow what the project bought.

### **374. What is a subset?**

An export of part of the repo to share.

### **375. How do you avoid merge conflicts?**

Small check-outs, folders by team, frequent check-in.

### **376. What is a checkout?**

Lock objects so you can edit in multi-user.

### **377. What is a check-in?**

Save objects back to the common repo.

### **378. What happens if you lose a checkout?**

Admin recover or take ownership per process.

### **379. What is a branch in Tosca?**

Versioning approach depends on repo type and version.

### **380. How do you review a test case?**

Peer review modules, data, and verifies, not only a green run.

### **381. What is a smoke execution list?**

A short list that proves the app starts and login works.

### **382. What is a regression pack?**

The suite you run before a release.

### **383. How do you select tests for a change?**

Impact on modules used by the changed screens.

### **384. What is a data-driven test?**

Same steps, many TCD instances.

### **385. What is a keyword-driven test?**

Reusable business steps; Tosca libraries play that role.

## **JobKit - 500 interview and ATS questions**

### **386. Tosca vs Selenium?**

Tosca is model-based commercial; Selenium is code-first OSS.

### **387. When is Tosca a poor fit?**

Tiny apps, heavy CAPTCHA, or teams that only want code.

### **388. What is a TestCase workstate?**

Status such as COMPLETED used in some processes.

### **389. What is a log in Tosca?**

Run log with passed/failed steps and screenshots if configured.

### **390. How do you capture a screenshot on fail?**

Execution settings for screenshots.

### **391. What is a recovery scenario example?**

Close a leftover dialog so the next case can start.

### **392. How do you skip a step?**

Condition or disable the step; do not leave broken verifies.

### **393. What is a condition in Tosca?**

If-then style control of whether steps run.

### **394. What is a repetition?**

Loop a folder while a condition holds.

### **395. How do you loop a table?**

Repetition with Constraint moving through rows.

### **396. What is a buffer overwrite risk?**

Two tests share a buffer name and leak data.

### **397. How do you isolate buffers?**

Unique names per test or clear them in cleanup.

### **398. What is a test configuration 'Standard'?**

Default config used if none is specified.

### **399. How do you handle 2FA in tests?**

Test hooks or a non-prod OTP process. Never bypass production 2FA.

### **400. Should you automate production?**

Prefer test environments; production automation is rare and gated.

### **401. What is a service virtualization?**

Fake a dependency; Tosca may call a stub instead of a live API.

### **402. What is a contract test?**

API schema and status checks between services.

### **403. How do you version modules?**

Change with the app; keep old tests green or retire them.

### **404. What is technical debt in Tosca?**

Duplicate modules, absolute waits, and unused instances.

### **405. How do you name modules?**

Screen plus control group, stable and unique.

### **406. How do you name test cases?**

Story or risk plus expected outcome.

### **407. What is a Definition of Done for a test?**

## **JobKit - 500 interview and ATS questions**

Runs green twice on CI, reviewed, and data is documented.

### **408. What is Playwright?**

A Microsoft library to automate Chromium, Firefox, and WebKit.

### **409. Playwright vs Selenium?**

Auto-wait, browsers included, and a single API across engines.

### **410. What is a browser context?**

An isolated incognito-like session inside a browser.

### **411. What is a page?**

A tab inside a context.

### **412. What is a locator?**

A lazy handle to find elements, not a one-time query.

### **413. Why are locators better than element handles?**

They re-query and wait; handles go stale.

### **414. What is getByRole?**

Locate by accessible role and name.

### **415. What is getByTestId?**

Locate by a test id attribute you control.

### **416. What is getByText?**

Locate by visible text.

### **417. What is a strict mode violation?**

Locator resolved to more than one element.

### **418. How do you pick one of many?**

nth, filter, or a tighter locator.

### **419. What is auto-waiting?**

Playwright waits for actionability before click or fill.

### **420. What is actionability?**

Visible, enabled, stable, and receiving events.

### **421. What is a timeout in Playwright?**

Default 30s for many actions; set per test or per action.

### **422. What is expect(locator).toBeVisible()?**

An assertion that waits until the element is visible.

### **423. Web-first assertions?**

Assertions that retry until they pass or time out.

### **424. What is a fixture?**

Shared setup in Playwright Test, such as page.

### **425. What is test.extend?**

Custom fixtures for login or data.

### **426. What is storageState?**

Saved cookies/localStorage to skip login.

### **427. How do you reuse login?**

Save storageState in a setup project.

### **428. What is a project in playwright.config?**

A browser or setup target.

## **JobKit - 500 interview and ATS questions**

### **429. What is a worker?**

A parallel process that runs tests.

### **430. What is fullyParallel?**

Run tests in a file in parallel.

### **431. How do you stop test pollution?**

Isolated contexts and no shared mutable files.

### **432. What is test.step?**

A named chunk in the report.

### **433. What is a trace?**

A recording you can open in Trace Viewer.

### **434. When do you keep traces?**

On first retry or on failure in CI.

### **435. What is Trace Viewer?**

UI to inspect DOM, network, and actions.

### **436. What is codegen?**

Record actions into a test script.

### **437. Why not ship raw codegen?**

It is a start; you still clean locators and asserts.

### **438. What is page.route?**

Intercept and mock network requests.

### **439. How do you mock an API?**

route fulfill with JSON.

### **440. How do you wait for a response?**

page.waitForResponse with a URL predicate.

### **441. What is APIRequestContext?**

HTTP requests without a browser, for setup or API tests.

### **442. How do you test downloads?**

Wait for download event and save the file.

### **443. How do you test uploads?**

setInputFiles on the file input.

### **444. Can Playwright set a file input?**

Yes in tests; a Chrome extension cannot.

### **445. How do you handle a new tab?**

Wait for a popup page event.

### **446. How do you handle a dialog?**

page.on('dialog') accept or dismiss.

### **447. How do you run headed on a laptop?**

headed: true or --headed.

### **448. How do you run in CI?**

headless, HTML report, retries 1-2.

### **449. What is a flake retry?**

Re-run a failed test; fix the flake, do not hide it forever.

### **450. What is a screenshot on failure?**

## JobKit - 500 interview and ATS questions

Configured in use: screenshot: 'only-on-failure'.

### 451. What is video on failure?

use.video: 'retain-on-failure'.

### 452. What is a soft assertion?

expect.soft that does not stop the test immediately.

### 453. What is test.describe?

A group of tests.

### 454. What is test.beforeEach?

Runs before every test in the group.

### 455. What is a tag in Playwright?

test.info().annotations or grep @smoke.

### 456. How do you run only smoke?

npx playwright test --grep @smoke

### 457. What is a locator filter?

Narrow a locator by text or another locator.

### 458. What is getByLabel?

Find a control via its label text.

### 459. What is getByPlaceholder?

Find an input by placeholder.

### 460. What is a frame locator?

Enter an iframe without driver.switchTo.

### 461. How do you work with Shadow DOM?

Locators pierce open shadow roots.

### 462. What is fill vs type?

fill sets the value; type sends key events.

### 463. When do you use pressSequentially?

When the app listens to each key.

### 464. What is click force?

Bypasses some checks; use rarely.

### 465. What is hover?

Move the mouse for menus.

### 466. How do you select a dropdown?

selectOption on a select, or click options in a custom combo.

### 467. How do you check a checkbox?

locator.check().

### 468. How do you read text?

locator.innerText() or toHaveText.

### 469. How do you count rows?

locator.count() or toHaveCount.

### 470. What is a clock in Playwright?

Fake timers for time-dependent UI.

### 471. What is authentication setup project?

A project that logs in once and writes storageState.

## **JobKit - 500 interview and ATS questions**

### **472. How do you test localization?**

A project per locale.

### **473. How do you test a mobile viewport?**

Device descriptor in a project.

### **474. Does Playwright drive a real phone?**

It emulates viewport and UA; real devices need another stack.

### **475. What is Playwright for Python vs Node?**

Same browser engine; this kit uses Python in places and Node is common in web teams.

### **476. How do you install browsers?**

playwright install.

### **477. What is a `browserType.launch`?**

Lower-level API vs Playwright Test fixtures.

### **478. When do you use persistent context?**

To keep a profile, as JobKit does for LinkedIn session.

### **479. What is CDP?**

Chrome DevTools Protocol; Playwright can connect over it.

### **480. Why not click Submit in JobKit?**

Sites forbid bots; you submit yourself after fill.

### **481. What is a POM?**

Page Object Model: locators and actions in a class.

### **482. Playwright and POM?**

Use fixtures plus small page objects; avoid huge base classes.

### **483. What is a component locator?**

A locator root for a widget, then `getByRole` inside it.

### **484. How do you avoid xpath soup?**

Prefer role, label, and test id.

### **485. What is an accessible name?**

The name screen readers use; `getByRole` uses it.

### **486. How do you test file download names?**

`download.suggestedFilename()`.

### **487. How do you wait for URL?**

`expect(page).toHaveURL`.

### **488. How do you wait for title?**

`expect(page).toHaveTitle`.

### **489. What is `networkidle`?**

Wait until no connections; often too brittle, prefer response waits.

### **490. What is `domcontentloaded`?**

HTML parsed; assets may still load.

### **491. What is load?**

Window load event.

### **492. Which wait is default for goto?**

Usually load; you can pass `waitUntil`.

### **493. How do you debug a test?**

## **JobKit - 500 interview and ATS questions**

PWDEBUG=1 or --debug and Trace Viewer.

### **494. What is UI mode?**

playwright test --ui for watch and time travel.

### **495. How do you seed test data?**

APIRequestContext in beforeEach or a factory.

### **496. How do you hide secrets in CI?**

Env vars, not committed .env.

### **497. What is a visual snapshot?**

Screenshot compare with toHaveScreenshot.

### **498. Why do visual tests flake?**

Fonts, animation, and time; mask dynamic regions.

### **499. What is a mask in screenshots?**

Hide volatile locators before compare.

### **500. How do you test accessibility?**

axe via a Playwright plugin or extra library.