

Table 1. Demographic Characteristics of the HNSCC Study Cohort by Institution				
Comparison of patient demographics across Jefferson and University of Cincinnati cohort.				
	Institution		Total (N=16)	p value
	Jefferson (N=12)	University of Cincinnati (N=4)		
Age				0.593
Mean (SD)	67.3 (14.4)	71.5 (9.5)	68.3 (13.1)	
Range	31.0 - 89.0	61.0 - 80.0	31.0 - 89.0	
Gender				0.551
Male	7.0 (58.3%)	3.0 (75.0%)	10.0 (62.5%)	
Female	5.0 (41.7%)	1.0 (25.0%)	6.0 (37.5%)	
Race				0.551
White or Caucasian	11.0 (91.7%)	4.0 (100.0%)	15.0 (93.8%)	
Indian	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
Smoking				0.522
Currently smoking	1.0 (8.3%)	1.0 (25.0%)	2.0 (12.5%)	
Past smoker	4.0 (33.3%)	3.0 (75.0%)	7.0 (43.8%)	
Non-smoker	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
Never smoked	4.0 (33.3%)	0.0 (0.0%)	4.0 (25.0%)	
Marijuana	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
Betel nut	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
Alcohol				0.118
Current drinker	3.0 (25.0%)	2.0 (50.0%)	5.0 (31.2%)	
Past drinker	2.0 (16.7%)	2.0 (50.0%)	4.0 (25.0%)	
Non-drinker	7.0 (58.3%)	0.0 (0.0%)	7.0 (43.8%)	
Primary Disease Site				0.029
Oral Cavity	9.0 (75.0%)	0.0 (0.0%)	9.0 (56.2%)	
Oropharynx	2.0 (16.7%)	2.0 (50.0%)	4.0 (25.0%)	
Larynx	1.0 (8.3%)	2.0 (50.0%)	3.0 (18.8%)	
Tumor Stage at Initial Diagnosis				0.423
I	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
II	3.0 (25.0%)	1.0 (25.0%)	4.0 (25.0%)	
III	1.0 (8.3%)	0.0 (0.0%)	1.0 (6.2%)	
IVA	6.0 (50.0%)	1.0 (25.0%)	7.0 (43.8%)	
Unknown	1.0 (8.3%)	2.0 (50.0%)	3.0 (18.8%)	