


UADD with SlimJs

Presented

By

Ravichandran J V

+ TDD + UADD



Scenario testing

```
!define TEST_SYSTEM {slim}
!define COMMAND_PATTERN {node E:\fitnesse\node_modules\slimjs\src\SlimJS %p}
!path E:\fitnesse\slimtests\src
|import|
|twoscenarios|
!|scenario|Missed word|
!|scenario|Added word|
|script|twoscenarios          |missing word|word|
|Missed word|
|check |missingwordscenariotest|missing |
|script|twoscenarios          |added word|added word added|
|Added word|
|check |addedwordscenariotest|added
```

FirstBDDTest

variable defined: COMMAND_PATTERN=node E:\fitnesse\node_modules\slimjs\src\SlimJS %p

classpath: E:\fitnesse\slimtests\src

import

twoscenarios

scenario Missed word

scenario Added word

| | | | |
|---------------|-------------------------|--------------|--------------------|
| script | twoscenarios | missing word | word |
| + Missed word | | | |
| check | missingwordscenariotest | [missing] | expected [missing] |

| | | | |
|--------------|-----------------------|------------|------------------|
| script | twoscenarios | added word | added word added |
| + Added word | | | |
| check | addedwordscenariotest | [added] | expected [added] |

UADD

- For user acceptance driven development to complete, just remove the scenario tables from the slimjs scripts.
- Since the TDD part implemented the code in the two scenario methods, the functional tests of the two scenarios is automatically executed!

Help text:

Tags:

```

1  |!define TEST_SYSTEM {slim}
2
3  |!define COMMAND_PATTERN {node E:\fitnesse\node_modules\slimjs\src\SlimJS %p}
4
5  |!path E:\fitnesse\slimtests\src
6
7  |import|
8  |twoscenarios|
9
10
11 |script|twoscenarios|missing word|word|
12 |check|missingwordscenariotest|missing|
13
14 |script|twoscenarios|added word|added word added|
15 |check|addedwordscenariotest|added|
16
17

```

Assertions: 0 right

se.slim.SlimS

variable defined: TEST_SYSTEM=slim

variable defined: COMMAND_PATTERN=node E:\fitnesse\node_modules\slimjs\s

classpath: E:\fitnesse\slimtests\src

| | | | |
|--------------|--|--|--|
| import | | | |
| twoscenarios | | | |

| | | | |
|--------|-------------------------|--------------|--------------------|
| script | twoscenarios | missing word | word |
| check | missingwordscenariotest | [missing] | expected [missing] |


| | | | |
|--------|-----------------------|------------|------------------|
| script | twoscenarios | added word | added word added |
| check | addedwordscenariotest | [added] | expected [added] |

BDD + TDD + UADD

Business/Scenarios driven

User Acceptance Tests

UADD



Thank you!