

WhatNext Vision Motors: Shaping the Future of Mobility with Innovation and Excellence

Submitted By:

Name: CH H V H RAVI CHARAN

Roll No: 238W1A4204

Branch: IVth Year - CSE(AI&ML)

College Email: 238w1a4204@vrsec.ac.in

Personal Email: ravicharan0986@gmail.com

INDEX

S. No.	CONTENTS	PAGE NO.
1	PROJECT OVERVIEW	3
2	PROJECT OBJECTIVES	3
3	DATA MODEL DESIGN	4
I	DATA MANAGEMENT – OBJECTS	5
II	DATA MANAGEMENT – TABS	11
III	DATA MANAGEMENT – APP MANAGER	14
IV	DATA MANAGEMENT – FIELDS & RELATIONSHIPS	17
V	AUTOMATION	49
VI	APEX AND BATCH CLASS	57
VII	SCHEDULED JOBS	69
4	CONCLUSION	70

PROJECT OVERVIEW

WhatNext Vision Motors is a pioneering organization in the automotive industry focused on delivering innovative mobility solutions while enhancing customer experience and operational efficiency. The objective of this Salesforce project is to develop a centralized platform for managing customer, vehicle, dealer, order, and service-related information in a structured and efficient manner.

The Salesforce application is designed to maintain customer details, vehicle information, dealer locations, orders, and service records while streamlining the overall vehicle purchasing process. The system also provides a foundation for implementing automation such as automatically suggesting the nearest dealer based on the customer's address, sending order confirmations, updating order statuses, and managing customer interactions.

The project focuses on maintaining data accuracy and integrity through the Salesforce user interface while improving business efficiency through Salesforce automation and Apex development.

PROJECT OBJECTIVES

The main objectives of the WhatNext Vision Motors Salesforce project are as follows:

Centralized Customer Management

The project aims to provide a centralized platform for storing and managing customer information. Customer details can be maintained in Salesforce and used throughout the vehicle ordering and customer service processes.

Vehicle Management

The system provides a structured approach for maintaining vehicle information such as vehicle models, specifications, pricing, and availability. This enables the organization to manage vehicle-related data efficiently.

Dealer Management

The project maintains dealer information in Salesforce to support the vehicle purchasing process. Dealer details can be used to identify and recommend an appropriate dealership for customers.

Smart Dealer Recommendation

One of the key objectives of the project is to simplify the customer ordering process by automatically suggesting the nearest dealer based on the customer's address. This helps connect customers with the appropriate dealer for further assistance and purchase processing.

Order Management

The system provides a structured mechanism for managing customer vehicle orders. Order information, including customer details, selected vehicle, dealer, and order status, can be maintained and tracked within Salesforce.

Process Automation

The project aims to reduce manual effort by automating important business processes. Salesforce automation can be used for activities such as dealer recommendation, order-related updates, notifications, and other repetitive tasks.

Improved Customer Experience

The overall system is designed to make the vehicle purchasing process more organized and convenient for customers by maintaining relevant information in one platform and reducing manual steps involved in connecting customers with dealers.

These objectives establish the foundation for the Salesforce implementation and automation features developed for WhatNext Vision Motors.

DATA MODEL DESIGN

The data model for the WhatNext Vision Motors Salesforce project was designed to organize the core business information related to customers, vehicles, dealers, and vehicle orders. The model provides a structured foundation for maintaining data consistency and supporting the vehicle purchasing process.

The standard Salesforce objects do not provide all the business-specific structures required by WhatNext Vision Motors. Therefore, custom objects were created to represent the organization's specific business entities and processes

The main custom objects identified for the project are:

1. Vehicle
2. Vehicle Dealer
3. Vehicle Customer
4. Vehicle Order
5. Vehicle Service Request
6. Vehicle Test Drive

These objects work together to maintain customer and vehicle information, manage dealer details, process vehicle orders, and support customer service activities. The data model also provides the foundation for implementing automation such as nearest dealer recommendation and order-related process management.

I. DATA MANAGEMENT – OBJECTS

1. OBJECT - VEHICLE

Description

The **Vehicle** object is designed to maintain vehicle-related information in a structured manner. It acts as the main record for storing vehicle details, models, specifications, pricing, and availability within **WhatNext Vision Motors**. The information maintained in this object can be used throughout the vehicle ordering and purchasing process.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle

Plural Label: Vehicles

Record Name: Vehicle Name

Data Type: Text

Allow Reports: Enabled

The screenshot displays the Salesforce Setup interface for the 'Vehicle' object. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The left sidebar lists various configuration options under 'Details', with 'Fields & Relationships' selected. The main content area shows the 'Details' for the 'Vehicle' object, including fields like 'API Name', 'Singular Label', and 'Plural Label'. The 'Enable Reports' checkbox is checked, and the 'Deployment Status' is 'Deployed'. The bottom of the page shows the 'Standard salesforce.com Help Window'.

2. OBJECT – VEHICLE DEALER

Description

The **Vehicle Dealer** object is designed to maintain dealer-related information in a structured manner. It acts as the main record for storing dealer details and location information. The object supports customer-dealer interactions and helps the system identify and suggest the appropriate dealer based on the customer's address.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle Dealer


Plural Label: Vehicle Dealers

Record Name: Dealer Name

Data Type: Text

Allow Reports: Enabled

Allow Search: Enabled



3. OBJECT – VEHICLE CUSTOMER

Description

The **Vehicle Customer** object is designed to maintain customer-related information in a structured manner. It acts as the main record for storing customer details required for vehicle orders, dealer interactions, service requests, and other customer-related processes within **WhatNext Vision Motors**.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle Customer


Plural Label: Vehicle Customers

Record Name: Customer Name

Data Type: Text

Allow Reports: Enabled

Allow Search: Enabled



4. OBJECT – VEHICLE ORDER

Description

The **Vehicle Order** object is designed to maintain customer vehicle order information in a structured manner. It acts as the main record for managing details such as the customer, selected vehicle, dealer, order status, and order date. This object supports efficient tracking and management of the vehicle purchasing process within **WhatNext Vision Motors**.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle Order


Plural Label: Vehicle Orders

Record Name: Order Name

Data Type: Text

Allow Reports: Enabled

Allow Search: Enabled



5. OBJECT – VEHICLE SERVICE REQUEST

Description

The **Vehicle Service Request** object is designed to maintain vehicle service-related information in a structured manner. It acts as the main record for managing customer service requirements associated with vehicles. The object supports service tracking and helps maintain service-related information connected with customers and vehicles within **WhatNext Vision Motors**.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle Service Request

Plural Label: Vehicle Service Requests

Record Name: Service Request Name

Data Type: Text

Allow Reports: Enabled

Allow Search: Enabled

The screenshot displays the Salesforce Setup interface. At the top, there's a navigation bar with 'Developer Edition' and a search bar. Below this, the 'Setup' menu is open, showing 'Object Manager' selected. The main content area is titled 'Vehicle Service Request' under 'SETUP > OBJECT MANAGER'. On the left, a sidebar lists various configuration options like 'Fields & Relationships', 'Page Layouts', etc. The main panel shows the 'Details' section for the 'Vehicle Service Request' object. It includes fields for 'API Name' (Vehicle_Service_Request__c), 'Custom' (checked), 'Singular Label' (Vehicle Service Request), and 'Plural Label' (Vehicle Service Requests). On the right, there are checkboxes for 'Enable Reports' (checked) and 'Track Activities' (checked), and a 'Track Field History' section. At the bottom right, there are 'Edit' and 'Delete' buttons.

6. OBJECT – VEHICLE TEST DRIVE

Description

The **Vehicle Test Drive** object is designed to maintain test-drive-related information in a structured manner. It acts as the main record for managing customer test-drive details associated with a vehicle. The object helps maintain information required for scheduling and tracking test-drive activities within **WhatNext Vision Motors**.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.
2. Select **Object Manager**.
3. Click **Create** → **Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Object Properties

Label: Vehicle Test Drive


Plural Label: Vehicle Test Drives

Record Name: Test Drive Name

Data Type: Text

Allow Reports: Enabled


Allow Search: Enabled



II. DATA MANAGEMENT - TABS


After creating the required custom objects, custom tabs were created to make these objects accessible from the Salesforce interface. The **Vehicle Customer** tab was created first, followed by tabs for the remaining custom objects.

Creating a Custom Tabs



1) TAB – VEHICLE

1. Navigate to **Setup**.
2. Enter **Tabs** in the **Quick Find** search bar.
3. Select **Tabs** under **User Interface**.
4. In the **Custom Object Tabs** section, click **New**.
5. Select **Vehicle** as the object.
6. Choose a suitable **Tab Style**.
7. Click **Next**.
8. Keep the **Add to Profiles** settings as default and click **Next**.
9. Keep the **Add to Custom Apps** settings as default.
10. Click **Save**.



Creating Tabs for the Remaining Objects

The same procedure was followed to create custom tabs for the other objects created in the **WhatNext Vision Motors** application:

- Vehicle
- Vehicle Dealer
- Vehicle Order
- Vehicle Service Request
- Vehicle Test Drive

2) TAB – VEHICLE DEALER

The screenshot shows the 'Setup' page for the 'Vehicle Dealers' custom tab. The left sidebar contains a search bar and a 'User Interface' section with 'Rename Tabs and Labels' and 'Tabs' options. The main content area is titled 'Custom Object Tab Vehicle Dealers' and includes a 'Help for this Page' link. Below the title, it states 'Below is the information for the custom tab. Click Edit to change the custom tab.' The 'Custom Tab Definition Detail' section includes a table with the following data:

Tab Label	Vehicle Dealers	Tab Style	Classic
Object	Vehicle Dealer	Splash Page Custom Link	
Description			
Created By	238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN	9/17/2026, 6:43 AM	Modified By
			238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN

3) TAB – VEHICLE CUSTOMER

The screenshot shows the 'Setup' page for the 'Vehicle Customers' custom tab. The left sidebar contains a search bar and a 'User Interface' section with 'Rename Tabs and Labels' and 'Tabs' options. The main content area is titled 'Custom Object Tab Vehicle Customers' and includes a 'Help for this Page' link. Below the title, it states 'Below is the information for the custom tab. Click Edit to change the custom tab.' The 'Custom Tab Definition Detail' section includes a table with the following data:

Tab Label	Vehicle Customers	Tab Style	Classic
Object	Vehicle Customer	Splash Page Custom Link	
Description			
Created By	238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN	9/17/2026, 6:44 AM	Modified By
			238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN

4) TAB – VEHICLE ORDER

The screenshot shows the 'Setup' page for the 'Vehicle Orders' custom tab. The left sidebar contains a search bar and a 'User Interface' section with 'Rename Tabs and Labels' and 'Tabs' options. The main content area is titled 'Custom Object Tab Vehicle Orders' and includes a 'Help for this Page' link. Below the title, it states 'Below is the information for the custom tab. Click Edit to change the custom tab.' The 'Custom Tab Definition Detail' section includes a table with the following data:

Tab Label	Vehicle Orders	Tab Style	Inset
Object	Vehicle Order	Splash Page Custom Link	
Description			
Created By	238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN	9/17/2026, 6:44 AM	Modified By
			238w1a4204 CHEEMALAMARRI H.V.H.RAVI CHARAN

5) TAB – VEHICLE SERVICE REQUEST

The screenshot shows the SAP Setup interface for the 'Developer Edition'. The left sidebar contains a search bar for 'TABS' and a navigation menu with 'User Interface' expanded, showing 'Rename Tabs and Labels' and 'Tabs' (selected). The main content area is titled 'Vehicle Service Requests' under the 'Custom Object Tab' section. Below the title, it says 'Below is the information for the custom tab. Click Edit to change the custom tab.' The 'Custom Tab Definition Detail' table shows the following information:

Tab Label	Object	Tab Style	Splash Page Custom Link
Vehicle Service Requests	Vehicle Service Request	Handshakes	

Below the table, the 'Description' is '238u1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 6:45 AM' and the 'Modified By' is '238u1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 6:45 AM'.

6) TAB – VEHICLE TEST DRIVE

The screenshot shows the SAP Setup interface for the 'Developer Edition'. The left sidebar contains a search bar for 'TABS' and a navigation menu with 'User Interface' expanded, showing 'Rename Tabs and Labels' and 'Tabs' (selected). The main content area is titled 'Vehicle Test Drives' under the 'Custom Object Tab' section. Below the title, it says 'Below is the information for the custom tab. Click Edit to change the custom tab.' The 'Custom Tab Definition Detail' table shows the following information:

Tab Label	Object	Tab Style	Splash Page Custom Link
Vehicle Test Drives	Vehicle Test Drive	Computer	

Below the table, the 'Description' is '238u1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 6:45 AM' and the 'Modified By' is '238u1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 6:45 AM'.

III. DATA MANAGEMENT- APP MANAGER

WhatNext Vision Motors Lightning App

To bring the different components of the **WhatNext Vision Motors Salesforce** project into one working interface, a dedicated **Lightning Application** named **WhatNext Vision Motors** was configured. The application provides access to the custom objects and standard Salesforce features required for managing the organization's data.

Application Setup

The WhatNext Vision Motors Lightning App was created using Setup → App Manager → New Lightning App.

The application details were configured as follows:

App Name: WhatNext Vision Motors

Developer Name: WhatNext_Vision_Motors

Description: A vehicle management application for managing vehicles, dealers, customers, orders, test drives, and service requests.

Image: WhatNext Vision Motors logo

Primary Color: Configured in App Branding

New Lightning App

App Details & Branding
Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

*App Name: WhatNext Vision Motors

*Developer Name: WhatNext_Vision_Motors

Description: A vehicle management application for managing vehicles, dealers, customers, orders, test drives, and service requests.

App Branding

Image: WhatNext Vision Motors logo

Primary Color Hex Value: #0070D2

Org Theme Options: ☐ Use the app's image and color instead of the org's custom theme

App Launcher Preview

WhatNext Vision Motors

Next


ID	App Name	App Type	App Description	Created Date	Theme	Status
15	Digital Experiences	SalesforceCMS	Manage content and media for all of your sites.	9/11/2026, 8:16 AM	Lightning	✓
16	Lightning Usage App	LightningInstrumentation	View Adoption and Usage Metrics for Lightning Experience	9/11/2026, 8:16 AM	Lightning	✓
17	Marketing CRM Classic	Marketing	Track sales and marketing efforts with CRM objects.	9/11/2026, 8:16 AM	Classic	✓

Navigation Items

The required objects and standard Salesforce features were added as navigation items to provide easy access from the application interface.


The selected navigation items were:

- Vehicle Customers
- Vehicle Dealers
- Vehicle Orders
- Vehicle Service Requests
- Vehicle Test Drives
- Vehicles
- Reports
- Dashboards



User Profiles


The **System Administrator** profile was selected to provide access to the **WhatNext Vision Motors** Lightning App.



Application Interface

After completing the Lightning App configuration, the WhatNext Vision Motors application was launched. The application interface provides navigation to the configured objects, Reports, and Dashboards from the navigation bar.

The **Vehicle Customers** tab is displayed in the interface, where customer records can be viewed and managed. The interface provides a centralized working environment for accessing the different components of the WhatNext Vision Motors Salesforce project.



IV. DATA MANAGEMENT – FIELDS & RELATIONSHIPS

1. VEHICLE

a. Field – Vehicle Name

The **Vehicle Name** field is created in the **Vehicle** object to maintain the name of the vehicle.

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle**.
3. Select **Fields & Relationships** → **New**.
4. Select the required data type(Text) and click **Next**.
5. Enter **Vehicle Name** as the Field Label.
6. The Field Name is automatically generated.
7. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface. At the top, there's a navigation bar with 'Setup' and 'Object Manager' tabs. The 'Object Manager' tab is active, showing a list of objects. The 'Vehicle' object is selected. On the left sidebar, 'Fields & Relationships' is highlighted. The main content area shows the 'Vehicle Name' field configuration. The 'Field Information' section includes fields for 'Field Label' (Vehicle Name), 'Data Type' (Text(80)), 'Description', 'Data Owner', 'Field Usage', 'Data Sensitivity Level', and 'Compliance Categorization'. The 'Validation Rules' section shows 'No validation rules defined.' with a 'New' button and a 'Validation Rules Help' link.

Field Information	
Field Label	Vehicle Name
Data Type	Text(80)
Description	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	

Field Name	Name

Validation Rules	
No validation rules defined.	

b. Field – Vehicle Model

The **Vehicle Model** field is created to maintain the model/type information of the vehicle.

Data Type: Picklist

Values:

- Sedan
- SUV
- EV
- etc.

Steps:

1. Open **Vehicle** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type.
3. Enter **Vehicle Model** as the Field Label.
4. Select **Enter values, with each value separated by a new line**.
5. Enter the required vehicle model values.
6. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER > Vehicle'. The left sidebar shows the 'Fields & Relationships' menu. The main content area is titled 'Vehicle Custom Field Vehicle Model' with a 'Back to Vehicle' link. Below this is the 'Custom Field Definition Detail' section, which includes tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' table lists the following details:

Field Label	Vehicle Model	Object Name	Vehicle
Field Name	Vehicle_Model	Data Type	Picklist
API Name	Vehicle_Model__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRLI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:11 AM	Modified By	238x1a4204.CHEEMALAMARRLI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:11 AM

Below the table is the 'General Options' section, which includes a 'Required' checkbox (unchecked) and a 'Default Value' field (empty). At the bottom, there is a 'Picklist Options' section.

c. Field – Stock Quality

The **Stock Quality** field is created to maintain the available quantity of a vehicle.

Data Type: Number

Steps:

1. Open **Vehicle** → **Fields & Relationships** → **New**.
2. Select **Number** as the data type.
3. Enter **Stock Quality** as the Field Label.
4. Configure the required number settings.
5. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes 'Developer Edition', a search bar, and various utility icons. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main content area is titled 'Vehicle' and 'Stock Quality'. It displays the 'Custom Field Definition Detail' for the 'Stock Quality' field. The field information table shows the field label as 'Stock Quality', field name as 'Stock_Quality', API name as 'Stock_Quality__c', and data type as 'Number'. The field is configured as required, unique, and an external ID. The 'General Options' section shows checkboxes for 'Required', 'Unique', 'External ID', and 'AI Prediction', all of which are checked. The 'Created By' and 'Modified By' fields show the user '238e1a4204 CHEEMALAMARRI H V H RAVI CHARAN' and the date '9/17/2026, 7:13 AM'.

Field Information		Object Name	Data Type
Field Label	Stock Quality	Vehicle	Number
Field Name	Stock_Quality		
API Name	Stock_Quality__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238e1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:13 AM		
Modified By	238e1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:13 AM		

General Options	
Required	☒
Unique	☒
External ID	☒
AI Prediction	☒

d. Field – Price

The **Price** field is created to maintain the price of the vehicle.

Data Type: Currency

Steps:

1. Open **Vehicle** → **Fields & Relationships** → **New**.
2. Select **Currency** as the data type.
3. Enter **Price** as the Field Label.
4. Configure the required currency settings.
5. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for configuring a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER > Vehicle'. The left sidebar shows the 'Fields & Relationships' menu. The main content area is titled 'Vehicle Custom Field Price' with a 'Back to Vehicle' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Validation Rules (0)', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Custom Field Definition Detail' tab is active, showing a table of field information:

Field Information	
Field Label	Price
Field Name	Price
API Name	PRICE__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238w1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:27 AM
Modified By	238w1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:27 AM

Below the table, there are sections for 'General Options' and 'Currency Options'. The 'General Options' section includes a 'Required' checkbox (which is unchecked) and a 'Default Value' field. The 'Currency Options' section is partially visible at the bottom.

e. Field – Dealer

The **Dealer** field is created to associate a vehicle with the corresponding dealer.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle Dealer**

Steps:

1. Open **Vehicle** → **Fields & Relationships** → **New**.
2. Select **Lookup Relationship** as the data type.
3. Select **Vehicle Dealer** as the related object.
4. Enter **Dealer** as the Field Label.
5. Complete the relationship settings.
6. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface for the 'Vehicle Dealer' custom field. The left sidebar contains a navigation menu with options like 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', and 'List View Button Layout'. The main content area is titled 'Vehicle Custom Field Vehicle Dealer' and includes a 'Back to Vehicle' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Custom Field Definition Detail' tab is active, showing 'Field Information' and 'Lookup Options'. The 'Field Information' section includes fields for 'Field Label' (Vehicle Dealer), 'Field Name' (Vehicle_Dealer), 'API Name' (Vehicle_Dealer__c), 'Description', 'Help Text', 'Data Owner', 'Field Usage', 'Data Sensitivity Level', and 'Compliance Categorization'. The 'Lookup Options' section includes 'Related To' (Vehicle Dealer), 'Related List Label' (Vehicles), 'Child Relationship Name' (Vehicles), 'Required' (checkbox), and 'What to do if the lookup record is deleted?' (Clear the value of this field).

Field Information	
Field Label	Vehicle Dealer
Field Name	Vehicle_Dealer
API Name	Vehicle_Dealer__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:19 AM
Modified By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:19 AM

Lookup Options	
Related To	Vehicle Dealer
Related List Label	Vehicles
Child Relationship Name	Vehicles
Required	☐
What to do if the lookup record is deleted?	Clear the value of this field.

f. Field – Status

The **Status** field is created as a **Picklist** to maintain the current availability status of the vehicle.

Values:

- Available
- Out of Stock
- Discontinued

Steps:

1. Open **Vehicle** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type.
3. Enter **Status** as the Field Label.
4. Select **Enter values, with each value separated by a new line**.
5. Enter the required status values.
6. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER > Vehicle'. The left sidebar shows the 'Fields & Relationships' menu. The main content area is titled 'Vehicle Custom Field Status' with a 'Back to Vehicle' link. Below this is the 'Custom Field Definition Detail' section, which includes tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' table lists the following details:

Field Label	Status	Object Name	Vehicle
Field Name	Status	Data Type	Picklist
API Name	Status__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:29 AM	Modified By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:29 AM

Below the table is the 'General Options' section, which includes a 'Required' checkbox (unchecked) and a 'Default Value' field (empty). At the bottom, there is a 'Picklist Options' section.

2. VEHICLE DEALER

a. Field – Dealer Name

The **Dealer Name** field is created in the **Vehicle Dealer** object to maintain the name of the dealer.

Data Type: Text

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle Dealer**.
3. Select **Fields & Relationships** → **New**.
4. Select **Text** as the data type and click **Next**.
5. Enter **Dealer Name** as the Field Label.
6. The Field Name is automatically generated.
7. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for the 'Vehicle Dealer' object. The left sidebar shows the navigation menu with 'Fields & Relationships' selected. The main content area shows the 'Vehicle Dealer Field' configuration page for 'Dealer Name'. The 'Field Information' section includes fields for Field Label, Data Type, Description, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'Validation Rules' section shows 'No validation rules defined'.

Field Label	Dealer Name	Field Name	Name
Data Type	Text(80)		
Description			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			

Validation Rules

No validation rules defined.

b. Field – Dealer Location

The **Dealer Location** field is created to maintain the location details of the vehicle dealer.

Data Type: Text

Steps:

1. Open **Vehicle Dealer** → **Fields & Relationships** → **New**.
2. Select **Text** as the data type.
3. Enter **Dealer Location** as the Field Label.
4. Configure the required field length.
5. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface in the 'Developer Edition' mode. The left sidebar shows the navigation menu with 'Setup' selected, and 'Object Manager' is the active section. The main content area is titled 'Vehicle Dealer' and shows the 'Fields & Relationships' tab. The 'Dealer Location' field is being configured. The 'Field Information' section shows the field label as 'Dealer Location', field name as 'Dealer_Location', API name as 'Dealer_Location__c', and data type as 'Text'. The 'General Options' section shows the field is required, unique, case sensitive, and an external ID. The 'Created By' and 'Modified By' fields are both populated with the user '238x1a4204.CHEEMALAMARRIL.H.V.H.RAVI.CHARAN'.

Field Information		Object Name	Data Type
Field Label	Dealer Location	Vehicle Dealer	Text
Field Name	Dealer_Location		
API Name	Dealer_Location__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRIL.H.V.H.RAVI.CHARAN, 9/17/2026, 7:32 AM		Modified By
			238x1a4204.CHEEMALAMARRIL.H.V.H.RAVI.CHARAN, 9/17/2026, 7:32 AM

General Options	
Required	☐
Unique	☐
Case Sensitive	☐
External ID	☐

c. Field – Dealer Code

The **Dealer Code** field is created to provide a unique identification number for each dealer.

Data Type: Auto Number

Steps:

1. Open **Vehicle Dealer** → **Fields & Relationships** → **New**.
2. Select **Auto Number** as the data type.
3. Enter **Dealer Code** as the Field Label.
4. Configure the required display format and starting number.
5. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface in the 'Developer Edition'. The left sidebar shows the navigation menu with 'Setup' selected. The main content area is titled 'Vehicle Dealer' and shows the 'Fields & Relationships' section. The 'Dealer Code' field is being configured. The 'Custom Field Definition Detail' section shows the following information:

Field Information	
Field Label	Dealer Code
Field Name	Dealer_Code
API Name	Dealer_Code__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:33 AM
Modified By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:33 AM

The 'General Options' section shows the 'External ID' checkbox is unchecked. The 'Auto Number Options' section shows the 'Display Format' is 'DL-0000'.

d. Field – Phone

The **Phone** field is created to maintain the contact number of the vehicle dealer.

Data Type: Phone

Steps:

1. Open **Vehicle Dealer** → **Fields & Relationships** → **New**.
2. Select **Phone** as the data type.
3. Enter **Phone** as the Field Label.
4. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER > Vehicle Dealer'. The left sidebar shows the 'Fields & Relationships' menu. The main content area is titled 'Vehicle Dealer Custom Field Phone' and includes a 'Back to Vehicle Dealer' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Validation Rules (0)', 'Edit', 'Set Field Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Custom Field Definition Detail' tab is active, showing a table of field information. The table includes fields for Field Label, Field Name, API Name, Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'Field Information' section shows the following details: Field Label: Phone, Field Name: Phone, API Name: Phone__c, Object Name: Vehicle Dealer, Data Type: Phone. The 'General Options' section shows the 'Required' checkbox is unchecked. The 'Validation Rules' section at the bottom has a 'New' button. The footer of the page shows 'Validation Rules Help'.

Field Information	
Field Label	Phone
Field Name	Phone
API Name	Phone__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	

General Options	
Required	☐
Default Value	

Validation Rules	
Created By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:34 AM
Modified By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:34 AM

e. Field – Email

The **Email** field is created to maintain the email address of the vehicle dealer.

Data Type: Email

Steps:

1. Open **Vehicle Dealer** → **Fields & Relationships** → **New**.
2. Select **Email** as the data type.
3. Enter **Email** as the Field Label.
4. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules, and Scoping Rules. The main content area is titled 'Vehicle Dealer' and shows the 'Email' custom field definition. The 'Field Information' section includes fields for Field Label (Email), Field Name (Email), API Name (Email__c), Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'General Options' section includes checkboxes for Required, Unique, External ID, and Default Value. The 'Created By' and 'Modified By' fields show the user '238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN' and the date '9/17/2026, 7:34 AM'.

Developer Edition

Setup Home Object Manager

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Vehicle Dealer Custom Field

Email

Back to Vehicle Dealer

Validation Rules (0)

Custom Field Definition Detail

Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Email	Object Name	Vehicle Dealer
Field Name	Email	Data Type	Email
API Name	Email__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN	Modified By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN
	9/17/2026, 7:34 AM		9/17/2026, 7:34 AM

General Options

Required	☐
Unique	☐
External ID	☐
Default Value	

3. VEHICLE CUSTOMER

a. Field – Address

The **Address** field is created in the **Vehicle Customer** object to maintain the customer's address information.

Data Type: Text(255)

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle Customer**.
3. Select **Fields & Relationships** → **New**.
4. Select **Text** as the data type and click **Next**.
5. Enter **Address** as the Field Label.
6. Configure the field length as **255**.
7. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface. At the top, there's a navigation bar with 'Setup', 'Home', and 'Object Manager'. Below this, the 'Vehicle Customer' object is selected. The left sidebar shows a list of setup options, with 'Fields & Relationships' highlighted. The main content area shows the 'Address' field definition. It includes a 'Field Information' section with details like Field Label, Field Name, API Name, Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. Below this is a 'General Options' section with checkboxes for Required, Unique, Case Sensitive, and External ID. The 'Created By' and 'Modified By' fields show the user '238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN' and the date '9/17/2025, 7:38 AM'.

Field Information		Object Name
Field Label	Address	Vehicle Customer
Field Name	Address	
API Name	Address__c	
Description		
Help Text		
Data Owner		
Field Usage		
Data Sensitivity Level		
Compliance Categorization		

General Options	
Required	☐
Unique	☐
Case Sensitive	☐
External ID	☐

b. Field – Customer Name

The **Customer Name** field is used as the record name to identify each customer record in the **Vehicle Customer** object.

Data Type: Text(80)

Steps:

1. Open **Vehicle Customer** → **Fields & Relationships**.
2. The **Customer Name** field is automatically created as the record name when the custom object is created.
3. The field is configured with **Text** as the data type.
4. The field length is **80 characters**.

The screenshot displays the Salesforce Setup interface. At the top, there's a 'Developer Edition' badge and a search bar. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main content area is titled 'Vehicle Customer' and shows the 'Fields & Relationships' section. The 'Customer Name' field is highlighted, and its configuration is shown in a table. The table has columns for 'Field Label', 'Data Type', 'Description', 'Data Owner', 'Field Usage', 'Data Sensitivity Level', and 'Compliance Categorization'. The 'Customer Name' field is configured with a data type of 'Text(80)'. Below the table, there's a 'Validation Rules' section with a 'New' button and a message 'No validation rules defined.'.

Field Label	Data Type	Description	Data Owner	Field Usage	Data Sensitivity Level	Compliance Categorization
Customer Name	Text(80)					

c. Field – Email

The **Email** field is created in the **Vehicle Customer** object to store the customer's email address.

Data Type: Email

Steps:

1. Open **Vehicle Customer** → **Fields & Relationships** → **New**.
2. Select **Email** as the data type.
3. Enter **Email** as the Field Label.
4. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is **SETUP > OBJECT MANAGER > Vehicle Customer**. The left sidebar shows the navigation menu with **Fields & Relationships** selected. The main content area is titled **Vehicle Customer Custom Field Email** and includes a **Back to Vehicle Customer** link. Below the title are tabs for **Custom Field Definition Detail** (selected), **Validation Rules (0)**, **Set Field-Level Security**, **View Field Accessibility**, and **Where is this used?**. The **Field Information** section contains the following details:

Field Label	Email	Object Name	Vehicle Customer
Field Name	Email	Data Type	Email
API Name	Email__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:37 AM	Modified By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:37 AM

The **General Options** section includes checkboxes for **Required**, **Unique**, **External ID**, and **Default Value**, all of which are currently unchecked.

d. Field – Phone

The **Phone** field is created to maintain the customer's contact number.

Data Type: Phone

Steps:

1. Open **Vehicle Customer** → **Fields & Relationships** → **New**.
2. Select **Phone** as the data type.
3. Enter **Phone** as the Field Label.
4. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface in the 'Developer Edition'. The navigation menu on the left includes 'Setup', 'Home', and 'Object Manager'. The main content area is titled 'Vehicle Customer' and shows the 'Fields & Relationships' section. A sidebar on the left lists various setup options like 'Details', 'Fields & Relationships', 'Page Layouts', etc. The main panel shows the 'Custom Field Definition Detail' for a 'Phone' field. The 'Field Information' section includes fields for 'Field Label' (Phone), 'Field Name' (Phone), 'API Name' (Phone__c), 'Description', 'Help Text', 'Data Owner', 'Field Usage', 'Data Sensitivity Level', and 'Compliance Categorization'. The 'General Options' section has a 'Required' checkbox and a 'Default Value' field. The 'Validation Rules' section at the bottom has a 'New' button. The top of the page shows the 'Developer Edition' label and a search bar.

Field Information	
Field Label	Phone
Field Name	Phone
API Name	Phone__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:36 AM
Modified By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:36 AM

General Options	
Required	☐
Default Value	

Validation Rules	
New	

e. Field – Preferred Vehicle Type

The **Preferred Vehicle Type** field is created as a **Picklist** to maintain the type of vehicle preferred by the customer.

Data Type: Picklist

Steps:

1. Open **Vehicle Customer** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type.
3. Enter **Preferred Vehicle Type** as the Field Label.
4. Enter the required vehicle type values.
5. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The left sidebar shows the navigation menu with 'Fields & Relationships' selected. The main content area is titled 'Vehicle Customer Custom Field Preferred Vehicle Type'. Below this, the 'Custom Field Definition Detail' section shows the field information:

Field Information	
Field Label	Preferred Vehicle Type
Field Name	Preferred_Vehicle_Type
API Name	Preferred_Vehicle_Type__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:39 AM
Modified By	238w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:39 AM

Below the field information, the 'General Options' section shows the 'Required' checkbox is unchecked and the 'Default Value' is set to '1'. The 'Picklist Options' section is partially visible at the bottom.

4. VEHICLE ORDER

a. Field – Customer

The **Customer** field is created in the **Vehicle Order** object to associate each vehicle order with the corresponding customer.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle Customer**

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle Order**.
3. Select **Fields & Relationships** → **New**.
4. Select **Lookup Relationship** as the data type and click **Next**.
5. Select **Vehicle Customer** as the related object.
6. Enter **Customer** as the Field Label.
7. Complete the relationship settings.
8. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail shows 'SETUP > OBJECT MANAGER'. The main heading is 'Vehicle Order'. On the left sidebar, 'Fields & Relationships' is selected. The main content area is titled 'Vehicle Order Custom Field Customer' with a 'Back to Vehicle Order' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Validation Rules (0)', 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Custom Field Definition Detail' tab is active, showing 'Field Information' and 'Lookup Options'. The 'Field Information' section includes fields for Field Label (Customer), Field Name (Customer), API Name (Customer_c), Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, Compliance Categorization, Created By (238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:42 AM), and Modified By (238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:42 AM). The 'Lookup Options' section shows 'Related To' as Vehicle Customer, 'Related List Label' as Vehicle Orders, 'Child Relationship Name' as Vehicle_Orders, and a 'Required' checkbox which is currently unchecked. A note at the bottom states 'What to do if the lookup record is deleted? Clear the value of this field.'

b. Field – Dealer

The **Dealer** field is created in the **Vehicle Order** object to associate the order with the corresponding vehicle dealer.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle Dealer**

Steps:

1. Open **Vehicle Order** → **Fields & Relationships** → **New**.
2. Select **Lookup Relationship** as the data type.
3. Select **Vehicle Dealer** as the related object.
4. Enter **Dealer** as the Field Label.
5. Complete the relationship settings.
6. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for configuring a custom field. The breadcrumb trail is 'Setup > OBJECT MANAGER > Vehicle Order'. The left sidebar shows the 'Fields & Relationships' section selected. The main content area is titled 'Vehicle Order Custom Field Dealer' and includes a 'Back to Vehicle Order' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Validation Rules (0)', 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Custom Field Definition Detail' tab is active, showing the 'Field Information' section with the following details:

Field Label	Dealer	Object Name	Vehicle Order
Field Name	Dealer	Data Type	Lookup
API Name	Dealer__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238e1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 9:18 AM		Modified By
			238e1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 9:18 AM

Below the 'Field Information' section is the 'Lookup Options' section, which includes:

- Related To: Vehicle Dealer
- Related List Label: Vehicle Orders
- Child Relationship Name: Vehicle_Orders
- Required: ☐
- What to do if the lookup record is deleted?: Clear the value of this field.

c. Field – Status

The **Status** field is created as a **Picklist** to maintain the current status of the vehicle order.

Data Type: Picklist

Steps:

1. Open **Vehicle Order** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type.
3. Enter **Status** as the Field Label.
4. Enter the required status values.
5. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER > Vehicle Order'. The left sidebar shows the 'Fields & Relationships' menu. The main content area is titled 'Vehicle Order Custom Field Status' and includes a 'Back to Vehicle Order' link. Below this, there are tabs for 'Custom Field Definition Detail', 'Validation Rules (0)', 'Edit', 'Set Field Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' section contains a table with the following details:

Field Label	Status	Object Name	Vehicle Order
Field Name	Status	Data Type	Picklist
API Name	Status__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:43 AM	Modified By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:43 AM

The 'General Options' section shows 'Required' as an unchecked checkbox and 'Default Value' as a picklist icon. The 'Picklist Options' section is partially visible at the bottom.

d. Field – Test Drive Date

The **Test Drive Date** field is created to maintain the date associated with the customer's test drive for the vehicle order.

Data Type: Date

Steps:

1. Open **Vehicle Order** → **Fields & Relationships** → **New**.
2. Select **Date** as the data type.
3. Enter **Test Drive Date** as the Field Label.
4. Configure the required field settings.
5. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for configuring a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER'. The main heading is 'Vehicle Order'. On the left sidebar, 'Fields & Relationships' is selected. The main content area is titled 'Vehicle Order Custom Field Test Drive Date' with a 'Back to Vehicle Order' link. Below this is the 'Custom Field Definition Detail' section, which includes tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' table lists the following details:

Field Label	Field Name	API Name	Description	Help Text	Data Owner	Field Usage	Data Sensitivity Level	Compliance Categorization	Created By	Created Date	Modified By	Modified Date
Test Drive Date	Test_Drive_Date	Test_Drive_Date__c							238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN	9/17/2026, 7:43 AM	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN	9/17/2026, 7:43 AM

Below the table is the 'General Options' section with a 'Required' checkbox (currently unchecked) and a 'Default Value' field. At the bottom, there is a 'Validation Rules' section with a 'New' button and a 'Validation Rules Help' link.

e. Field – Vehicle

The **Vehicle** field is created in the **Vehicle Order** object to associate the order with the selected vehicle.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle**

Steps:

1. Open **Vehicle Order** → **Fields & Relationships** → **New**.
2. Select **Lookup Relationship** as the data type.
3. Select **Vehicle** as the related object.
4. Enter **Vehicle** as the Field Label.
5. Complete the relationship settings.
6. Click **Next** → **Next** → **Save and New**.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Vehicle Order Custom Field

Vehicle

[Back to Vehicle Order](#)

Validation Rules (0)

Custom Field Definition Detail

Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Vehicle	Object Name	Vehicle Order
Field Name	Vehicle	Data Type	Lookup
API Name	Vehicle__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Z38w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:42 AM		
Modified By	Z38w1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:42 AM		

Lookup Options

Related To	Vehicle	Child Relationship Name	Vehicle_Orders
Related List Label	Vehicle Orders		
Required	☐		
What to do if the lookup record is deleted?	Clear the value of this field.		

5. VEHICLE TEST DRIVE

a. Field – Customer

The **Customer** field is created in the **Vehicle Test Drive** object to associate each test drive with the corresponding customer.

Data Type: Lookup Relationship

Related Object: Vehicle Customer

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle Test Drive**.
3. Select **Fields & Relationships** → **New**.
4. Select **Lookup Relationship** as the data type and click **Next**.
5. Select **Vehicle Customer** as the related object.
6. Enter **Customer** as the Field Label.
7. Complete the relationship settings.
8. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes 'Developer Edition', a search bar, and various utility icons. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main content area is titled 'Vehicle Test Drive' and shows the 'Fields & Relationships' section. A new custom field named 'Customer' is being defined. The 'Field Information' section shows the field label as 'Customer', field name as 'Customer', API name as 'Customer_c', and data type as 'Lookup'. The 'Lookup Options' section shows the field is related to 'Vehicle Customer' and is required. The 'What to do if the lookup record is deleted?' dropdown is set to 'Clear the value of this field'.

Field Information		Object Name	
Field Label	Customer	Object Name	Vehicle Test Drive
Field Name	Customer	Data Type	Lookup
API Name	Customer_c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:52 AM	Modified By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2026, 7:52 AM

Lookup Options		Child Relationship Name	
Related To	Vehicle Customer	Child Relationship Name	Vehicle_Test_Drives
Related List Label	Vehicle Test Drives		
Required	☐		
What to do if the lookup record is deleted?	Clear the value of this field.		

b. Field – Vehicle

The **Vehicle** field is created to associate a test drive with the selected vehicle. It establishes a relationship between the test drive and the Vehicle object.

Data Type: Lookup Relationship

Related Object: Vehicle

Steps:

1. Open **Vehicle Test Drive** → **Fields & Relationships** → **New**.
2. Select **Lookup Relationship** as the data type and click **Next**.
3. Select **Vehicle** as the related object.
4. Enter **Vehicle** as the Field Label.
5. Complete the relationship settings.
6. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for configuring a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER'. The main heading is 'Vehicle Test Drive'. On the left sidebar, 'Fields & Relationships' is selected. The main content area is titled 'Vehicle Test Drive Custom Field' and 'Vehicle'. Below this, there are tabs for 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', and 'List View Button Layout'. The 'Fields & Relationships' tab is active, showing the 'Custom Field Definition Detail' section. This section includes a table for 'Field Information' with the following data:

Field Label	Vehicle	Object Name	Vehicle Test Drive
Field Name	Vehicle	Data Type	Lookup
API Name	Vehicle__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238w1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:53 AM	Modified By	238w1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:53 AM

Below the 'Field Information' table is the 'Lookup Options' section, which includes fields for 'Related To' (Vehicle), 'Related List Label' (Vehicle Test Drives), 'Child Relationship Name' (Vehicle_Test_Drives), and a 'Required' checkbox. At the bottom, there is a dropdown menu for 'What to do if the lookup record is deleted?' with the option 'Clear the value of this field.'

c. Field – Test Drive Date

The **Test Drive Date** field is created to maintain the scheduled date of the customer's vehicle test drive.

Data Type: Date

Steps:

1. Open **Vehicle Test Drive** → **Fields & Relationships** → **New**.
2. Select **Date** as the data type and click **Next**.
3. Enter **Test Drive Date** as the Field Label.
4. Configure the required field settings.
5. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface for the 'Vehicle Test Drive' object. The left sidebar contains a navigation menu with options like Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, and List View Button Layout. The main content area is titled 'Vehicle Test Drive Custom Field' and 'Test Drive Date'. It includes a 'Back to Vehicle Test Drive' link and a 'Validation Rules' link. The 'Custom Field Definition Detail' section has tabs for 'Edit', 'Set Field Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' section displays the following details:

Field Label	Test Drive Date	Object Name	Vehicle Test Drive
Field Name	Test_Drive_Date	Data Type	Date
API Name	Test_Drive_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:53 AM	Modified By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:53 AM

The 'General Options' section shows the 'Required' checkbox is unchecked and the 'Default Value' field is empty. At the bottom, there is a 'Validation Rules' section with a 'New' button and a 'Validation Rules Help' link.

d. Field – Status

The **Status** field is created as a **Picklist** to maintain the current status of a test drive.

Data Type: Picklist

Steps:

1. Open **Vehicle Test Drive** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type and click **Next**.
3. Enter **Status** as the Field Label.
4. Select **Enter values, with each value separated by a new line**.
5. Enter the required picklist values.
6. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes 'Developer Edition', a search bar, and various utility icons. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main content area is titled 'Vehicle Test Drive' and shows the 'Status' custom field definition. The 'Field Information' section displays the field label 'Status', field name 'Status', API name 'Status__c', and data type 'Picklist'. The 'General Options' section shows the 'Required' checkbox is unchecked and the 'Default Value' is set to 'I'. The 'Picklist Options' section is visible at the bottom.

Field Information	
Field Label	Status
Field Name	Status
API Name	Status__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:54 AM
Modified By	238x1a4204 CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:54 AM

General Options	
Required	☐
Default Value	I


Picklist Options	
------------------	--

e. Field – Test Drive Name

The **Test Drive Name** field is used as the record name to identify individual test drive records in the Vehicle Test Drive object.

Data Type: Text(80)

The field is automatically created when the custom object is created. It is configured as a text field with a maximum length of 80 characters.



6. VEHICLE SERVICE REQUEST

a. Field – Customer

The **Customer** field is created in the **Vehicle Service Request** object to associate the service request with the corresponding customer.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle Customer**

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **Vehicle Service Request**.
3. Select **Fields & Relationships** → **New**.
4. Select **Lookup Relationship** as the data type and click **Next**.
5. Select **Vehicle Customer** as the related object.
6. Enter **Customer** as the Field Label.
7. Complete the relationship settings.
8. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface. The top navigation bar includes 'Developer Edition', a search bar, and various utility icons. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main content area is titled 'Vehicle Service Request' and shows the 'Custom Field Definition Detail' for a field named 'Customer'. The field is configured as a 'Lookup' relationship to the 'Vehicle Customer' object. The 'Field Information' section lists details such as Field Label, Field Name, API Name, Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'Lookup Options' section shows the related object as 'Vehicle Customer', the related list label as 'Vehicle Service Requests', and the child relationship name as 'Vehicle_Service_Requests'. The 'Required' checkbox is unchecked, and the 'What to do if the lookup record is deleted?' option is set to 'Clear the value of this field'.

Field Information	
Field Label	Customer
Field Name	Customer
API Name	Customer__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:45 AM
Modified By	238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:45 AM

Lookup Options	
Related To	Vehicle Customer
Related List Label	Vehicle Service Requests
Required	☐
What to do if the lookup record is deleted?	Clear the value of this field.

b. Field – Issue Description

The **Issue Description** field is created to maintain details about the problem or issue reported by the customer regarding the vehicle.

Data Type: Text(255)

Steps:

1. Open **Vehicle Service Request** → **Fields & Relationships** → **New**.
2. Select **Text** as the data type and click **Next**.
3. Enter **Issue Description** as the Field Label.
4. Set the field length to **255**.
5. Click **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, and List View Button Layout. The main content area is titled 'Vehicle Service Request' and shows the 'Issue Description' custom field configuration. The 'Field Information' section displays the following details:

Field Label	Issue Description	Object Name	Vehicle Service Request
Field Name	Issue_Description	Data Type	Text
API Name	Issue_Description__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:47 AM	Modified By	238x1a4204.CHEEMALAMARRI.H.V.H.RAVI.CHARAN, 9/17/2026, 7:47 AM

The 'General Options' section includes checkboxes for Required, Unique, Case Sensitive, and External ID, all of which are currently unchecked.

c. Field – Service Date

The **Service Date** field is created to maintain the date associated with the vehicle service request.

Data Type: Date

Steps:

1. Open **Vehicle Service Request** → **Fields & Relationships** → **New**.
2. Select **Date** as the data type and click **Next**.
3. Enter **Service Date** as the Field Label.
4. Configure the required field settings.
5. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface in the 'Developer Edition'. The navigation menu on the left includes 'Setup', 'Home', and 'Object Manager'. The main content area is titled 'Vehicle Service Request' under 'SETUP > OBJECT MANAGER'. The 'Fields & Relationships' tab is selected, showing the 'Service Date' custom field configuration. The 'Field Information' section includes fields for 'Field Label' (Service Date), 'Field Name' (Service_Date), 'API Name' (Service_Date__c), 'Description', 'Help Text', 'Data Owner', 'Field Usage', 'Data Sensitivity Level', and 'Compliance Categorization'. The 'Object Name' is 'Vehicle Service Request' and the 'Data Type' is 'Date'. The 'General Options' section shows the 'Required' checkbox is unchecked. The 'Validation Rules' section at the bottom has a 'New' button. The footer shows the user '238x1a4204.CHEEMALAMARRI H V H RAVI CHARAN' and the date '9/17/2026, 7:47 AM'.

Field Information		Object Name	Data Type
Field Label	Service Date	Vehicle Service Request	Date
Field Name	Service_Date		
API Name	Service_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			

General Options

Required ☐

Default Value

Validation Rules [New](#) [Validation Rules Help](#)


d. Field – Service Request Name

The **Service Request Name** field is used as the record name to identify each service request in the **Vehicle Service Request** object.

Data Type: Text(80)

Steps:

1. Open **Vehicle Service Request** → **Fields & Relationships**.
2. The **Service Request Name** field is automatically created as the record name when the custom object is created.
3. The field is configured with **Text** as the data type.
4. The field length is **80 characters**.



e. Field – Status

The **Status** field is created as a **Picklist** to maintain the current status of the vehicle service request.

Data Type: Picklist

Values:

- Requested
- In Progress
- Completed

Steps:

1. Open **Vehicle Service Request** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type and click **Next**.
3. Enter **Status** as the Field Label.
4. Select **Enter values, with each value separated by a new line**.
5. Enter the three service status values.
6. Click **Next** → **Next** → **Next** → **Save and New**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, and List View Button Layout. The main content area is titled 'Vehicle Service Request' and shows the 'Custom Field Definition Detail' for a new field named 'Status'. The field is configured as a Picklist data type. The 'Field Information' section displays the following details:

Field Information	Object Name
Field Label: Status	Vehicle Service Request
Field Name: Status__c	Data Type: Picklist
Description:	
Help Text:	
Data Owner:	
Field Usage:	
Data Sensitivity Level:	
Compliance Categorization:	
Created By: 238w1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:48 AM	Modified By: 238w1a4204.CHEEMALAMARRI H V H RAVI CHARAN, 9/17/2025, 7:48 AM

The 'General Options' section shows the 'Required' checkbox is unchecked and the 'Default Value' is set to a picklist value. The 'Picklist Options' section is visible at the bottom.

f. Field – Vehicle

The **Vehicle** field is created in the **Vehicle Service Request** object to associate the service request with the corresponding vehicle.

Data Type: Lookup Relationship

Relationship: Lookup to **Vehicle**

Steps:

1. Open **Vehicle Service Request** → **Fields & Relationships** → **New**.
2. Select **Lookup Relationship** as the data type and click **Next**.
3. Select **Vehicle** as the related object.
4. Enter **Vehicle** as the Field Label.
5. Complete the relationship settings.
6. Click **Next** → **Next** → **Save and New**.

The screenshot displays the Salesforce Setup interface for defining a custom field. The breadcrumb trail is 'SETUP > OBJECT MANAGER'. The main heading is 'Vehicle Service Request'. On the left sidebar, 'Fields & Relationships' is selected. The main content area is titled 'Vehicle Service Request Custom Field' and 'Vehicle'. Below this, there are tabs for 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', and 'List View Button Layout'. The 'Fields & Relationships' tab is active, showing the 'Custom Field Definition Detail' for the 'Vehicle' field. The 'Field Information' section includes: Field Label (Vehicle), Field Name (Vehicle), API Name (Vehicle__c), Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'Lookup Options' section shows: Related To (Vehicle), Related List Label (Vehicle Service Requests), Child Relationship Name (Vehicle_Service_Requests), and a checkbox for 'Required'. The 'What to do if the lookup record is deleted?' dropdown is set to 'Clear the value of this field.' The page also shows the user '238r1a4204 CHEEMALAMARRI H V H RAVI CHARAN' and the date '9/17/2026, 7:45 AM'.

V. AUTOMATION

Salesforce Flow Builder is used in the WhatNext Vision Motors project to automate business processes and reduce manual work. Two flows are implemented: **Auto Assign Dealer** and **Test Drive Reminder**. The first flow handles dealer assignment for vehicle orders, while the second flow automates test drive reminder emails.


1. Auto Assign Dealer Flow

➤ Purpose

The Auto Assign Dealer flow is designed to automate the dealer assignment process for vehicle orders. It is triggered when a new vehicle order is created with a Pending status. The flow retrieves customer information, searches for a dealer based on the customer's address, and performs the configured record update.

➤ Create a New Flow

1. Navigate to **Setup** in Salesforce.
2. Search for **Flows** using the Quick Find search box.
3. Click **New Flow**.
4. Select **Start From Scratch** and click **Next**.
5. Select **Record-Triggered Flow** and click **Create**.



➤ Set Flow Trigger Details


Configure the Start element with the following details:

- **Object:** Vehicle Order
- **Trigger:** A record is created
- **Condition Requirements:** All Conditions Are Met (AND)

- **Field:** Status
- **Operator:** Equals
- **Value:** Pending

After configuring the trigger conditions, click **Done**.


This configuration ensures that the flow is triggered when a vehicle order is created with a Pending status.



➤ Add Get Records – Get Customer Information

1. Click the + icon below the Start element.
2. Select **Get Records**.
3. Enter the following details:
 - **Label:** Get Customer Information
 - **Object:** Vehicle Customer
 - **Condition:** Id Equals the Vehicle Customer lookup field of the triggering Vehicle Order.
4. Click **Done**.


This element retrieves the customer record associated with the newly created vehicle order.



➤ Add Get Records – Get Nearest Dealer

1. Click the + icon below the Get Customer Information element.
2. Select **Get Records**.
3. Configure the following details:
 - **Label:** Get Nearest Dealer
 - **Object:** Vehicle Dealer
 - **Condition:** Dealer Location Equals the customer's Address field.
4. Click **Done**.

This element retrieves the dealer record whose location matches the customer's address.




➤ Add Update Records – Assign Dealer to Order

1. Click the + icon below the Get Nearest Dealer element.

2. Select **Update Records**.
3. Configure the Update Records element according to the settings shown in the screenshot.
4. Enter the label **Assign Dealer to Order**.
5. Click **Done**.


This element performs the record update configured in the flow.



➤ Save and Activate the Flow

1. Click **Save** in Flow Builder.
2. Enter **Auto Assign Dealer** as the flow label.
3. Click **Save**.
4. Click **Activate** to activate the flow.

After activation, the flow is ready to execute when a newly created Vehicle Order meets its configured entry condition.



2. Test Drive Reminder Flow

➤ Purpose

The Test Drive Reminder flow is designed to automate the process of sending reminder emails to customers regarding their scheduled vehicle test drives. It uses a record-triggered flow and a scheduled path to execute the reminder action.

➤ Create a New Flow

1. Navigate to **Setup** in Salesforce.
2. Search for **Flows** using the Quick Find search box.
3. Click **New Flow**.
4. Select **Start From Scratch** and click **Next**.
5. Select **Record-Triggered Flow** and click **Create**.


➤ Set Flow Trigger Details

Configure the Start element as shown in the screenshot:

- **Object:** Vehicle Test Drive
- **Trigger:** A record is created or updated
- **Entry Conditions:** As configured in the flow
- **Optimize the Flow For:** Actions and Related Records

Click **Done** to save the configuration.


This configuration allows the flow to start when a Vehicle Test Drive record meets the specified conditions.



➤ Configure the Scheduled Path

1. Select **Add Scheduled Paths** in the Start element.
2. Configure the scheduled path using the settings shown in the screenshot.
3. Save the scheduled path configuration.


The scheduled path allows the flow to execute the reminder process at the configured time.



➤ Add Get Records – Get Customer Information

1. Click the + icon under the scheduled path.
2. Select **Get Records**.
3. Configure the element as shown in the screenshot:
 - **Label:** Get Customer Information
 - **Object:** Vehicle Customer
 - **Condition:** Retrieve the customer record associated with the Vehicle Test Drive record.
4. Click **Done**.


This element retrieves the customer information required for the reminder email.



➤ Add Send Email Action – Send Test Drive Reminder

1. Click the + icon below the Get Customer Information element in the scheduled path.
2. Select **Action**.
3. Choose the **Send Email** action.
4. Configure the action using the email settings shown in the screenshot.
5. Set the action label to **Send Test Drive Reminder**.
6. Click **Done**.


This action sends the test drive reminder email using the customer information retrieved by the previous element.



➤ Save and Activate the Flow

1. Click **Save** in Flow Builder.
2. Save the flow using the configured flow name.
3. Click **Activate** to activate the flow.

Once activated, the flow can execute the scheduled reminder process for eligible Vehicle Test Drive records.



VI. APEX AND BATCH CLASS



A. APEX TRIGGER HANDLER – VehicleOrderTriggerHandler

➤ Purpose

The VehicleOrderTriggerHandler class is used to manage the execution of the Vehicle Order trigger logic. It separates the trigger logic from the Apex trigger and provides a method to handle different trigger events, such as insert and update.

➤ Create a New Apex Class

1. Open **Salesforce Developer Console**.
2. Click **File** in the menu bar.
3. Select **New** and then **Apex Class**.
4. Enter the class name as VehicleOrderTriggerHandler.
5. Click **OK** to create the class.




➤ Implement the Trigger Handler

The `VehicleOrderTriggerHandler` class contains the `handleTrigger()` method, which accepts the new and old `Vehicle Order` records along with Boolean parameters representing the trigger context.

The method uses the following parameters:

- **newOrders:** List of newly inserted or updated `Vehicle Order` records.
- **oldOrders:** List of previous `Vehicle Order` records.
- **isBefore:** Indicates whether the trigger is executing before a database operation.
- **isAfter:** Indicates whether the trigger is executing after a database operation.
- **isInsert:** Indicates whether the operation is an insert.
- **isUpdate:** Indicates whether the operation is an update.

The handler checks the trigger context and invokes `preventOrderIfOutOfStock(newOrders)` during before-insert and before-update operations.



```
29 *   for (Vehicle_Order__c order : orders) {
30 *       if (order.Vehicle__c != null) {
31 *           vehicleIds.add(order.Vehicle__c);
32 *       }
33 *   }
34 *
35 *   if (!vehicleIds.isEmpty()) {
36 *       Map<Id, Vehicle__c> vehicleStockMap =
37 *           new Map<Id, Vehicle__c>();
38 *
39 *       for (Vehicle__c vehicle : [
40 *           SELECT Id, Stock_Quality__c
41 *           FROM Vehicle__c
42 *           WHERE Id IN :vehicleIds
43 *       ]) {
44 *           vehicleStockMap.put(vehicle.Id, vehicle);
45 *       }
46 *
47 *       for (Vehicle_Order__c order : orders) {
48 *           if (vehicleStockMap.containsKey(order.Vehicle__c)) {
49 *
50 *               Vehicle__c vehicle =
51 *                   vehicleStockMap.get(order.Vehicle__c);
52 *
53 *               if (vehicle.Stock_Quality__c <= 0) {
54 *                   order.addError(
55 *                       'This vehicle is out of stock. Order cannot be placed.'
56 *                   );
57 *               }
58 *           }
59 *       }
60 *   }
```



➤ Trigger Handler Execution

The handler follows these steps:

1. Receives the new and old Vehicle Order records from the trigger.
2. Checks whether the trigger is executing in the before context.
3. Checks whether the operation is an insert or update.
4. Calls the `preventOrderIfOutOfStock()` method to process the new Vehicle Order records.
5. Uses the trigger context parameters to distinguish between different trigger events.

➤ Save the Apex Class

1. After entering the code, click **File** in the menu bar.
2. Select **Save** to save the Apex class.
3. Verify that the class is saved successfully in the Developer Console.




B. APEX TRIGGER – VehicleOrderTrigger

➤ **Purpose**

The VehicleOrderTrigger is created to execute the VehicleOrderTriggerHandler class whenever a Vehicle Order record is inserted or updated. It delegates the trigger logic to the handler class, keeping the trigger code simple and organized.

➤ **Create a New Apex Trigger**

1. Open the **Salesforce Developer Console**.
2. Click **File** in the menu bar.
3. Select **New** and then **Apex Trigger**.
4. Enter the following details:
 - **Name:** VehicleOrderTrigger
 - **sObject:** Vehicle_Order__c
5. Click **Submit** to create the trigger.




➤ **Implement the Apex Trigger**

The VehicleOrderTrigger is associated with the Vehicle_Order__c object. It is configured to execute during the following events:

- **Before Insert:** Executes before a new Vehicle Order record is inserted.
- **Before Update:** Executes before an existing Vehicle Order record is updated.
- **After Insert:** Executes after a new Vehicle Order record is inserted.
- **After Update:** Executes after an existing Vehicle Order record is updated.

The trigger calls the `handleTrigger()` method of the `VehicleOrderTriggerHandler` class and passes the trigger context information.



```

1  trigger VehicleOrderTrigger on Vehicle_Order__c (
2      before insert,
3      before update,
4      after insert,
5      after update
6  ) {
7      VehicleOrderTriggerHandler.handleTrigger(
8          Trigger.new,
9          Trigger.oldMap,
10         Trigger.isBefore,
11         Trigger.isAfter,
12         Trigger.isInsert,
13         Trigger.isUpdate
14     );
15 }

```


➤ Trigger Execution

The trigger follows these steps:

1. Detects the insert or update operation on the Vehicle Order object.
2. Identifies whether the operation is occurring before or after the database transaction.
3. Passes the new and old record information to the `VehicleOrderTriggerHandler` class.
4. The handler processes the trigger event using the corresponding context information.

➤ Save the Apex Trigger

1. After entering the trigger code, click **File** in the menu bar.
2. Select **Save** to save the Apex trigger.
3. Verify that the trigger is saved successfully in the Developer Console.



➤ Result

The VehicleOrderTrigger was created for the Vehicle Order object and configured to invoke the VehicleOrderTriggerHandler during before-insert, before-update, after-insert, and after-update events.


C. BATCH APEX CLASS – VehicleOrderBatch

➤ **Purpose**

The VehicleOrderBatch Apex class is used to process Vehicle Order records in batches. Batch Apex allows large numbers of records to be processed in smaller groups, helping manage bulk data processing in Salesforce.

➤ **Create a New Apex Class**

1. Open the **Salesforce Developer Console**.
2. Click **File** in the menu bar.
3. Select **New** and then **Apex Class**.
4. Enter the class name as VehicleOrderBatch.
5. Click **OK** to create the class.




➤ **Implement the Batch Apex Class**

The VehicleOrderBatch class is designed to perform batch processing on Vehicle Order records.

The class uses the Batch Apex framework to process records in batches. It also contains a finish() method, which executes after the batch processing is completed.

The finish() method in the implementation displays the debug message:

Vehicle order batch job completed.



➤ Batch Processing


The batch class follows the Batch Apex execution structure:

1. **Start:** Identifies the records to be processed by the batch.
2. **Execute:** Processes the selected records in batches.
3. **Finish:** Executes after all batches have been processed and displays a completion message in the debug log.

➤ Save the Apex Class

1. After entering the code, click **File** in the menu bar.
2. Select **Save** to save the Apex class.

3. Verify that the class is saved successfully in the Developer Console.



The screenshot shows the Salesforce Developer Console interface. The top pane displays the Apex class `VehicleOrderBatch.apxc` with the following code:

```
51 }  
52 }  
53 }  
54  
55 if (!ordersToUpdate.isEmpty()) {  
56     update ordersToUpdate;  
57 }  
58 }  
59 }  
60  
61 global void finish(Database.BatchableContext bc) {  
62     System.debug('Vehicle order batch job completed.');63 }  
64 }
```

The bottom pane shows the **Tests** tab with a table of test results. The table has columns for Status, Test Run, Enqueued Time, Duration, Failures, and Total. The **Overall Code Coverage** section shows the following data:

Class	Percent	Lines
Overall	0%	
VehicleOrderBatch	0%	0/26
VehicleOrderTrigger	0%	0/7
VehicleOrderTriggerHandler	0%	0/51

➤ Result

The VehicleOrderBatch Apex class was created to process Vehicle Order records using the Batch Apex framework. The finish() method displays a completion message after the batch job finishes.


D. VEHICLE ORDER BATCH SCHEDULER

➤ **Purpose**

The VehicleOrderBatchScheduler Apex class is used to schedule the execution of the VehicleOrderBatch class. It implements the Schedulable interface, allowing the batch job to be executed through Salesforce's scheduling mechanism.

➤ **Create a New Apex Class**

1. Open the **Salesforce Developer Console**.
2. Click **File** in the menu bar.
3. Select **New** and then **Apex Class**.
4. Enter the class name as VehicleOrderBatchScheduler.
5. Click **OK** to create the class.




➤ **Implement the Batch Scheduler**

The VehicleOrderBatchScheduler class implements the Schedulable interface and contains the execute() method.

The execute() method performs the following operations:


1. Creates an instance of the VehicleOrderBatch class.
2. Calls Database.executeBatch() to execute the batch job.
3. Passes the batch instance to Salesforce for processing.

The scheduler connects the batch class with Salesforce's scheduling mechanism, allowing the batch job to run automatically.



➤ Save the Apex Class

1. After entering the code, click **File** in the menu bar.
2. Select **Save** to save the Apex class.
3. Verify that the class is saved successfully in the Developer Console.



➤ Result

The VehicleOrderBatchScheduler class was created to schedule the execution of the VehicleOrderBatch class using Salesforce's Schedulable interface.

VII. SCHEDULED JOBS

➤ Purpose

The Scheduled Jobs section in Salesforce is used to view scheduled Apex jobs and monitor their execution details. In the WhatNext Vision Motors project, the scheduled job **Daily Vehicle Order Processing** is shown in Salesforce.

➤ View Scheduled Jobs

1. Navigate to **Setup** in Salesforce.
2. Search for **Scheduled Jobs** using the Quick Find search box.
3. Select **Scheduled Jobs**.
4. View the list of scheduled jobs displayed on the page.

The screenshot shows the Salesforce Setup page for a Developer Edition org. The left sidebar has a search bar with 'scheduled' entered, and the 'Scheduled Jobs' link is highlighted under the 'Jobs' section. The main content area is titled 'Scheduled Jobs' and shows a table of scheduled Apex jobs. A yellow banner indicates that 1% of the allowed 100 scheduled Apex jobs are currently used. The table lists four jobs: 'Daily Vehicle Order Processing', 'Metalytics Data Loader Job for Org : 000jv000003vz0F', 'Program Milestone Computation Cron Job', and 'Program Status Update Cron Job'. The first job is expanded to show its details.

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Manage Del Pause Job	Daily Vehicle Order Processing	CHEERMALAMARRI.H.V.H.RAVI.CHARAN.	9/17/2026, 9:58 AM		9/18/2026, 12:00 AM	Scheduled Apex	08ejv000001z9N
Del	Metalytics Data Loader Job for Org : 000jv000003vz0F	User Integration	9/11/2026, 8:19 AM	9/17/2026, 12:30 AM	9/18/2026, 12:30 AM	Autonomous Data Loader Job	08ejv000001T3gK
	Program Milestone Computation Cron Job	Process, Automated	9/11/2026, 8:19 AM	9/17/2026, 6:59 AM	9/17/2026, 11:59 AM	Program Milestone Computation Cron Job	08ejv000001T3gV
	Program Status Update Cron Job	Process, Automated	9/11/2026, 8:19 AM	9/17/2026, 5:00 AM	9/17/2026, 8:00 PM	Program Status Update Cron Job	08ejv000001T3gW

➤ Scheduled Job Details

The Scheduled Jobs page displays information about scheduled jobs, including:

- **Job Name:** Daily Vehicle Order Processing
- **Job Type:** Scheduled Apex
- **Status:** Displays the current status of the job.
- **Next Scheduled Run:** Displays the next execution time, where available.

➤ Result

The VehicleOrderBatchScheduler class was successfully created to schedule the execution of the VehicleOrderBatch class using Salesforce's scheduling mechanism.

CONCLUSION

The **WhatNext Vision Motors** project successfully demonstrates the development of a Salesforce-based automotive management system designed to improve business operations and customer experience. The project provides a centralized platform for managing customer details, vehicle information, dealer records, vehicle orders, service requests, and test drive information through custom objects and relationships.

Salesforce Flow Builder was used to automate important business processes, including dealer assignment and test drive reminders. Apex triggers and trigger handler classes were implemented to manage vehicle order operations, while Batch Apex and the scheduler were used to support automated processing of vehicle orders.

Through this project, practical knowledge of Salesforce administration, custom object creation, field configuration, Flow Builder, Apex programming, and scheduled automation was gained. The project also demonstrates how Salesforce can be customized to address business requirements in the automotive industry.

Overall, WhatNext Vision Motors provides a foundation for organized vehicle and customer management while reducing manual work through automation. The system can be further enhanced with advanced reporting, improved dealer location matching, and additional customer service features to support future business requirements.

THANK YOU