



Use ToolKits with OpenAI Functions

This notebook shows how to use the OpenAI functions agent with arbitrary toolkits.

```

from langchain import (
    LLMChain,
    OpenAI,
    SerpAPIWrapper,
    SQLDatabase,
    SQLDatabaseChain,
)
from langchain.agents import initialize_agent, Tool
from langchain.agents import AgentType
from langchain.chat_models import ChatOpenAI
from langchain.agents.agent_toolkits import SQLDatabaseToolkit
from langchain.schema import SystemMessage

```

API Reference:

- `initialize_agent` from `langchain.agents`
- `Tool` from `langchain.agents`
- `AgentType` from `langchain.agents`
- `ChatOpenAI` from `langchain.chat_models`
- `SQLDatabaseToolkit` from `langchain.agents.agent_toolkits`
- `SystemMessage` from `langchain.schema`

Load the toolkit

```

db = SQLDatabase.from_uri("sqlite:///../../../../../notebooks/Chinook.db")
toolkit = SQLDatabaseToolkit(llm=ChatOpenAI(), db=db)

```

Set a system message specific to that toolkit

```

agent_kwargs = {
    "system_message": SystemMessage(content="You are an expert SQL data

```



```
analyst.")
}
```

```
llm = ChatOpenAI(temperature=0, model="gpt-3.5-turbo-0613")
agent = initialize_agent(
    toolkit.get_tools(),
    llm,
    agent=AgentType.OPENAI_FUNCTIONS,
    verbose=True,
    agent_kwargs=agent_kwargs,
)
```

```
agent.run("how many different artists are there?")
```

> Entering new chain...

Invoking: `sql_db_query` with `{'query': 'SELECT COUNT(DISTINCT artist_name) AS num_artists FROM artists'}`

Error: (sqlite3.OperationalError) no such table: artists
 [SQL: SELECT COUNT(DISTINCT artist_name) AS num_artists FROM artists]
 (Background on this error at: <https://sqlalche.me/e/20/e3q8>)
 Invoking: `sql_db_list_tables` with `{}`

MediaType, Track, Playlist, sales_table, Customer, Genre,
 PlaylistTrack, Artist, Invoice, Album, InvoiceLine, Employee
 Invoking: `sql_db_query` with `{'query': 'SELECT COUNT(DISTINCT artist_id) AS num_artists FROM Artist'}`

Error: (sqlite3.OperationalError) no such column: artist_id
 [SQL: SELECT COUNT(DISTINCT artist_id) AS num_artists FROM Artist]
 (Background on this error at: <https://sqlalche.me/e/20/e3q8>)
 Invoking: `sql_db_query` with `{'query': 'SELECT COUNT(DISTINCT Name) AS num_artists FROM Artist'}`

```
[(275,)]There are 275 different artists in the database.
```

```
> Finished chain.
```

```
'There are 275 different artists in the database.'
```