



SIMATS
ENGINEERING



SIMATS
Saveetha Institute of Medical And Technical Sciences
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

Course: Fundamentals of Data Science

Course Code: DSA0404

Slot: A

Faculty: KRISHNARAJ M

Submitted By

V. Ravi Kumar Reddy (192424304)

Hands on Descriptive Statistics

1. Finding Mean Using Python

python

```
data = [10, 20, 30, 40, 50] mean_val = sum(data) /  
len(data)  
print("Mean:", mean_val)
```

2. Finding Median Using Python

python

```
data = [40, 10, 30, 50, 20] data.sort() n  
= len(data) if n % 2 == 0:  
    median_val = (data[n // 2 - 1] + data[n // 2]) / 2 else:  
    median_val = data[n // 2]  
print("Median:", median_val)
```

3. Finding Mode Using Python

```
from collections import Counter
```

```
data = [1, 2, 2, 3, 4, 2, 5] count = Counter(data)
mode_val = count.most_common(1)[0][0]
print("Mode:", mode_val)
```

4. Finding Range Using Python

```
data = [15, 8, 22, 42, 10] range_val = max(data) -
min(data)
print("Range:", range_val)
```

5. Finding Variance Using Python (Population)

python

```
data = [2, 4, 4, 4, 5, 5, 7, 9] mean_val = sum(data) / len(data) variance_val = sum((x -
mean_val) ** 2 for x in data) / len(data) print("Variance:", variance_val)
```

6. Finding Standard Deviation Pure Python python

```
data = [2, 4, 4, 4, 5, 5, 7, 9] mean_val = sum(data) / len(data) variance_val = sum((x -
mean_val) ** 2 for x in data) / len(data) std_dev = variance_val ** 0.5 print("Standard
Deviation:", std_dev)
```

7. Using Built-in Module

python

```
import statistics
```

```
data = [12, 15, 15, 18, 22, 25] print("Mean:",
statistics.mean(data)) print("Median:", statistics.median(data))
print("Mode:", statistics.mode(data)) print("Variance:",
statistics.variance(data))
print("Standard Deviation:", statistics.stdev(data))
```

8. Using NumPy Library

```
import numpy as np
```

```
data = np.array([10, 20, 20, 30, 40]) print("Mean:", np.mean(data))  
print("Median:", np.median(data)) print("Variance (Sample):",  
np.var(data, ddof=1)) print("Standard Deviation:", np.std(data, ddof=1))  
print("Range:", np.ptp(data)) # Peak-to-peak (max - min)
```

9. Using SciPy for Mode

```
from scipy import stats
```

```
data = [5, 2, 5, 3, 5, 4] mode_result = stats.mode(data,  
keepdims=True) print("Mode:", mode_result.mode[0])  
print("Count:", mode_result.count[0])
```

10. Using Pandas for Complete Summary

```
import pandas as pd
```

```
df = pd.DataFrame({'values': [10, 20, 30, 40, 50, 50]}) print("Mean:",  
df['values'].mean()) print("Median:", df['values']. median ()) print("Mode:",  
df['values']. mode().tolist()) print ("Variance:", df['values']. var ()) print ("Std Dev:",  
df['values']. std ()) print ("Range:", df['values'].max () - df['values']. min()) Output:
```

```
IDLE Shell 3.12.3
File Edit Shell Debug Options Window Help
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/mean.py
Mean: 30.0
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/median.py
Median: 30
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/mode.py
Mode: 2
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/range.py
Range: 34
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/variance.py
Variance: 4.0
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/sd.py
Standard Deviation: 2.0
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/statisticaloperations.py
Mean: 17.833333333333332
Median: 16.5
Mode: 15
Variance: 23.766666666666666
Standard Deviation: 4.875106836436168
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/statisticaloperationsnumpy.py
Mean: 24.0
Median: 20.0
Variance (Sample): 130.0
Standard Deviation: 11.40175425099138
Range: 30
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/modescipy.py
Mode: 5
Count: 3
>>> = RESTART: C:/Users/Sravan Kumar.Y/AppData/Local/Programs/Python/Python312/statisticalsummary.py
Mean: 33.333333333333336
Median: 35.0
Mode: [50]
Variance: 266.6666666666667
Std Dev: 16.32993161855452
Range: 40
>>>
```