

*We work hard,
So you can work Smart*




Industrial automation Products and Solutions :

- PLC • HMI • VFD • SERVOS
- SCADA • INDUSTRIES 4.0
- CONTROL PANELS • SENSORS
- SWITCH - GEAR



Waypoint
SOLUTIONS LLP

MITSUBISHI PLC LINE UP



SMALL SCALE

All - in - one ease of use Micro PLC for small scale system

SMALL TO MEDIUM SCALE

General machine that requires cost performance and miniaturization.

MEDIUM TO LARGE SCALE

All - around model with high performance, high function, and multiple line - up that can respond to all types of controls such as motion control, micro computer control and instrumentation control.

OEL, Semiconductor

Automotive

EMS

Logistics

Transportation

New energy

Building

Food

Medicine


Cosmetics

General machine
(Packing, food, molding)

• Evolved built-in function

With enhanced builtin function, high-speed system bus, and network compatibility, MELSEC iQF series brings your business to the next level of industry.

- Built-in analog input/output (with warning output)
- Built-in SD card slot
- RUN/STOP/RES ET switch
- Built-in RS-485 port (MODBUS[®] function)



• CPU performance

Program size 64 k steps	Instruction processing speed (LD, MOV instructions) 34 ns
Periodic interrupt program Minimum 1 ms	PC MIX 14.6 (instructions/μs)


- High-speed
- System bus

MODULAR INPUT / OUTPUT

- ✦ Compatibility of different Header modules and flexibility in I/O modules
- ✦ Each Header can support up to 63 I/O modules
- ✦ Support various network connectivity
- ✦ USB as a standard for configuration
- ✦ Wide range of I/O modules with 2 to 16 points
- ✦ Simple and quick field connections with Removable Terminal Block (RTB)



GRAPHIC OPERATION CONTROLLER



SUPPORTED MODELS

The table below shows the details for icons of supported models.

GT27

GT2715-X, GT2712-S, GT2710-S, GT2708-S
GT2710-V, GT2708-V, GT2705-V

GT25

GT2510-WX, GT2507-W, GT2512-S, GT2512F-S,
GT2510-V, GT2510F-V, GT2508-V, GT2508F-V,
GT2505-V, GT2506HS-V

GT23

GT2310-V, GT2308-V

GT21

GT2107-W, GT2105-Q, GT2104-R, GT2104-P,
GT2103-P

GS21

GS2110-W, GS2107-W


**SOFTGOT
2000**

GT SoftGOT2000

**GT
SIMULATOR
3**

GT Simulator3

SERVO



**Man, Machine & Environment in
Perfect Harmony**

Easy to Use Interface

- Simplified Auto-Tuning
- Helpful Maintenance

Top of the Line Technology

- High Speed Control
- Stable Machine Operation

Benefitting the Environment

- Compact Size
- Reduced Energy Consumption

FR - D700 VFD

0.4 kW - 2.2kW, 1Phase 200 V
0.4 kW - 7.5 kW, 3 Phase 400V

General-purpose magnetic flux vector control
Auto tuning function
High starting torque
Built in Brake Unit
Bulit in MOD bus



FR-E700 VFD

0.4 kW - 15 kW, 3 Phase 400V

Advanced magnetic flux vector control
Brake sequence Control for
Vertical application
High starting torque 200%/0.5Hz
Network Capabilities

FR A800 VFD

Built-in Brake Unit up to 55 Kw. for Vertical load
Suitable for IPM motor : more power Saving
USB Connectivity for Parameter & programme Transfer
SIL 2 Support as a standard
EMC Filter with C 3 Protection
Support all network : LONWORKS ® CC-Link IE Field



Application : Conveyor , SPM , Machine Tool
Material Handling, Packaging , Net work Application

V - BOX

Features



- ★ It can connected with 4G/WIFI/ETHERNET network.
- ★ Live data monitoring and control can be possible from any location (Remote Operation)
- ★ Can be stored 50000 value in a cloud and easy to export.
- ★ To obtain data through Serial communication (RS232/RS485/Ethernet) from device controllers.
- ★ it support Communication protocols of all major brands' PLCs and controllers.
- ★ It connects to cloud platform through Ethernet/3G/4G
- ★ Supports MODBUS, BACNET, etc.
- ★ It also support User -defined protocol.
- ★ Configuration System is User- friendly, secure and reliable

CONVERTERS

- ★ RS-232 to USB Converter
- ★ RS-422 to USB Converter
- ★ RS-485 to USB Converter
- ★ TTL to USB Converter



- ★ RS-232 to RS-422 Interface Converter
- ★ RS-232 to TTL Port powered Converter
- ★ RS-232 to RS-422/485 Isolated Converter
- ★ RS-232 to RS-485 Interface Converter
- ★ RS-232 port powered Isolator
- ★ RS-232 Isolator Line Booster
- ★ 5 Port 10/100 Mbps Industrial Switch
- ★ 1 Port modbus gateway
- ★ Serial to F/O converter/ Modem
- ★ RF converter
- ★ **Temperature Transmitter**

- ★ RS-232 to RS-422/485 Interface Converter
- ★ RS-422/485 Isolated data repeater
- ★ 4 Port Rs-485 Hub
- ★ 4 Port Rs-232 to USB converter
- ★ Isolated RS-232/422/485 to USB Converter
- ★ RS-232/422/485 to Ethernet Converter
- ★ RS-232/422/485 to Zigbee Converter
- ★ Wireless To Serial Converter
- ★ GPRS Solution for serial connections
- ★ Industrial Gsm Modem



CONTROLLERS

- ★ Temperature Controller
- ★ Advanced process PID Controller
- ★ Universal Controller
- ★ Universal Profile Controller
- ★ Multi Channel Indicator (Scanner)
- ★ Universal Indicator
- ★ Flow Totalizer
- ★ Multi Channel Controller
- ★ Multi Channel touch screen recorder
- ★ Multi Channel touch screen Controller





**Push Buttons &
Tower Lights**



Industrial Pc



Moulded Circuit Breaker



Contactor



Energy Meter



**Industrial Ethernet
Switch**




SMPS



Sensors



Relay



Relay Card



**Bar Code
Scanner**



Encoder

ELECTRIC PANEL BOX



OFFER PRODUCTS

Human Machine Interface (HMI)

Programmable Logic Controller (PLC)

SCADA Software

Temperature Indicator

Process Indicator

Profile (Ramp / Sock) PID Controller

Temperature / Process indicator

TEMP. / Process Scanner

Temperature Transmitter

Flow Rate Indicator Cum Totalizer

Data Logger

Variable Frequency Drive (VFD)

Servos & Motion Controllers

USB to RS - 232 / 485 Converter

RS 232 / 485 to Ethernet Converter

Serial to Wireless Converter

Ethernet Switch

RS - 232 / 485 Isolators

PID Temperature Controller

Timer / Counter / Tachometer

Control Panels

Paper less recorder

DEALS IN :



Head Office : New Jain Nagar, Jagadhri,
Yamuna Nagar, Haryana - 135001 (INDIA)
M. : 9053800094, 7027632134, 9992307734
E-mail : waypointsolutionsllp@gmail.com