

1. hard process (ME): $q\bar{q} \rightarrow b\bar{b}$

hard process: event_ME.lhe


2 particles drawn (marker size $\sim \log p_T$; label = p_T [GeV])

b quark (status 23): $p_T = 113.22$ GeV, $\eta = -1.44$, $\phi = -2.15$

$\bar{b}$ quark (status 23): $p_T = 113.22$ GeV, $\eta = -3.75$, $\phi = 0.99$

net $b+\bar{b}$: $|\vec{p}_T(b) + \vec{p}_T(\bar{b})| = 0.00$ GeV ($p_x = 0.00$, $p_y = 0.00$), $\Sigma|p_T| = 226.44$ GeV, $\Delta\phi(b, \bar{b}) = 3.14$

pair: $m_{b\bar{b}} = 396.1$ GeV = $\sqrt{\hat{s}}$, $Y = -2.59$ ($x_1 x_2 s = 156895$ GeV²)



particle origin (number drawn)

- b quark (1)
- $\bar{b}$ quark (1)
- ★ $b + \bar{b}$ (vector sum)

marker size:

- $p_T = 1$ GeV
- $p_T = 10$ GeV
- $p_T = 100$ GeV

stages:

- 1 hard process
- 2 ISR + FSR
- 3 MPI / remnants
- 4 hadronisation
- 5 hadron decays