←

Advanced Ideas

Assessment

Quiz: Final Quiz
9 questions

Final Quiz

Reading: Why not a Peer
Assignment this week?
1 min

Prev   Next

Optional Resources

Final Quiz

Total points 9

Due Oct 26, 12:29 PM IST

1. The default value for the position property is: 1 point

○

○

fixed

○

○

absolute

Quiz • 30 min

Final Quiz

◉

○

static

○

○

relative

○

○

static

Submit your assignment

Due Date Oct 26, 12:29 PM IST   Attempts 3 every 8 hours

Start

Receive grade

To Pass 80% or higher

Grade

—

2. What is wrong with this code?   1 point

```
1 ▾ div{
2       position: static;
3       left: 10px;
4    }
```

👍 👎 🚩

○

○

"static" is not a valid option for position

○

○

There is nothing wrong with this code.

◉

○

The code works, but the left property is not necessary since static elements don't allow offsets

3. If you want your navigation bar to remain visible, even when the user scrolls downward, you should use which type of   1 point
    positioning?

○

○

absolute

○

○

static

◉

fixed

○

relative

4. Which of the following is the proper syntax for a pseudo-class?   1 point

○

```
1 ▾ selector->pseudo-class {
2       property:value;
3   }
```

⦿

```
1 ▾ selector:pseudo-class {
2       property:value;
3   }
```

○

```
1 ▾ :pseudo-class {
2       property:value;
3   }
```

○

```
1 ▾ selector::pseudo-class {
2       property:value;
3   }
```

5. Which of the following rules styles the first paragraph in each div?   1 point

○

```
1 ▾ div > p{
2       color: blue;
3   }
```

⦿

```
1 ▾ div p:first-child {
2       color: blue;
3   }
```

○

```
1 ▾ div p{
2       color: blue;
3   }
```

○

```
1 ▾ div:first-child p{
2       color: blue;
3   }
```

6. Which CSS3 property allows you to change property values smoothly over a given duration?

○ hover

○ focus

○ change

◉ transition

7. Sometimes elements overlap one another. Which property specifies the stacking order of the elements? (A high value means it is more likely to be place in front of another.) ONLY PROVIDE THE PROPERTY, NOT A VALUE.

```
z-index
```

8. Which rule will change the text color of p elements with the class "highlight" when hovered over?

○
```
1 ▾ p:hover{
2       color:green;
3    }
```

◉
```
1 ▾ p.highlight:hover{
2       color:green;
3    }
```

○
```
1 ▾ .highlight:hover{
2       color:green;
3    }
```

○
```
1 ▾ p:hover > highlight{
2       color:green;
3    }
```

9. What are the four principles of Accessibility?

◉ POUR

○

PORE

○

WEBAIM

○

USE

☑ I, **Inavolu Ravindranath**, understand that submitting work that isn't my own may result in permanent failure of this course or deactivation of my Coursera account.

Learn more about Coursera's Honor Code

👍 👎 🚩

Save   Submit