

व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

संख्या / No. : POWER WEEDER-222/3300/2025

COMMERCIAL TEST REPORT (INITIAL)

माह / Month : March, 2025

(यह परीक्षण रिपोर्ट 31/03/2032 तक वैध है। / THIS TEST REPORT IS VALID UP TO: 31/03/2032)



**FARMWORLD, FWMT270P,
POWER WEEDER**



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि एवं किसान कल्याण विभाग

Department of Agriculture and Farmers Welfare

उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा)- 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001

[ISO 9001:2015 CERTIFIED]

Website: <http://nrfmtti.gov.in/>

E-mail: fmti-nr@nic.in

Telephone No.:01662-276984

POWER WEEDER-222/3300/2025	FARMWORLD, FWMT270P, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 31/03/2032]

Type : Self Propelled, Walk Behind Type
Make : FARMWORLD
Model : FWMT270P
Name and address of manufacturer (apa) : Farmworld Agrotech Private Limited
Plot No. 373, Road-U, Khirasara Industrial Estate
Taluka: Lodhika, Rajkot-360021 (Gujarat)
Name and address of applicant (apa) : Farmworld Agrotech Private Limited
Plot No. 373, Road-U, Khirasara Industrial Estate
Taluka: Lodhika, Rajkot-360021 (Gujarat)
Test conducted at : Government of India,
Northern Region Farm Machinery
Training and Testing Institute,
Tractor Nagar, Sirsa Road,
Hisar-125 001 (Haryana)

THIS TEST REPORT VALID UP TO : 31st March, 2032

[vide F. No. 13-22/2020- M&T (I&P) dated 12.12.2023]

Report No. POWER WEEDER – 222/3300/2025

Month : March

Year : 2025



सत्यमेव जयते

GOVERNMENT OF INDIA

NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE

TRACTOR NAGAR, SIRSA ROAD, HISAR-125001 (HARYANA)

[ISO 9001:2015 CERTIFIED]



POWER WEEDER-222/3300/2025	FARMWORLD, FWMT270P,
	POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 31/03/2032]



17. TECHNICAL LITERATURE

The following literatures were provided by the applicant.

- Owners manual
- Parts catalogue
- Service manual

However, operators manual needs to be updated as per IS: 8132-2023.

TESTING AUTHORITY

Er. C.K. TIJARE AGRICULTURAL ENGINEER	
Dr. MUKESH JAIN DIRECTOR	 21.03.2025

The draft test report has been prepared by Sh. Pratyush Satya, Senior Technical Assistant

18. APPLICANT'S COMMENT

Para No.	Our reference	Applicant comments
18.1	16.1 (ii)	We will work on it and take necessary steps, in support with our R & D and production team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joints wherever possible. We make all possible necessary changes in our product future.
18.2	16.3	We will provide as per the IS. We will make all possible necessary changes in our product in future.
18.3	16.4	We will provide as per the IS. We will make all possible necessary changes in our product in future.
18.4	16.5	We will make all possible necessary changes in our product in future.



POWER WEEDER-222/3300/2025	FARMWORLD, FWMT270P, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 31/03/2032]

ANNEXURE – I

FIELD DATA SHEET OF ROTARY POWER WEEDER

Place: NRFMTTI Farm, Hisar
Type of soil: Sandy loam

Test No.	Date	Duration of test	Speed of operation, kmph	Avg. width of cut, m	Avg. depth of cut, cm	Avg. soil moisture, %	Bulk density, g/cc	Fuel consumption		Area covered, ha/h	Time required for one hectare, h/ha	Field efficiency, %	Weeding efficiency, %
								l/h	l/ha				
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1.	11.02.2025	4.65	1.48	1.11	6	11.6	1.29	1.60	11.94	0.134	7.46	81.6	89.0
2.	12.02.2025	3.22	1.61	1.11	5	10.9	1.31	1.41	11.46	0.123	8.13	68.7	91.5
3.	12.02.2025	3.35	1.61	1.11	5	10.9	1.28	1.50	11.12	0.135	7.41	75.8	92.8
4.	13.02.2025	5.85	1.53	1.11	6	10.5	1.29	1.60	11.86	0.135	7.41	79.0	88.1
5.	14.02.2025	5.95	1.63	1.12	5	10.4	1.31	1.45	9.80	0.148	6.76	80.9	93.0
6.	18.02.2025	2.96	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR



व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

संख्या / No. : POWER WEEDER-220/3298/2025

COMMERCIAL TEST REPORT (INITIAL)

माह / Month : March, 2025

(यह परीक्षण रिपोर्ट 31/03/2032 तक वैध है। / THIS TEST REPORT IS VALID UP TO: 31/03/2032)



**FARMWORLD, FWMT250D,
POWER WEEDER**



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि एवं किसान कल्याण विभाग

Department of Agriculture and Farmers Welfare

उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा)- 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001

[ISO 9001:2015 CERTIFIED]

Website: <http://nrfmtti.gov.in/>

E-mail: fmti-nr@nic.in

Telephone No.:01662-276984

Page 1 of 27

POWER WEEDER-220/3298/2025	FARMWORLD, FWMT250D,
	POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 31/03/2032]

Type : Self Propelled, Walk Behind Type

Make : FARMWORLD

Model : FWMT250D

Name and address of manufacturer : Farmworld Agrotech Private Limited
Plot No. 373, Road-U,
Khirasara Industrial Estate, Taluka: Lodhika,
District-Rajkot, Gujarat-360021

Name and address of applicant : Farmworld Agrotech Private Limited
Plot No. 373, Road-U,
Khirasara Industrial Estate, Taluka: Lodhika,
District-Rajkot, Gujarat-360021

Test conducted at : Government of India,
Northern Region Farm Machinery
Training and Testing Institute,
Tractor Nagar, Sirsa Road,
Hisar-125 001 (Haryana)

THIS TEST REPORT VALID UP TO : 31st March, 2032

[vide F. No. 13-22/2020- M&T (I&P) dated 12.12.2023]

Report No. POWER WEEDER – 220/3298/2025

Month : March

Year : 2025



GOVERNMENT OF INDIA
NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE
TRACTOR NAGAR, SIRSA ROAD, HISAR-125001 (HARYANA)
[ISO 9001:2015 CERTIFIED]

POWER WEEDER-220/3298/2025	FARMWORLD, FWMT250D,
	POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 31/03/2032]


17. TECHNICAL LITERATURE

17.1 The following literatures were provided by the applicant.

- Owners manual
- Parts catalogue
- Service manual

However, operators manual needs to be updated as per IS: 8132-2023.

TESTING AUTHORITY

Er. SANJAY KUMAR AGRICULTURAL ENGINEER	
Dr. MUKESH JAIN DIRECTOR	 20.03.2025

18. APPLICANT'S COMMENT

Para No.	Our reference	Applicant comments
18.1	16.1 (ii)	We will work on comments for better result of fuel consumption, In support with our R & D and production team. We will make all possible necessary changes in our product future.
18.2	16.2	We will work on it and take necessary steps, in support with our R & D and production team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joints wherever possible. We make all possible necessary changes in our product in future.
18.3	16.3	We will provide as per the IS. We will make all possible necessary changes in our product in future.
18.4	16.4	We will provide as per the IS. We will make all possible necessary changes in our product in future.



POWER WEEDER-220/3298/2025	FARMWORLD, FWMT250D, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 31/03/2032]

ANNEXURE – I

FIELD DATA SHEET OF ROTARY POWER WEEDER

Place: NRFMTTI Farm, Hisar

Type of soil: Sandy loam

Test No.	Date	Duration of test	Speed of operation, kmph	Avg. width of cut, m	Avg. depth of cut, cm	Avg. soil moisture, %	Bulk density, g/cc	Fuel consumption		Area covered, ha/h	Time required for one hectare, h/ha	Field efficiency, %	Weeding efficiency, %
								l/h	l/ha				
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1.	16.01.2025	2.55	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2.	17.01.2025	6.38	1.77	1.08	5.08	10.2	1.23	0.68	4.36	0.157	6.37	82.20	90.12
3.	20.01.2025	6.11	1.78	1.08	5.29	11.0	1.19	0.64	4.28	0.148	6.76	77.08	91.78
4.	21.01.2025	5.95	1.73	1.08	5.00	10.0	1.17	0.67	4.29	0.156	6.41	83.42	92.19
5.	22.01.2025	5.20	1.80	1.07	5.17	9.8	1.12	0.66	3.99	0.164	6.10	84.97	91.94



व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

संख्या / No. : POWER WEEDER-221/3299/2025

COMMERCIAL TEST REPORT (INITIAL)

माह / Month : March, 2025

(यह परीक्षण रिपोर्ट 31/03/2032 तक वैध है। / THIS TEST REPORT IS VALID UP TO: 31/03/2032)



**FARMWORLD, FWMT310D,
POWER WEEDER**



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि एवं किसान कल्याण विभाग

Department of Agriculture and Farmers Welfare

उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा)- 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001

[ISO 9001:2015 CERTIFIED]

Website: <http://nrfmtti.gov.in/>

E-mail: fmti-nr@nic.in

Telephone No.:01662-276984

Page 1 of 27

POWER WEEDER-221/3299/2025	FARMWORLD, FWMT310D, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 31/03/2032]

Type : Self Propelled, Walk Behind Type
Make : FARMWORLD
Model : FWMT310D
Name and address of manufacturer : Farmworld Agrotech Private Limited
Plot No. 373, Road-U,
Khirasara Industrial Estate, Taluka: Lodhika,
District-Rajkot, Gujarat-360021

Name and address of applicant : Farmworld Agrotech Private Limited
Plot No. 373, Road-U,
Khirasara Industrial Estate, Taluka: Lodhika,
District-Rajkot, Gujarat-360021

Test conducted at : Government of India,
Northern Region Farm Machinery
Training and Testing Institute,
Tractor Nagar, Sirsa Road,
Hisar-125 001 (Haryana)

THIS TEST REPORT VALID UP TO : 31st March, 2032

[vide F. No. 13-22/2020- M&T (I&P) dated 12.12.2023]

Report No. POWER WEEDER – 221/3299/2025

Month : March

Year : 2025



GOVERNMENT OF INDIA
NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE
TRACTOR NAGAR, SIRSA ROAD, HISAR-125001 (HARYANA)
[ISO 9001:2015 CERTIFIED]

POWER WEEDER-221/3299/2025	FARMWORLD, FWMT310D, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 31/03/2032]

17. TECHNICAL LITERATURE

The following literatures were provided by the applicant.

- Owners manual
- Parts catalogue
- Service manual

However, operators manual needs to be updated as per IS: 8132-2023.

TESTING AUTHORITY

Er. SANJAY KUMAR AGRICULTURAL ENGINEER	
Dr. MUKESH JAIN DIRECTOR	 20.03.2025

18. APPLICANT'S COMMENT

Para No.	Our reference	Applicant comments
18.1	16.1 (ii)	We will work on comments for better result of fuel consumption, In support with our R & D and production team. We will make all possible necessary changes in our product future.
18.2	16.2	We will work on it and take necessary steps, in support with our R & D and production team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joints wherever possible. We make all possible necessary changes in our product in future.
18.3	16.3	We will provide as per the IS. We will make all possible necessary changes in our product in future.
18.4	16.4	We will provide as per the IS. We will make all possible necessary changes in our product in future.



POWER WEEDER-221/3299/2025	FARMWORLD, FWMT310D, POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 31/03/2032]
----------------------------	---

ANNEXURE – I

FIELD DATA SHEET OF ROTARY POWER WEEDER

Place: NRFMTTI Farm, Hisar
Type of soil: Sandy loam

Test No.	Date	Duration of test	Speed of operation, kmph	Avg. width of cut, m	Avg. depth of cut, cm	Avg. soil moisture, %	Bulk density, g/cc	Fuel consumption		Area covered, ha/h	Time required for one hectare, h/ha	Field efficiency, %	Weeding efficiency, %
								l/h	l/ha				
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1.	16.01.2025	2.58	NR	NR	-	-	-	-	-	-	-	-	-
2.	17.01.2025	6.17	1.75	1.09	5.67	10.0	1.26	0.77	4.65	0.165	6.06	86.39	89.47
3.	20.01.2025	6.39	1.77	1.08	5.42	10.6	1.20	0.79	4.70	0.169	5.92	87.56	93.08
4.	21.01.2025	6.37	1.75	1.08	5.21	9.8	1.15	0.83	4.90	0.169	5.92	89.42	88.86
5.	22.01.2025	5.05	1.71	1.08	5.13	9.7	1.15	0.75	4.60	0.162	6.17	87.57	92.95



व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक) संख्या / No. : ICE/NRFMTTI, HISAR/2025-26/
1/1/3306
COMMERCIAL TEST REPORT (INITIAL) माह / Month : April, 2025

(यह परीक्षण रिपोर्ट 30/04/2032 तक वैध है। / THIS TEST REPORT IS VALID UP TO: 30/04/2032)



**FARMWORLD, FWMT420DEBR,
POWER WEEDER**



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि एवं किसान कल्याण विभाग

Department of Agriculture and Farmers Welfare

उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा)- 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001

[ISO 9001:2015 CERTIFIED]

Website: <http://nrfmtti.gov.in/>

E-mail: fmti-nr@nic.in

Telephone No.: 01662-276984

ICE/NRFMTTI, HISAR/ 2025-26/1/1/3306	FARMWORLD, FWMT420DEBR, POWER WEEDER (COMMERCIAL-INITIAL)
	[THIS REPORT IS VALID UP TO: 30/04/2032]

Type : Self Propelled, Walk Behind Type
Make : FARMWORLD
Model : FWMT420DEBR
Name and address of manufacturer (apa) : Farmworld Agrotech Private Limited
Plot No. 373, Road-U, Khirasara Industrial Estate
Taluka: Lodhika, Rajkot-360021 (Gujarat)
Name and address of applicant (apa) : Farmworld Agrotech Private Limited
Plot No. 373, Road-U, Khirasara Industrial Estate
Taluka: Lodhika, Rajkot-360021 (Gujarat)
Test Conducted at : Government of India,
Northern Region Farm Machinery
Training and Testing Institute,
Tractor Nagar, Sirsa Road,
Hisar-125 001 (Haryana)

THIS TEST REPORT VALID UP TO : 30th April, 2032

[vide F. No. 13-22/2020- M&T (I&P) dated 12.12.2023]

Report No. ICE/NRFMTTI, HISAR/2025-26/1/1/3306

Month : April

Year : 2025



GOVERNMENT OF INDIA
NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE
TRACTOR NAGAR, SIRSA ROAD, HISAR-125001 (HARYANA)
[ISO 9001:2015 CERTIFIED]

ICE/NRFMTTI, HISAR/ 2025-26/1/1/3306	FARMWORLD, FWMT420DEBR, POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 30/04/2032]
---	--


17. TECHNICAL LITERATURE

The following literatures were provided by the applicant.

- User manual
- Parts catalogue
- Service manual

However, operator's manual needs to be updated as per IS: 8132-2023.

TESTING AUTHORITY

Er. C. K. TIJARE AGRICULTURAL ENGINEER	
DR. MUKESH JAIN DIRECTOR	 07.04.2025

The draft test report has been prepared by Sh. Vikram, Senior Technician

18. APPLICANT'S COMMENTS

Para No.	Our reference	Applicant comments
18.1	16.1 (ii)	We will work on comments for better result of fuel consumption, In support with our R & D and production team. We will make all possible necessary changes in our product future.
18.2	16.2	We will work on it and take necessary steps, in support with our R & D and production team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joints wherever possible. We make all possible necessary changes in our product in future.
18.3	16.3	We will provide as per the IS. We will make all possible necessary changes in our product in future.
18.4	16.4	We will provide as per the IS. We will make all possible necessary changes in our product in future.



ICE/NRFMTTI, HISAR/ 2025-26/1/1/3306	FARMWORLD, FWMT420DEBR, POWER WEEDER (COMMERCIAL-INITIAL) [THIS REPORT IS VALID UP TO: 30/04/2032]
---	--

ANNEXURE – I

FIELD DATA SHEET OF TILLING BLADE

Place: NRFMTTI Farm, Hisar
Type of soil: Sandy loam

Test No.	Date	Duration of test (h)	Speed of operation (kmph)	Avg. width of cut (m)	Avg. depth of cut (cm)	Avg. soil moisture (%)	Bulk density (g/cc)	Fuel consumption		Area covered ha/h	Time required for one hectare h/ha	Field efficiency (%)	Weeding efficiency (%)
								l/h	l/ha				
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1.	11.02.2025	2.50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2.	12.02.2025	3.39	1.62	0.85	4	10.9	1.29	1.02	8.10	0.126	7.94	91.3	92.9
3.	12.02.2025	3.41	1.61	0.83	5	11.1	1.21	1.02	8.23	0.123	8.11	92.5	91.3
4.	13.02.2025	4.13	1.61	0.81	5	10.6	1.32	1.04	8.59	0.122	8.23	93.6	90.4

FIELD DATA SHEET OF EARTHING UP BLADES

1.	13.02.2025	1.58	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2.	14.02.2025	3.40	1.32	1.16	13	9.7	1.17	0.95	8.48	0.120	8.93	73.68	NA
3.	14.02.2025	3.50	1.30	1.15	13	9.9	1.20	1.06	9.00	0.118	8.47	78.67	NA
4.	18.02.2025	4.37	1.35	1.14	13	10.1	1.22	1.10	8.73	0.126	7.94	81.82	NA



व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

COMMERCIAL TEST REPORT
(INITIAL)

संख्या/No: Machine-426/1264

माह/Month: March, 2021

Validity: 28.02.2026



FARMWORLD FWMT 210P POWER WEEDER



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare

दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Southern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतपुर (आ. प्र.)

Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: <http://srimtti.dacnet.nic.in/>

E-mail: fmti-sr@nic.in

Tele./FAX: 08551-286441

Machine- 426/1264	FARMWORLD FWMT 210P POWER WEEDER	COMMERCIAL (ICT)
------------------------------	---	-----------------------------

Applicant : M/s. Farmworld Agrotech pvt. Ltd,
SF 08, Shreemad Bhavan, Opp. Kanta
Stree Vikas Gruh, Dhebar Road,
Rajkot-360002, Gujarat, India

FARMWORLD FWMT 210P POWER WEEDER

Report No. : **Machine-426/1264**

Month: **March**

Year: **2021**



सत्यमेव जयते

Government of India
Ministry of Agriculture and Farmers Welfare
Department of Agriculture, Cooperation and Farmers Welfare
Southern Region Farm Machinery Training and Testing Institute
Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)
[An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441

Website: <http://srfmtti.dacnet.nic.in/>

Fax: 08551-286441


E-mail: fmti-sr@nic.in

Machine- 426/1264	FARMWORLD FWMT 210P POWER WEEDER	COMMERCIAL (ICT)
----------------------	-------------------------------------	---------------------

17.7 Technical literature:

Operator's & service manual, multifunctional manual and spare parts catalogue are required to provide in separate booklet with adequate related information in separate booklet. It is however, recommended that same may be revised and brought out in Hindi & other regional languages also as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY:

B.N. DIXIT AGRICULTURAL ENGINEER	
P.C. MESHARAM SENIOR AGRICUTRAL ENGINEER	
Dr. P.P. RAO DIRECTOR	

18. APPLICANT 'S COMMENTS

Para No	Our reference	Applicant's Comments
18.1	17.1.1	We will work on comments for better performance of engine, in support with our R &D and Production team. We will make all possible necessary changes our product future.
18.2	17.1.2	We will work on comments for better result of fuel consumption, In Support with our R &D and Production team. We will make all possible necessary changes our product future.
18.3	17.1.4	We will work on comments for better result of back up torque of engine, In support with our R &D and Production team. We will make all possible necessary changes in our product in future.
18.4	17.1.5	We will work on comments for better results in with support with R&D and Production team. We will make all possible necessary changes in our product in future.
18.5	17.2	In future we will give positive efforts to decrease further and maintain standards which are specified by ILO. We will make all possible necessary changes our product in future.

Machine- 426/1264	FARMWORLD FWMT 210P POWER WEEDER		COMMERCIAL (ICT)
18.6	17.3	We will work on it and take necessary steps, in support with our R & D and Production Team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joints wherever possible. We make all possible necessary changes in our product in future.	
18.7	17.6	We will provide as per the IS. We will make all possible necessary changes in our product in future.	
18.8	17.7	Yes, We provided English & Hindi Language Operational manual, Service manual and Part catalogue of power weeder & Engine during the test. We will also look into Multiple Language Literature as per IS 8132:1999(Reaffirmed 2004)	

ANNEXURE

FIELD PERFORMANCE RESULTS

Place of test: Institute farm fields, Anantapur, A.P.

Sl. No.	Parameters	I	II	III	IV	V
1	Date of test	11.02.21	12.02.21	13.02.21	14.02.21	15.02.21
2	Net test duration (h)	5	5	7	5	4
3	Furrow length (m)	93	85	90	88	90
4	Type of soil	Medium				
5	Bulk density (g/cc)	1.55	1.84	1.87	1.82	1.80
6	Soil moisture (%)	7.2	12.3	12.8	12.1	11.8
7	Previous treatment	NIL				
8	Forward speed, (kmph)	1.26	1.33	1.34	1.38	1.38
9	Av. depth (cm)	6.4	6.8	6.8	6.1	6.3
10	Av. width (cm)	110	110	113	110	113
11	Area covered (ha/h)	0.094	0.099	0.105	0.105	0.108
12	Time required for one ha (h)	10.64	10.10	9.52	9.52	9.26
13	Field efficiency (%)	67.62	67.81	69.54	69.08	69.23
14	Av. height of weeds, (cm)	13.4	15.2	12.6	16.6	16
15	Av. number of weeds per m ² (Before operation)	55.67	62.33	79.33	74.33	60.33
16	Av. number of weeds per m ² (After operation)	20.33	22.33	27.33	27.67	25.33
17	Weeding efficiency (%)	63.48	64.17	65.55	62.77	58.01
18	Fuel consumption					
	- l/h	1.20	1.50	1.25	1.30	1.24
	- l/ha	12.77	15.15	11.90	12.38	11.48

व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

COMMERCIAL TEST REPORT
(INITIAL)

संख्या /No: Machine-422/1256

माह:/Month: March, 2021

Validity: 28.02.2026



FARMWORLD FWMT420DE POWER WEEDER



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperat on and Farmers Welfare

दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Southern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतपुर (आं. प्र.)

Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: <http://srfmtti.dacnet.nic.in/>

E-mail: fmti-sr@nic.in

Tele.: 08551-286441

Page 1 of 31

Machine- 422/1256	FARMWORLD FWMT420DE POWER WEEDER	COMMERCIAL (ICT)
------------------------------	---	-----------------------------

Applicant : M/s. Farmworld Agrotech Pvt. Ltd.,
SF 08, Shreemad Bhavan, Opp. Kanta
Stree Vikas Gruh, Dhebar Road,
Rajkot – 360 002, Gujarat, **India.**

FARMWORLD FWMT420DE POWER WEEDER

Report No. : Machine-422/1256 Month: March Year: 2021



सत्यमेव जयते

Government of India
Ministry of Agriculture and Farmers Welfare
Department of Agriculture, Cooperation and Farmers Welfare
Southern Region Farm Machinery Training and Testing Institute
Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)
[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: <http://srfmtti.dacnet.nic.in/>

E-mail: fmti-sr@nic.in

Telephone: 08551-286441



Machine- 422/1256	FARMWORLD FWMT420DE POWER WEEDER	COMMERCIAL (ICT)
------------------------------	---	-----------------------------

17.9 Technical literature:

Operation manual, service manual and parts catalogue power weeder and engine were supplied with the test sample for reference during the test. It is however, recommended that same may be revised and brought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

The adequate literatures are required to supply in booklet form.

TESTING AUTHORITY:

B. N. DIXIT AGRICULTURAL ENGINEER	
P. C. MESHRAM SENIOR AGRICULTURAL ENGINEER	
Dr. P. P. RAO DIRECTOR	

18. APPLICANT'S COMMENTS

Para No.	Our reference	Applicant's comments
18.1	17.1.2	We will work on comments for better result of Fuel Consumption, In support with our R & D and Production Team. We will make all possible necessary changes in our product in future.
18.2	17.2	In future we will give positive efforts to decrease further and maintain standards which are specified by the ILO. We will make all possible necessary changes in our product in future.
18.3	17.3	Noted, We will work on it and take necessary steps, in support with our R & D and Production team. We will provide anti vibration rubber grips at handle bars for operator comfort, safety and health. We will also look into adding vibration damping gaskets at all joint wherever possible. We will make all possible necessary changes in our product in future
18.4	17.6	We will provide as per the IS. We will make all possible necessary changes in our product in future
18.5	17.7	Noted, It was not harmful to user because actual power observed during the test is higher against value of power printed on name plate. It was consider as "Under Promise Over Delivery" with our promise of "Honour customer's Trust" as per company tag line. We will look on comment and update it on future Production after Final Report. We will make all possible necessary changes in our product in future
18.6	17.8	Noted, We will work on it and take necessary steps, In support with our R & D and Production Team. We will make all possible necessary changes in our product in future.
18.7	17.9	Yes, We provided English & Hindi Language Operation manual, Service manual and Part catalogue of Power Weeder and Engine During the test. We will also look into adding Multiple Language Literature as per IS 8132: 1999(Reaffirmed 2004).

Machine- 422/1256	FARMWORLD FWMT420DE POWER WEEDER	COMMERCIAL (ICT)
------------------------------	---	-----------------------------

ANNEXURE

FIELD PERFORMANCE RESULTS

Place of test: Institute Farm Fields, Anantapur Dist. A.P.

Sl. No.	Parameters	I	II	III	IV	V
1	Date of test	11.02.21	12.02.21	13.02.21	14.02.21	15.02.21
2	Net test duration (h)	5.00	5.00	7.00	5.00	4.00
3	Furrow length (m)	93.0	85.0	90.0	90.0	88.0
4	Type of soil	Medium				
5	Bulk density (g/cc)	1.55	1.84	1.87	1.82	1.80
6	Soil moisture (%)	7.2	12.3	12.8	12.1	11.8
7	Previous treatment	Nil				
8	Forward speed, (kmph)	1.53	1.50	1.51	1.51	1.51
9	Av. depth (cm)	7.1	7.2	7.3	7.0	7.1
10	Av. width (cm)	143.1	143.0	144.0	145.0	144.0
11	Area covered (ha/h)	0.146	0.144	0.144	0.144	0.149
12	Time required for one ha (h)	6.85	6.94	6.94	6.94	6.71
13	Field efficiency (%)	66.67	67.29	66.36	65.75	68.66
14	Av. height of weeds, (cm)	13.40	15.20	12.60	16.60	16.00
15	Av. number of weeds per m ² (Before operation)	60.33	80.67	61.33	63.00	73.00
16	Av. number of weeds per m ² (After operation)	24.33	27.67	22.33	24.00	26.33
17	Weeding efficiency (%)	59.67	65.69	63.59	61.90	63.93
18	Fuel consumption					
	- l/h	1.26	1.50	1.30	0.90	0.92
	- l/ha	8.63	10.41	9.02	6.25	6.17