



Honour Your Trust

Mini Tiller

FARMWORLD AGROTECH PVT. LTD.



Honour Your Trust

MINI TILLER - 210PB



DESCRIPTION:

Farmworld Tiller is powered by 4.4KW Euro V Petrol Engine which is compact in design & light in weight. Engine is Well Designed with Thickened Fuel Tank, Metal Camshaft, Forged Steel Crankshaft and More Air Intakes.

Farmworld Tiller is equipped with an up-down turning light handle system with soft rubber handle bar, featuring in compact structure, easy moving and operating with high working efficiency. Due to its light weight Structure, women's and older people can easily operate in Farming as well as Gardening Operations.

Engine

Model	FWMT210PB
Engine Type	Air Cooled 4 Stroke OHV Petrol Engine
Bore x Stroke (mm)	70 x 55
Displacement (cc)	212
Compression Ratio	8.7:1
Power	4.4 kw (5.9 hp) / 3600 rpm
Fuel Consu. (ltr./kw.h)	0.38
Fuel Tank Capacity (ltr.)	3.6
Engine Oil Capacity (ltr.)	0.6
Starting System	Recoil Start

Tiller

Tilling Depth (mm)	100 - 250
Tilling Width (mm)	600 - 850
Gearshift Speed	-1, 0, 2, 1
Transmission	Belt
Gearbox	Aluminum
Blade Type	4 Piece x 2+1 Group x 2 Set, 24 Blade
Handle	Steel
Fender	Steel
Tyre	4.0 - 8
Weight Approx. (Kg)	70



Honour Your Trust

MINI TILLER - 210P



DESCRIPTION:

Farmworld Tiller is powered by 4.4KW Euro V Petrol Engine which is compact in design & light in weight with various application. Engine is Well Designed with Thickened Fuel Tank, Metal Camshaft, Forged Steel Crankshaft and More Air Intakes.

Farmworld Tiller's versatile Features enable high Performance with boosted Profitability Tiller is suitable for small Plain Land, mountains, hilly Area, Green Houses.

Engine

Model	FWMT210P
Engine Type	Air Cooled 4 Stroke OHV Petrol Engine
Bore x Stroke (mm)	70 x 55
Displacement (cc)	212
Compression Ratio	8.7:1
Power	4.4 kw (5.9 hp) / 3600 rpm
Fuel Consu. (ltr./kw.h)	0.38
Fuel Tank Capacity (ltr.)	3.6
Engine Oil Capacity (ltr.)	0.6
Starting System	Recoil Start

Tiller

Tilling Depth (mm)	100 - 250
Tilling Width (mm)	750 - 1050
Gearshift Speed	-1, 0, 2, 1
Transmission	Gear
Gearbox	Cast Iron
Blade Type	4 Piece x 3+1 Group x 2 Set, 32 Blade
Handle	Steel
Fender	Steel
Tyre	4.0 - 8
Weight Approx. (Kg)	82



Honour Your Trust

MINI TILLER - 270P



DESCRIPTION:

Farmworld Tiller is powered by 5.5KW Euro V Petrol Engine which is compact in design & light in weight with various application. Engine is Well Designed with Thickened Fuel Tank, Metal Camshaft, Forged Steel Crankshaft and More Air Intakes.

Farmworld Tiller's versatile Features enable high Performance with boosted Profitability Tiller is suitable for small Plain Land, mountains, hilly Area, Green Houses.

Engine

Model	FWMT270P
Engine Type	Air Cooled 4 Stroke OHV Petrol Engine
Bore x Stroke (mm)	77 x 58
Displacement (cc)	270
Compression Ratio	8.7:1
Power	5.5 kw (7.3 hp) / 3600 rpm
Fuel Consu. (ltr./kw.h)	0.38
Fuel Tank Capacity (ltr.)	5.3
Engine Oil Capacity (ltr.)	1.1 Lt
Starting System	Recoil Start

Tiller

Tilling Depth (mm)	100 - 250
Tilling Width (mm)	750 - 1050
Gearshift Speed	-1, 0, 2, 1
Transmission	Gear
Gearbox	Cast Iron
Blade Type	4 Piece x 3+1 Group x 2 Set, 32 Blade
Handle	Steel
Fender	Steel
Tyre	4.0 - 8
Weight Approx. (Kg)	82



Honour Your Trust

MINI TILLER - 250D



DESCRIPTION:

Farmworld Tiller is powered by 3.9KW Compact Structure Diesel Engine. Engine is well designed with Automatic Air Bleeding Mechanism with High Strength Crankshaft Rod & Design along with New Oil Pressure relief valve and fuel controller.

Farmworld Tiller Cast Iron Light weight Gear & Transmission box with big fuel tank capacity ensures long time working in field. The handle bar could be adjusted in all directions. It is a good choice for small farmland, yard, garden or orchards.

Engine

Model	FWMT250D
Engine Type	Diesel Engine, Air-Cool, Single Cylinder, 4 Stroke
Bore x Stroke (mm)	73 x 59
Displacement (cc)	247
Combustion System	Direct Injection
Power	3.9 kw (5.3 hp) / 3600 rpm
Fuel Consu. (ltr./kw.h)	0.28
Fuel Tank Capacity (ltr.)	2.5
Engine Oil Capacity (ltr.)	0.75
Starting System	Recoil Start

Tiller

Tilling Depth (mm)	100 – 250
Tilling Width (mm)	750 - 1050
Gearshift Speed	-1, 0, 2, 1
Transmission	Gear
Gearbox	Cast Iron
Blade Type	4 Piece x 3+1 Group x 2 Set, 32 Blade
Handle	Steel
Fender	Steel
Tyre	4.0 - 8
Weight Approx. (Kg)	93



Honour Your Trust

MINI TILLER - 310D



DESCRIPTION:

Farmworld 310D Tiller is simplest and Best-selling model among all our tillers. Tiller is powered by 4.9KW Compact Structure Diesel Engine with Automatic Air Bleeding Mechanism and New Oil Pressure relief valve and fuel controller.

Farmworld Tiller is well equipped with the simplest but most reliable handle bar. Tiller could be turned in all directions. Safety switch is also equipped on the handle bar, which could stop the engine in an emergency. It is compatible with agricultural implements for different farming operation like ploughing, ridging, puddling, sowing, weeding and fertilizing.

Engine	Model	FWMT310D
	Engine Type	Diesel Engine, Air-Cool, Single Cylinder, 4 Stroke
	Bore x Stroke (mm)	78 x 64
	Displacement (cc)	306
	Combustion System	Direct Injection
	Power	4.9 kw (6.5 hp) / 3600 rpm
	Fuel Consu. (ltr./kw.h)	0.28
	Fuel Tank Capacity (ltr.)	3.5
	Engine Oil Capacity (ltr.)	1.11
	Starting System	Recoil Start

Tiller	Tilling Depth (mm)	100 – 250
	Tilling Width (mm)	750 - 1050
	Gearshift Speed	-1, 0, 2, 1
	Transmission	Gear
	Gearbox	Cast Iron
	Blade Type	4 Piece x 3+1 Group x 2 Set, 32 Blade
	Handle	Steel
	Fender	Steel
	Tyre	4.0 - 8
	Weight Approx. (Kg)	122



Honour Your Trust

MINI TILLER - 420DE



DESCRIPTION:

Farmworld Tiller is powered by 6.5KW Compact Structure Diesel Engine. Engine is well designed with Automatic Air Bleeding Mechanism with High Strength Crankshaft Rod Design along with New Oil Pressure relief valve and fuel controller.

Farmworld Tiller is superior in performance & unmatched in quality. It is robust in its performance and provides a fine weeding & ridging experience. It has strong power for tough work. Tiller is well suitable for tillage operations with rotary blades in dry and paddy fields.

Engine

Model	FWMT420DE
Engine Type	Diesel Engine, Air-Cool, Single Cylinder, 4 Stroke
Bore x Stroke (mm)	86 x72
Displacement (cc)	418
Combustion System	Direct Injection
Power	6.5 kw (8.7 hp) / 3600 rpm
Fuel Consu. (ltr./kw.h)	0.28
Fuel Tank Capacity (ltr.)	5.5
Engine Oil Capacity (ltr.)	1.65
Starting System	Recoil Start / Electric Start

Tiller

Tilling Depth (mm)	100 – 250
Tilling Width (mm)	750 - 1350
Gearshift Speed	-1, 0, 2, 1
Transmission	Gear
Gearbox	Cast Iron
Blade Type	4 Piece x 3+1+1 Group x 2 Set, 40 Blade
Handle	Steel
Fender	Steel
Tyre	5.0 - 12
Weight Approx. (Kg)	156



Honour Your Trust

MINI TILLER - 420DEBR



DESCRIPTION:

Farmworld Back Rotary Tiller is powered by 7.1KW Compact Structure Diesel Engine. Engine is well designed with Automatic Air Bleeding Mechanism with High Strength Crankshaft rod Design along with New Oil Pressure relief valve and fuel controller.

Farmworld Back Rotary Tiller is superior in performance & unmatched in quality. It is robust in its performance and provides a fine weeding & ridging experience. It has strong power for tough work. Back Rotary Tiller is well suitable for tillage operations with rotary blades in dry and paddy fields.

Engine	Model	FWMT420DEBR
	Engine Type	Diesel Engine, Air-Cool, Single Cylinder, 4 Stroke
	Bore x Stroke (mm)	86 x 72
	Displacement (cc)	418
	Combustion System	Direct Injection
	Power	7.1 kw (9.5 hp) / 3600 rpm
	Fuel Consu. (ltr./kw.h)	0.28
	Fuel Tank Capacity (ltr.)	5.5
	Engine Oil Capacity (ltr.)	1.65
	Starting System	Recoil Start / Electric Start

Back Rotary Tiller	Tilling Depth (mm)	150 – 300
	Tiller Width (mm)	800 - 950
	Gearshift Speed	1, 0, 2
	Transmission	Chain

Tiller	Gearshift Speed	-1, 1, 0, 2, 3
	Transmission	Gear
	Gearbox / Oil Capacity	Cast Iron / 2 Ltr.
	Handle	Steel
	Fender	Steel
	Tyre	4.0 – 08 (Rubber Iron Wheel)
	Weight Approx. (Kg)	156

Back Rotary Tiller	Gearbox / Oil Capacity	Cast Iron / 1 Ltr.
	Tilling Blade Type	3 Pcs x 3+1 Group x 2 Set, 24 Blade
	Ditching Blade	10 pcs
	Weight Approx. (Kg)	52



Honour Your Trust

ACCESSORIES



RIDGER



PLOUGH



POTATO DIGGER



BLADE



SEED DRILL





PADDY WHEEL



WEEDING BLADE



ROUND BLADE



Our State-of-the-art Manufacturing facilities widespread in 28,000 Sq. Feet area with world class office Building & efficient space for ultra-modern technologies equipped with hi-tech machinery, tools and equipment.

We invest in next generation latest technologies like laser cutting machine, bending machine to deliver highly precise, sturdy & Customize products. To enhances our manufacturing capabilities our Robotic Mig Welding Arm is faster than manual welding with highly precise and accurate result while minimizing scrap and increases efficiency of welding process.

We are committed to provide sustainable Farm Machinery solutions at affordable price to meet the needs of our clients, like high quality customization on large scale production backed by extensive research manufacturing is done under the observation of qualified QC personnel. Our Dedicated in-house Research & Development ensures continuous product improvement, new product development & administers stringent quality checks.

ACCREDITATION



STRONG POWER



FUEL-EFFICIENT



LONG LIFE



QUALITY STANDARD



QUALITY SPARES



365 DAY SERVICE



Honour Your Trust

FACTORY ADDRESS

Plot No. 373, Road-U,
Khirsara Industiral Estate, Khirsara
Rajkot - 360021 (Gujarat) India.

AUTHORIZED DEALER

✉ info@farmworld.in
✉ export@farmworld.in

🌐 www.farmworld.in

☎ +91 88088 05205
☎ +91 99788 05205