# HHAExchange Report iOS-RC4 Features *

Jun 11, 2024, 4:31:16 PM

Start : Jun 11, 4:30:00.997 PM	End : Jun 11, 4:31:15.310 PM	Duration : 1 m 14.313 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0

The report title has been cropped to fit in the available space.

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Basic Test scenarios	*1 m 14.313 s*	*2*	*1*	*1*	*0*	*2*	*2*	*0*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regresion	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Basic Test scenarios	2	1	1	0	1 m 14.313 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Basic Test scenarios	Swipe from right to left	1	1	0	0	46.898 s
2	Basic Test scenarios	Swipe from right to left	1	1	0	0	27.375 s

Basic Test scenarios

FAILED	DURATION - 1 m 14.313 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	2
/ 4:30:00.997 PM // 4:31:15.310 PM /					

Swipe from right to left

PASSED	DURATION - 46.898 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	1
/ 4:30:01.000 PM // 4:30:47.898 PM /				
Basic Test scenarios				
@Regresion				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	12.176 s
	Platform name :iOS		
	Device name : iPhone		
1	When user verifies the allow button	PASSED	34.352 s

Swipe from right to left

FAILED	DURATION - 27.375 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	1
/ 4:30:47.935 PM // 4:31:15.310 PM /				
Basic Test scenarios				
@Regresion				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	11.589 s
	Platform name :iOS		
	Device name : iPhone		
1	When user verifies the allow button1	PASSED	15.752 s
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.031 s

	org.openqa.selenium.NoSuchSessionException: A session is either terminated or not started Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASAHI-GH22010s-MacBook-Air.local', ip: '2400:2410:ae23:600:d869:796d:29ed:9529%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.4.1', java.version: '17.0.10' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.asahi.android.wearable...., appPackage: com.asahi.group.responsible..., autoGrantPermissions: true, databaseEnabled: false, desired: {appActivity: com.asahi.android.wearable...., appPackage: com.asahi.group.responsible..., autoGrantPermissions: true, platformName: android, udid: SWIR8LNVQCBEIFJJ}, deviceApiLevel: 34, deviceManufacturer: OnePlus, deviceModel: CPH2401, deviceName: SWIR8LNVQCBEIFJJ, deviceScreenDensity: 480, deviceScreenSize: 1080x2400, deviceUDID: SWIR8LNVQCBEIFJJ, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, pixelRatio: 3, platform: LINUX, platformName: ANDROID, platformVersion: 14, statBarHeight: 113, takesScreenshot: true, udid: SWIR8LNVQCBEIFJJ, viewportRect: {height: 2048, left: 0, top: 113, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 9ca7fa4f-6b0c-418d-a055-3ba700b9ff63
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:45)
	    at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
	    at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
	    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452)
	    at Apphooks.Applicationhooks.teardown(Applicationhooks.java:44)		