# HHAExchange Report iOS-RC4 Features *

Jul 2, 2024, 2:23:31 PM

| Start : Jul 02, 2:19:21.350 PM	End : Jul 02, 2:23:30.218 PM	Duration : 4 m 8.868 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 2 FAILED - 3 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Basic Test scenarios	*4 m 8.868 s*	3	0	3	0	5	2	3	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regresion	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Basic Test scenarios*	3	0	3	0	4 m 8.868 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Basic Test scenarios	Set and allow all permission	1	0	1	0	1 m 25.674 s
2	Basic Test scenarios	Verify NUX and Get started button	2	1	1	0	1 m 19.065 s
3	Basic Test scenarios	Add a Drink	2	1	1	0	1 m 24.081 s

Basic Test scenarios

FAILED	DURATION - 4 m 8.868 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 5 Pass - 2 Fail - 3 Skip - 0	5
/ 2:19:21.350 PM // 2:23:30.218 PM /					

Set and allow all permission

FAILED	DURATION - 1 m 25.674 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	1
/ 2:19:21.354 PM // 2:20:47.028 PM /				
Basic Test scenarios				
@Regresion				

| #	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1 m 25.635 s
	Platform name :iOS		
	Device name : iPhone		
1	Given veirfy permission is allow	FAILED	0.011 s

	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.findElement(org.openqa.selenium.By)" because "StepDefinitions.StepDefinitions.driver" is null
	    at StepDefinitions.StepDefinitions.veirfy_permission_is_allow(StepDefinitions.java:56)
	    at ?.veirfy permission is allow(classpath:Features/RC4.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:53)		
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.quit()" because "Apphooks.Applicationhooks.driver" is null		

#	Step / Hook Details	Status	Duration
	at Apphooks.Applicationhooks.teardown(Applicationhooks.java:44)		

Verify NUX and Get started button

FAILED	DURATION - 1 m 19.065 s		Steps
/ 2:20:47.051 PM // 2:22:06.116 PM /			Total - 2
Basic Test scenarios			Pass - 1
			Fail - 1
@Regresion			Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1 m 15.029 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Verify NUX flow and Get started button	PASSED	4.015 s
2	Then Click on Get Started button	FAILED	0.006 s

	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.findElement(org.openqa.selenium.By)" because "StepDefinitions.StepDefinitions.driver" is null
	   at StepDefinitions.StepDefinitions.Click_on_Get_Started_button(StepDefinitions.java:89)
	   at ?.Click on Get Started button(classpath:Features/RC4.feature:10)
	* Not displayable characters are replaced by '?'.		

	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:53)		
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:44)		

Add a Drink

FAILED	DURATION - 1 m 24.081 s
/ 2:22:06.137 PM // 2:23:30.218 PM /	
Basic Test scenarios	
@Regresion	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1 m 20.046 s
	Platform name :iOS		
	Device name : iPhone		
1	When Verify NUX flow and Get started button	PASSED	4.012 s
2	When Click on Get Started button	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.findElement(org.openqa.selenium.By)" because "StepDefinitions.StepDefinitions.driver" is null 　　at StepDefinitions.StepDefinitions.Click_on_Get_Started_button(StepDefinitions.java:89) 　　at ?.Click on Get Started button(classpath:Features/RC4.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null 　　at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:53)		
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.android.AndroidDriver.quit()" because "Apphooks.Applicationhooks.driver" is null 　　at Apphooks.Applicationhooks.teardown(Applicationhooks.java:44)		