
Drink Diary Pro Testing Reports



Feature			Scer	nario			St	ер	
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
RC4 Test Scenarios	53.161 s	1	0	1	0	1	0	1	0


Tag		Scer	nario		T P 1 0		ture	
Name	T	P	F	S	T	P	F	S
@case_79	1	0	1	0	1	0	1	0
@Regresion	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	RC4 Test Scenarios	1	0	1	0	53.161 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	RC4 Test Scenarios	Verify user is able to open the supplement app	1	0	1	0	53.160 s	

DETAILED SECTION -- 6 --

RC4 Test Scenarios

FAILED	DURATION - 53.161 s	Scenarios		Steps	
		Total - 1		Total - 1	
/ 10:07:23.203 PM //	10:08:16.364 PM /	Pass - 0	1	Pass - 0	1
		Fail - 1		Fail - 1	1 T
		Skip - 0		Skip - 0	

Verify user is able to open the supplement app



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	28.712 s
	Platform name: iOS		
	Device name: iPhone		
1	Then Verify app open with onboarding flow	FAILED	20.991 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //XCUIElementTypeButton[@name="??"] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at StepDefinitions.StepDefinitions.Verify_app_open_with_onboarding_flow(StepDefinitions.java:101) at ?.Verify app open with onboarding flow(classpath:Features/RC4.feature:6) Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: '192.168.1.11', ip: '2402:a00:401:a870:e15d:4c3f:ed67:39c0%en0', os. name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.2', java.version: '17.0.2' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {app: com.dearnatura.supplementapp, autoAcceptAlerts: true, automationName: XCUITest, browserName: , databaseEnabled: false, deviceName: iPhone 11, javascriptEnabled: true, language: ja, locale: ja_JP, locationContextEnabled: false, networkConnectionEnabled: false, platform: MAC, platformName: iOS, platformVersion: 18.1, takesScreenshot: true, udid: 00008030-001255311498C02E, webStorageEnabled: false, xcodeOrgld: S4T6PVN6LR, xcodeSigningld: iPhone Developer} Session ID: 86d8eb22-613b-458a-9025-159f2cae55e0 **** Element info:		

#	Step / Hook Details	Status	Duration
	{Using=xpath, value=//XCUIElementTypeButton[@name="??"]}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61)		
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
	at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151)		
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)		
	at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57)		
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
	at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:201)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at StepDefinitions.StepDefinitions.Verify_app_open_with_onboarding_flow(StepDefinitions.java:101)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:27)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	$at\ or g. testng. internal. invokers. Test Method Worker. invoke Test Methods (Test Method Worker. java: 148)$		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	* Not displayable characters are replaced by '?'.		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)	PASSED	2.078 s
	Verify_user_is_able_to_open_the_supplement_app		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	63		