

# Drink Diary Pro Testing Reports

Feb 2, 2025, 10:35:24 PM

Start : Feb 02, 10:29:49.068 PM

End : Feb 02, 10:35:23.518 PM

Duration : 5 m 34.450 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 8  
FAILED - 3  
SKIPPED - 1

PASSED - 12  
FAILED - 3  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>RC4 Test Scenarios</u>	5 m 34.450 s	12	8	3	1	16	12	3	1


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@case_79	1	1	0	0	1	0	1	0
@Regresion	12	8	3	1	1	0	1	0
@case_80	1	1	0	0	1	0	1	0
@case_81	1	1	0	0	1	0	1	0
@case_82	1	1	0	0	1	0	1	0
@case_84	1	1	0	0	1	0	1	0
@case_85	1	1	0	0	1	0	1	0
@case_86	1	1	0	0	1	0	1	0
@case_87	1	1	0	0	1	0	1	0
@case_88	1	0	1	0	1	0	1	0
@case_90	1	0	1	0	1	0	1	0
@case_91	1	0	1	0	1	0	1	0
@case_93	1	0	0	1	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>RC4 Test Scenarios</u>	12	8	3	1	5 m 34.450 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>RC4 Test Scenarios</u>	<u>Verify user is able to open the supplement app</u>	1	1	0	0	59.464 s
2	<u>RC4 Test Scenarios</u>	<u>Verify onboarding flow after opening the application</u>	1	1	0	0	14.906 s
3	<u>RC4 Test Scenarios</u>	<u>Verify signup page should open after clicking on Signup button</u>	2	2	0	0	20.277 s
4	<u>RC4 Test Scenarios</u>	<u>Verify login page should open after clicking on login button</u>	2	2	0	0	27.535 s
5	<u>RC4 Test Scenarios</u>	<u>Verify back button functionality from signup and login page</u>	2	2	0	0	37.696 s
6	<u>RC4 Test Scenarios</u>	<u>Verify Already a user ? Log in here functionality</u>	1	1	0	0	22.006 s
7	<u>RC4 Test Scenarios</u>	<u>Verify No account yet Sign up here functionality</u>	1	1	0	0	35.705 s
8	<u>RC4 Test Scenarios</u>	<u>Verify skip functionality</u>	1	1	0	0	26.281 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>RC4 Test Scenarios</u>	<u>Verify user is able to login to the system</u>	2	1	1	0	1 m 5.243 s
10	<u>RC4 Test Scenarios</u>	<u>Verify recommendation supplement should show inside the recommendation tab</u>	1	0	1	0	10.983 s
11	<u>RC4 Test Scenarios</u>	<u>Verify recommendation category inside the recommendation tab</u>	1	0	1	0	9.705 s
12	<u>RC4 Test Scenarios</u>	<u>Verify the Add to Cart button should be displayed on the product</u>	1	0	0	1	4.236 s

## RC4 Test Scenarios



<b>FAILED</b>	DURATION - 5 m 34.450 s	Scenarios		Steps	
/ 10:29:49.068 PM // 10:35:23.518 PM /		Total - 12 Pass - 8 Fail - 3 Skip - 1		Total - 16 Pass - 12 Fail - 3 Skip - 1	

### Verify user is able to open the supplement app

PASSED	DURATION - 59.464 s		Steps	
/ 10:29:49.069 PM // 10:30:48.533 PM /			Total - 1 Pass - 1 Fail - 0 Skip - 0	
RC4 Test Scenarios				
@case_79 @Regresion				



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	54.131 s
	Platform name: iOS Device name: iPhone		
1	Then Verify app open with onboarding flow	PASSED	2.489 s

### Verify onboarding flow after opening the application

PASSED	DURATION - 14.906 s		Steps	
/ 10:30:48.575 PM // 10:31:03.481 PM /			Total - 1	
RC4 Test Scenarios			Pass - 1	
@Regresion @case_80			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.738 s
	Platform name: iOS Device name: iPhone		
1	When Verify user should be redirected to the Signup page	PASSED	10.470 s

### Verify signup page should open after clicking on Signup button

PASSED	DURATION - 20.277 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:31:03.523 PM // 10:31:23.800 PM /				
RC4 Test Scenarios				
@Regresion @case_81				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.731 s
	Platform name: iOS Device name: iPhone		
1	When Click on the signup button	PASSED	15.736 s
2	Then Verify signup page should open	PASSED	0.508 s

### Verify login page should open after clicking on login button



PASSED	DURATION - 27.535 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 10:31:23.846 PM // 10:31:51.381 PM /				
RC4 Test Scenarios				
@case_82 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.716 s
	Platform name: iOS		





#	Step / Hook Details	Status	Duration
	Device name: iPhone		
1	When Click on the login button from onboarding	PASSED	20.892 s
2	Then Verify login page should open	PASSED	1.430 s

### Verify back button functionality from signup and login page

PASSED	DURATION - 37.696 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 10:31:51.417 PM // 10:32:29.113 PM /				
RC4 Test Scenarios				
@case_84 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.702 s
	Platform name: iOS Device name: iPhone		
1	When Click on the back button from signup page and verify	PASSED	15.500 s
2	Then Click on the back button from login page and verify	PASSED	9.813 s



### Verify Already a user ? Log in here functionality

PASSED	DURATION - 22.006 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 10:32:29.144 PM // 10:32:51.150 PM /				
RC4 Test Scenarios				
@case_85 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.697 s
	Platform name: iOS Device name: iPhone		



#	Step / Hook Details	Status	Duration
1	<a href="#">Given Click here if you have an account link</a>	PASSED	17.849 s

### Verify No account yet Sign up here functionality

PASSED	DURATION - 35.705 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 10:32:51.183 PM // 10:33:26.888 PM /				
RC4 Test Scenarios				
@case_86 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.691 s
	Platform name: iOS Device name: iPhone		
1	<a href="#">Given Click on No account yet Sign up here link</a>	PASSED	18.335 s

### Verify skip functionality

PASSED	DURATION - 26.281 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 10:33:26.929 PM // 10:33:53.210 PM /				
RC4 Test Scenarios				
@case_87 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.717 s
	Platform name: iOS Device name: iPhone		
1	<a href="#">Given Click on skip functionality link</a>	PASSED	7.150 s


### Verify user is able to login to the system




#	Step / Hook Details	Status	Duration
	<pre> at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at StepDefinitions.StepDefinitions.Click_on_Login_button(StepDefinitions.java:242) at ?.Click on Login button(classpath:Features/RC4.feature:50) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p><b>AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)</b></p> <p>Verify_user_is_able_to_login_to_the_system</p> 	PASSED	30.190 s

### Verify recommendation supplement should show inside the recommendation tab



FAILED		DURATION - 10.983 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div> <div><div>1</div></div>
/ 10:34:58.515 PM // 10:35:09.498 PM /				
RC4 Test Scenarios				
@Regresion @case_90				

6	
4	
2	
0	
1	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)</b> Platform name: iOS Device name: iPhone	PASSED	2.199 s
1	<b>Then verify supplement should show inside the tab</b> org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: '192.168.1.11', ip: '2402:a00:401:a870:e15d:4c3f:ed67:39c0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.2', java.version: '17.0.2' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {app: com.dearnatura.supplementapp, autoAcceptAlerts: true, automationName: XCUITest, browserName: , databaseEnabled: false, deviceName: iPhone 11, javascriptEnabled: true, language: ja, locale: ja_JP, locationContextEnabled: false, networkConnectionEnabled: false, platform: MAC, platformName: iOS, platformVersion: 18.1, takesScreenshot: true, udid: 00008030-001255311498C02E, webStorageEnabled: false, xcodeOrgId: S4T6PVN6LR, xcodeSigningId: iPhone Developer} Session ID: 8e758bd8-c3d9-4ebb-a2eb-dc483e5bbdb2 *** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="?????"]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at StepDefinitions.StepDefinitions.verify_supplement_should_show_inside_the_tab(StepDefinitions.java:248)	FAILED	5.271 s


#	Step / Hook Details	Status	Duration
	at ?.verify supplement should show inside the tab(classpath:Features/RC4.feature:55) * Not displayable characters are replaced by '?'. <b>AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)</b>	PASSED	2.451 s
	Verify_recommendation_supplement_should_show_inside_the_recommendation_tab		
			

### Verify recommendation category inside the recommendation tab

FAILED		DURATION - 9.705 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 10:35:09.525 PM // 10:35:19.230 PM /						
RC4 Test Scenarios						
@Regression @case_91						

#	Step / Hook Details	Status	Duration
	<b>BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)</b> Platform name: iOS Device name: iPhone	PASSED	1.704 s
1	<b>Then Click on plus icon from recommend section</b> org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: '192.168.1.11', ip: '2402:a00:401:a870:e15d:4c3f:ed67:39c0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '15.2', java.version: '17.0.2' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {app: com.dearnatura.supplementapp, autoAcceptAlerts: true, automationName: XCUITest, browserName: , databaseEnabled: false, deviceName: iPhone 11, javascriptEnabled: true, language: ja, locale: ja_JP, locationContextEnabled: false, networkConnectionEnabled: false, platform: MAC,	FAILED	5.152 s

#	Step / Hook Details	Status	Duration
	<p>platformName: iOS, platformVersion: 18.1, takesScreenshot: true, uid: 00008030-001255311498C02E, webStorageEnabled: false, xcodeOrgId: S4T6PVN6LR, xcodeSigningId: iPhone Developer} Session ID: d50cd02f-4870-403d-af64-c216d817cecb *** Element info: {Using=xpath, value=//XCUIElementTypeWindow/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[3]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[3]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeScrollView}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at StepDefinitions.StepDefinitions.Click_on_plus_icon_from_recommend_section(StepDefinitions.java:255) at ?.Click on plus icon from recommend section(classpath:Features/RC4.feature:60) </pre> <p>* Not displayable characters are replaced by '?'.  <b>AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)</b>  Verify_recommendation_category_inside_the_recommendation_tab</p>	PASSED	1.701 s

#	Step / Hook Details	Status	Duration
			

### Verify the Add to Cart button should be displayed on the product

SKIPPED		DURATION - 4.236 s			Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 10:35:19.282 PM // 10:35:23.518 PM /						
RC4 Test Scenarios						
@case_93 @Regression						

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.710 s
	Platform name: iOS Device name: iPhone		
1	Then Verify add to cart button should show on product	SKIPPED	0.006 s
	Step undefined		