
Sep 9, 2024, 6:26:33 PM


Drink Diary Pro Testing Reports



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
RC4 Test Scenarios	6 m 9.213 s	14	14	0	0	91	91	0	0


Tag	Scenario			Scenario Feature				
Name	<i>T</i>	P	F	S	T	P	F	S
@Regresion	10	10	0	0	1	1	0	0
@Regression	4	4	0	0	1	1	0	0

FEATURES SUMMARY -- 4




#	Feature Name	<i>T</i>	P	F	S	Duration
1	RC4 Test Scenarios	14	14	0	0	6 m 9.213 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	RC4 Test Scenarios	Verify app should open successfully without crashing	1	1	0	0	7.221 s
2	RC4 Test Scenarios	Verify all tabs open without any crashing i.e Home, Drink Logger, Drink Stats, More	5	5	0	0	22.375 s
3	RC4 Test Scenarios	verify User is able to Add/delete drink type as Beer without specifying Drink Details option	9	9	0	0	41.751 s
4	RC4 Test Scenarios	Verify Drinking stats arrow redirect user to drinking stats screen	2	2	0	0	10.806 s
5	RC4 Test Scenarios	verify the value of drinking days this week,Total drinks consumed this week and drink free days this week stats	8	8	0	0	28.418 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
6	RC4 Test Scenarios	Verify user is able to add a drink with Specify Drink Details screen with past date	10	10	0	0	37.524 s
7	RC4 Test Scenarios	verify User is able to Add drink type as Cocktail without specifying Drink Details option	7	7	0	0	27.305 s
8	RC4 Test Scenarios	verify User is able to Add drink type as Liquor without specifying Drink Details option	7	7	0	0	27.305 s
9	RC4 Test Scenarios	verify User is able to Add drink type as wine without specifying Drink Details option	7	7	0	0	27.133 s
10	RC4 Test Scenarios	Tap to Take a photo button and verify camera should open	3	3	0	0	20.567 s

SCENARIOS SUMMARY -- 7 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	RC4 Test Scenarios	Tap to Take a photo button and verify camera should open	3	3	0	0	20.673 s
12	RC4 Test Scenarios	Verify user is able to add a drink with Specify Drink Details screen	11	11	0	0	30.062 s
13	RC4 Test Scenarios	Verify user is able to add a drink as type Cocktail	9	9	0	0	36.484 s
14	RC4 Test Scenarios	Verify user is able to add a drink as type wine	9	9	0	0	31.101 s

DETAILED SECTION

RC4 Test Scenarios


PASSED	DURATION - 6 m 9.213 s	Scenarios		Steps	
		Total - 14		Total - 91	
/ 6:20:21.843 PM //	6:26:31.056 PM /	Pass - 14	14	Pass - 91	91
		Fail - 0	17	Fail - 0	31
		Skip - 0		Skip - 0	

Verify app should open successfully without crashing




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	3.308 s
	Platform name :iOS		
	Device name : iPhone		
1	When Add a Drink button should show	PASSED	2.798 s

Verify all tabs open without any crashing i.e Home, Drink Logger, Drink Stats, More




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.750 s
	Platform name :iOS		
	Device name : iPhone		
1	When Add a Drink button should show	PASSED	2.799 s
2	Then Click on Home tab	PASSED	3.395 s
3	Then Click on Drink Logger tab	PASSED	3.570 s
4	Then Click on Drink Stats tab	PASSED	4.912 s
5	Then Click on More tab	PASSED	4.863 s

verify User is able to Add/delete drink type as Beer without specifying Drink Details option




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.748 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.498 s
2	Given Select drink type new	PASSED	1.515 s
3	When Select any Drink Type	PASSED	1.949 s
4	Then Specify Drink Details link should show	PASSED	1.634 s
5	Then Click on Add Drink button	PASSED	3.915 s
6	Then Click on Drink Logger tab	PASSED	3.598 s
7	Then Verify Drink Added for the first	PASSED	4.376 s
8	Then Delete the Drink	PASSED	11.846 s
9	Then Verify drink should not show	PASSED	3.583 s

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.746 s
	Platform name :iOS		
	Device name : iPhone		
1	When Click on arrow to redirect drinking stats screen	PASSED	2.818 s
2	Then Verify all three sections	PASSED	5.149 s

verify the value of drinking days this week, Total drinks consumed this week and drink free days this week stats




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.726 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.292 s
2	Given Select drink type new	PASSED	1.442 s
3	When Select any Drink Type	PASSED	1.963 s
4	Then Specify Drink Details link should show	PASSED	1.530 s
5	Then Click on Add Drink button	PASSED	3.882 s
6	Then Verify value of drinking days this week	PASSED	3.512 s

DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
7	Then Verify total drinks consumed this week	PASSED	3.512 s
8	Then Verify drink free days this week value	PASSED	3.494 s

Verify user is able to add a drink with Specify Drink Details screen with past date




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.716 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.319 s
2	Then Select drink type new	PASSED	1.464 s
3	Then Select any Drink Type	PASSED	2.018 s
4	When Click on Specify Drink Details link	PASSED	5.300 s
5	Then Navigate to Add Drink Details page	PASSED	0.645 s
6	When Select mug as select serving size	PASSED	0.940 s
7	Then select past date from data picker	PASSED	11.078 s
8	Given Click on Save Drink button from specify link	PASSED	1.398 s
9	Then Click on Drink Logger tab	PASSED	3.613 s
10	Then verify drink added for past date from specify link	PASSED	1.957 s

verify User is able to Add drink type as Cocktail without specifying Drink Details option



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.733 s
	Platform name :iOS]	
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.269 s
2	Given Select drink type new	PASSED	1.425 s
3	When Select Drink Type as Cocktail	PASSED	4.063 s
4	Then Specify Drink Details link should show	PASSED	1.545 s
5	Then Click on Add Drink button	PASSED	3.902 s
6	Then Click on Drink Logger tab	PASSED	3.464 s
7	Then Verify Cocktail has added	PASSED	3.757 s

verify User is able to Add drink type as Liquor without specifying Drink Details option




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.727 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.300 s

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
2	Given Select drink type new	PASSED	1.464 s
3	When Select Drink Type as liquor1	PASSED	4.065 s
4	Then Specify Drink Details link should show	PASSED	1.546 s
5	Then Click on Add Drink button	PASSED	3.893 s
6	Then Click on Drink Logger tab	PASSED	3.494 s
7	Then Verify Liquor has added	PASSED	3.634 s


verify User is able to Add drink type as wine without specifying Drink Details option



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.735 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.212 s
2	Given Select drink type new	PASSED	1.389 s
3	When Select Drink Type as wine	PASSED	4.010 s
4	Then Specify Drink Details link should show	PASSED	1.505 s
5	Then Click on Add Drink button	PASSED	3.872 s
6	Then Click on Drink Logger tab	PASSED	3.576 s
7	Then Verify wine has added	PASSED	3.674 s


Tap to Take a photo button and verify camera should open

DETAILED SECTION -- 14 --




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.748 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.255 s
2	When Click on Take a photo	PASSED	3.455 s
3	Then Verify camera should open	PASSED	8.072 s

Tap to Take a photo button and verify camera should open




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.723 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.328 s
2	When Click on Take a photo	PASSED	3.432 s
3	Then Verify camera should open	PASSED	8.085 s




#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.731 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.247 s
2	Then Select drink type new	PASSED	1.479 s
3	Then Select any Drink Type	PASSED	1.948 s
4	When Click on Specify Drink Details link	PASSED	5.298 s
5	Then Navigate to Add Drink Details page	PASSED	0.614 s
6	When Select Can as select serving size	PASSED	0.980 s
7	Then Drink Size ml should show as three hundred fifty	PASSED	1.375 s
8	Then Click on plus icon and add one more drink	PASSED	1.508 s
9	Given Click on Save Drink button from specify link	PASSED	1.991 s
10	Then Click on Drink Logger tab	PASSED	3.690 s
11	Then verify drink added from specify link	PASSED	2.153 s

Verify user is able to add a drink as type Cocktail



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.723 s
	Platform name :iOS]	
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.262 s
2	Then Select drink type new	PASSED	1.445 s
3	Then Select Drink Type as Cocktail	PASSED	3.858 s
4	When Click on Specify Drink Details link	PASSED	5.345 s
5	Then Navigate to Add Drink Details page	PASSED	0.594 s
6	When Select cocktail type from dropdown	PASSED	8.209 s
7	Given Click on Save Drink button from specify link	PASSED	1.372 s
8	Then Click on Drink Logger tab	PASSED	3.838 s
9	Then verify cocktail custom drink added	PASSED	2.764 s

Verify user is able to add a drink as type wine



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	1.738 s
	Platform name :iOS		
	Device name : iPhone		
1	Given Click on Add a Drink button	PASSED	6.324 s
2	Then Select drink type new	PASSED	1.635 s
3	Then Select Drink Type as wine and scroll	PASSED	2.407 s
4	When Click on Specify Drink Details link	PASSED	5.306 s
5	Then Navigate to Add Drink Details page	PASSED	0.685 s
6	When Select sparkling as type	PASSED	3.071 s
7	Given Click on Save Drink button from specify link	PASSED	1.327 s

DETAILED SECTION -- 17 --

#	Step / Hook Details	Status	Duration
8	Then Click on Drink Logger tab	PASSED	3.796 s
9	Then Verify wine has added	PASSED	3.761 s