

Drink Diary Pro Testing Reports



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	<i>T</i>	P	F	S
RC4 Test Scenarios	0.618 s	1	0	1	0	1	0	1	0


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@case_79	1	0	1	0	1	0	1	0
@Regresion	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	RC4 Test Scenarios	1	0	1	0	0.618 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	RC4 Test Scenarios	Verify user is able to open the supplement app	1	0	1	0	0.616 s	

DETAILED SECTION -- 6 --

RC4 Test Scenarios

FAILED	DURATION - 0.618 s	Scenarios		Steps	
		Total - 1		Total - 1	
/ 9:59:50.107 PM // 9	9:59:50.725 PM /	Pass - 0	1	Pass - 0	1
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Verify user is able to open the supplement app



#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.596 s
	Platform name: iOS		
	Device name: iPhone		
1	Then Verify app open with onboarding flow	FAILED	0.004 s
	java.lang.NullPointerException		
	at java.base/java.util.Objects.requireNonNull(Objects.java:208)		
	at org.openqa.selenium.support.ui.FluentWait. <init>(FluentWait.java:106)</init>		
	at org.openqa.selenium.support.ui.WebDriverWait. <init>(WebDriverWait.java:85)</init>		
	at org.openqa.selenium.support.ui.WebDriverWait. <init>(WebDriverWait.java:45)</init>		
	at StepDefinitions.StepDefinitions. <init>(StepDefinitions.java:60)</init>		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)		
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)		