

Drink Diary Pro Testing Reports

Feb 2, 2025, 10:23:59 PM

Start : Feb 02, 10:23:57.332 PM

End : Feb 02, 10:23:59.067 PM

Duration : 1.735 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 12
SKIPPED - 0

PASSED - 0
FAILED - 11
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>RC4 Test Scenarios</u>	1.735 s	12	0	12	0	16	0	11	5


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@case_79	1	0	1	0	1	0	1	0
@Regresion	12	0	12	0	1	0	1	0
@case_80	1	0	1	0	1	0	1	0
@case_81	1	0	1	0	1	0	1	0
@case_82	1	0	1	0	1	0	1	0
@case_84	1	0	1	0	1	0	1	0
@case_85	1	0	1	0	1	0	1	0
@case_86	1	0	1	0	1	0	1	0
@case_87	1	0	1	0	1	0	1	0
@case_88	1	0	1	0	1	0	1	0
@case_90	1	0	1	0	1	0	1	0
@case_91	1	0	1	0	1	0	1	0
@case_93	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>RC4 Test Scenarios</u>	12	0	12	0	1.735 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>RC4 Test Scenarios</u>	<u>Verify user is able to open the supplement app</u>	1	0	1	0	0.424 s
2	<u>RC4 Test Scenarios</u>	<u>Verify onboarding flow after opening the application</u>	1	0	1	0	0.033 s
3	<u>RC4 Test Scenarios</u>	<u>Verify signup page should open after clicking on Signup button</u>	2	0	1	1	0.019 s
4	<u>RC4 Test Scenarios</u>	<u>Verify login page should open after clicking on login button</u>	2	0	1	1	0.014 s
5	<u>RC4 Test Scenarios</u>	<u>Verify back button functionality from signup and login page</u>	2	0	1	1	0.013 s
6	<u>RC4 Test Scenarios</u>	<u>Verify Already a user ? Log in here functionality</u>	1	0	1	0	0.016 s
7	<u>RC4 Test Scenarios</u>	<u>Verify No account yet Sign up here functionality</u>	1	0	1	0	0.015 s
8	<u>RC4 Test Scenarios</u>	<u>Verify skip functionality</u>	1	0	1	0	0.014 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>RC4 Test Scenarios</u>	<u>Verify user is able to login to the system</u>	2	0	1	1	0.012 s
10	<u>RC4 Test Scenarios</u>	<u>Verify recommendation supplement should show inside the recommendation tab</u>	1	0	1	0	0.019 s
11	<u>RC4 Test Scenarios</u>	<u>Verify recommendation category inside the recommendation tab</u>	1	0	1	0	0.008 s
12	<u>RC4 Test Scenarios</u>	<u>Verify the Add to Cart button should be displayed on the product</u>	1	0	0	1	0.971 s

RC4 Test Scenarios

FAILED	DURATION - 1.735 s	Scenarios		Steps	
/ 10:23:57.332 PM // 10:23:59.067 PM /		Total - 12		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 12		Fail - 11	
		Skip - 0		Skip - 5	

Verify user is able to open the supplement app



FAILED	DURATION - 0.424 s		Steps	
/ 10:23:57.334 PM // 10:23:57.758 PM /			Total - 1	
RC4 Test Scenarios			Pass - 0	
@case_79 @Regression			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.407 s
	Platform name: iOS Device name: iPhone		
1	Then Verify app open with onboarding flow java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63) </pre>	FAILED	0.003 s
	AFTER - Apphooks.Applicationhooks.teardown() <pre> java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57) </pre>	FAILED	0.000 s

Verify onboarding flow after opening the application



FAILED	DURATION - 0.033 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 10:23:57.788 PM // 10:23:57.821 PM /				
RC4 Test Scenarios				
@Regression @case_80				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.028 s
1	When Verify user should be redirected to the Signup page <pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63) </pre>	FAILED	0.001 s
	AFTER - Apphooks.Applicationhooks.teardown() <pre> java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57) </pre>	FAILED	0.000 s

Verify signup page should open after clicking on Signup button

FAILED	DURATION - 0.019 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 10:23:57.839 PM // 10:23:57.858 PM /				
RC4 Test Scenarios				
@Regression @case_81				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.013 s
1	When Click on the signup button <pre> java.lang.NullPointerException </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Then Verify signup page should open	SKIPPED	0.000 s
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.001 s
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.000 s



Verify login page should open after clicking on login button

FAILED DURATION - 0.014 s / 10:23:57.872 PM // 10:23:57.886 PM / RC4 Test Scenarios @case_82 @Regression		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.012 s
	Platform name: iOS Device name: iPhone		
1	When Click on the login button from onboarding	FAILED	0.001 s
	<pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		
2	Then Verify login page should open	SKIPPED	0.001 s
	<p>AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63) </pre>	FAILED	0.000 s
	<p>AFTER - Apphooks.Applicationhooks.teardown()</p> <pre> java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57) </pre>	FAILED	0.000 s

Verify back button functionality from signup and login page


<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:23:57.898 PM // 10:23:57.911 PM /				
RC4 Test Scenarios				
@case_84 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.011 s
	Platform name: iOS Device name: iPhone		
1	When Click on the back button from signup page and verify <pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Then Click on the back button from login page and verify	SKIPPED	0.001 s
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.000 s

Verify Already a user ? Log in here functionality


FAILED	DURATION - 0.016 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 10:23:57.922 PM // 10:23:57.938 PM /				
RC4 Test Scenarios				
@case_85 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.014 s
1	Given Click here if you have an account link java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		

#	Step / Hook Details	Status	Duration
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.000 s
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.000 s

Verify No account yet Sign up here functionality

FAILED		DURATION - 0.015 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 10:23:57.950 PM // 10:23:57.965 PM /						
RC4 Test Scenarios						
@case_86 @Regression						

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.014 s
1	Given Click on No account yet Sign up here link java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.000 s
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.000 s

Verify skip functionality



FAILED DURATION - 0.014 s / 10:23:57.975 PM // 10:23:57.989 PM / RC4 Test Scenarios @case_87 @Regression		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.013 s
1	Given Click on skip functionality link java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.000 s
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.001 s

Verify user is able to login to the system



<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 10:23:57.995 PM // 10:23:58.007 PM /				
RC4 Test Scenarios				
@case_88 @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.009 s
1	When Enter Email id and Password	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) </pre>		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Then Click on Login button	SKIPPED	0.000 s
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.001 s
	AFTER - Apphooks.Applicationhooks.teardown() java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)	FAILED	0.000 s



Verify recommendation supplement should show inside the recommendation tab

FAILED		DURATION - 0.019 s			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:23:58.020 PM // 10:23:58.039 PM /						
RC4 Test Scenarios						
@Regression @case_90						

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.017 s
	Platform name: iOS Device name: iPhone		
1	Then verify supplement should show inside the tab	FAILED	0.001 s
	<pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91) </pre>		
	<p>AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63) </pre>	FAILED	0.000 s
	<p>AFTER - Apphooks.Applicationhooks.teardown()</p> <pre> java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57) </pre>	FAILED	0.000 s

Verify recommendation category inside the recommendation tab



<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:23:58.046 PM // 10:23:58.054 PM /				
RC4 Test Scenarios				
@Regresion @case_91				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario) Platform name: iOS Device name: iPhone	PASSED	0.006 s
1	Then Click on plus icon from recommend section <pre> java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:208) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:106) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:85) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:45) at StepDefinitions.StepDefinitions.<init>(StepDefinitions.java:60) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:67) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:124) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	AFTER - Apphooks.Applicationhooks.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.takeAndAttachScreenshot(Applicationhooks.java:72) at Apphooks.Applicationhooks.failedScreenshot(Applicationhooks.java:63)	FAILED	0.001 s
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)		

Verify the Add to Cart button should be displayed on the product

FAILED	DURATION - 0.971 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 10:23:58.096 PM // 10:23:59.067 PM /				
RC4 Test Scenarios				
@case_93 @Regresion				

#	Step / Hook Details	Status	Duration
	BEFORE - Apphooks.Applicationhooks.setUp(io.cucumber.java.Scenario)	PASSED	0.016 s
	Platform name: iOS Device name: iPhone		
1	Then Verify add to cart button should show on product	SKIPPED	0.001 s
	Step undefined		
	AFTER - Apphooks.Applicationhooks.teardown()	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "io.appium.java_client.ios.IOSDriver.quit()" because "Apphooks.Applicationhooks.driver" is null at Apphooks.Applicationhooks.teardown(Applicationhooks.java:57)		