Data Retrieval

By Ravi Shende

Information Layout

There are 3 main data types for everything that is being retrieved:

- 1. Data Points (Header vales top 4 data points seen in Grafana)
- 2. Tables
- 3. Graphs

Currently, all data is collected using PromQL, then represented in Pandas DataFrames, with each data frame containing values split up by Node and Pod.

What is Being Collected

All the data being collected currently is based on the main information categories displayed by <u>Grafana</u>.

Any information collected by the site can also be collected by the program.



To the left, there is shown a portion of the information displayed on grafana.

The top 4 is the header information. Then there is a graph and table

Inputs

There are 3 main inputs that specify what information will be returned


- 1. Duration
 - For Tables (just Network Usage), specifies the time period to check for data.
 Then values are calculated by subtracting the two most recent points
 - For graphs, specifies the Δx for which data point values are calculated
- 2. Graph Step
 - How often data points are collected along an interval; resolution
- 3. Graph Time Offset
 - How far back from the end point to collect data from.
 - Default endpoint is current time but can be specified to any time when initializing the graphs class.

There are other inputs that can be specified (such as namespace), but these are the most commonly tweaked

Run Times and Efficiency

Currently the Header values and Tables are all collected quite quickly, within a matter of a few seconds. Graphs can sometimes take much longer to query data for, taking a few seconds to several minutes depending on the input parameters (mainly step and time offset).

In terms of code efficiency, the bottleneck is by far querying the api. Once that is done, all calculations, reformatting, and printing happen within hundredths of a second. There is not much that can be done about the time taken to query.



The photo to the left shows the process of waiting while collecting graph data before it is all displayed.

Note: the green text showing time elapsed is only displayed if show_graph_run_times = True in get_all_data() in main.py

Data Being Collected

Per Data Type

Header Values

- CPU Utilization % (from requests)
- CPU Utilization % (from limits)
- Memory Utilization % (from requests)
- Memory Utilization % (from limits)

To the right, you can see the data frames with the information for the first 2 header categories by node and pod.



Tables

CPU Quota:

- CPU Usage
- CPU Requests
- CPU Requests %
- CPU Limits
- CPU Limits %

Memory Quota

- Memory Usage
- Memory Requests
- Memory Requests %
- Memory Limits
- Memory Limits %
- Memory Usage (RSS)
- Memory Usage (Cache)

Current Network Usage

- Current Receive Bandwidth
- Current Transmit Bandwidth
- Rate of Received Packets
- Rate of Transmitted Packets
- Rate of Received Packets Dropped
- Rate of Transmitted Packets
 Dropped

Current Storage IO

- IOPS(Reads)
- IOPS(Writes)
- IOPS(Reads + Writes)
- Throughput(Read)
- Throughput(Write)
- Throughput(Read + Write)

	Tables:							
0 1 2 3 4 5 6 7 8 9 10	Pod proxy-694466cb77-m90 ft33-vis-bfb94c74-5tplw nbu-57940d5797-b2ten openalto-gene-596cx7897-b2ten openalto-from-596cx7897-b2ten openalto-from-b765479cf-ged90- openalto-from-b765479cf-ged90- ton-fts-serve-5787447466-0922d ton-fts-serve-5787447466-0922d ton-fts-serve-5787447466-0922d visualnet-spi-6748447674-788pr visualnet-ui-db64699c4-56488	Node nrp-c12.nysermet.org nrp-c3.nysermet.org npu-c3.nysermet.org npu-c14.nrp.mshace.org nrp-c16.nysermet.org nrp-c16.nysermet.org nrp-c16.nysermet.org nrp-c11.nysermet.org nrp-c12.nysermet.org nrp-c12.nysermet.org rci-nrp-pu-03.sdu.edu gpu-12.nrp.mshace.org	0.0040325 0.00167351 0.00185873 0.0083266 0.00271933 0.0298812	CPU Usage CPU 13333335857 658367157658 933333306914 901333358444 813396908017 813396908017 14845976683 9	0.2 0.5 0.1 0.25 0.1 0.25 0.25 0.5 0.25	quests % CPU L 0.178218 0.806590 1.673519 0.000000 1.858730 3.330433 1.087734 5.976245 0.175808 0.000571 0.000000	imits CPI 2 0.5 2 0.5 0.5 0.5 0.5 0.5 0.8 NaN	U Limits % 0.017822 0.0806590 0.083676 0.090000 0.371746 0.322608 0.543867 5.976245 0.087984 Nan
9 1 2 3 4 5 6 7 8 9 10	proxy-694466cbf7-me90 ft33-vis-bf096c74-5tplw openalto-agent-596c7887-7e2ce openalto-de-7566787-7e2ce openalto-de-75667879-7e2ce openalto-from to-578678667-6e50V openalto-from to-578678667-6e50V openalto-from to-578678667-6e50V tcn-fts-serve-578744786-972d tcn-fts-serve-578744786-972d visualnet-api-674844767-788pr visualnet-ui-db64699c4-56488	Noden rp-c12.nyeemet.org gpu-11.nrp.mghpcc.org gpu-11.nrp.mghpcc.org nrp-c16.nyermet.org nrp-c16.nyermet.org nrp-c16.nyermet.org nrp-c16.nyermet.org nrp-c11.nyermet.org nrp-c11.nyermet.org rci-nrp-c12.nyermet.org rci-nrp-pu-93.sdu.edu gpu-12.nrp.mghpcc.org	Memory Usage N 26587136 381190248 156619860 112791552 73367452 7347452 27459032 551247872 289902688 117465888	demory Requests 536870912 1073741824 536870912 536870912 536870912 268686 536870912 26863565 1073741824 1073741824 1073741824	Memory Requests e.28045 e.28047 e.24377 e.24377 e.14957 e.4592 e.5133 e.3804 e.1294 e.1294	2 107374182 0 107374182 0 107374182 1 107374182 1 107374182 3 429496729 2 107374182 4 429496729 0 214748364 5 107374182 5 107374182	4 4 4 6 6 6 8 8 4	Limits % Memo 0.024761 0.280430 0.145855 0.105045 0.017154 0.040442 0.256695 0.174733 0.174733 0.194355 0.19398
0 1 2 3 4 5 6 7 8 9 10	Pod openal to-dm-74645796.76-geo? http://dm-74645796.76-geo? http://dm-74645796.76-geo? http://dm-74645796.76-geo? http://dm-746465796.76-geo? http://dm-746465796.76-geo? http://dm-746466796.76-geo? http://dm-746466796.78-geo? http://dm-746466796.78-geo? http://dm-746466796.79-geo? http://dm-746466797-9696.79-geo? http://dm-74646679-9696.79-geo? http://dm-74646679-9696.79-	gpu-11.npp.npjbc.org np-12.npp.npjbc.org np-12.npysernet.org np-12.npysernet.org np-12.npysernet.org np-12.npysernet.org np-11.npysernet.org np-12.npysernet.org np-12.npysernet.org np-12.npysernet.org np-12.npysernet.org	1070.46 5931.2 2247.7 1757.66	e Bandwidth Cu: 156 9 9 60666666667 33333333333 6066666667 6066666667 1359.4	18857.266666 1020.333333 721.666666	201.6 0 0 0 565.2 1 666666 1393.6 333334 623	Received 5.2333333 44.033333 0.63333333 9.43333333	1.8 0 0 33333333 33333333 0 22 11.4
	Current Storage IO							
	No Data							

Graphs

- CPU Usage
- Memory Usage
- Receive Bandwidth
- Transmit Bandwidth
- Rate of Received Packets
- Rate of Transmitted Packets
- Rate of Received Packets Dropped
- Rate of Transmitted Packets Dropped
- IOPS(Read+Write)
- ThroughPut(Read+Write)

Rate					
		ted Packets			
		Time	Node	Pod	Rate of Transmitted Packe
0 20	23-08-25 02	:21:18.661999872	gpu-01.nrp.mghpcc.org	openalto-frontend-57f8ff88df-8gtkj	13.3666
1 20	23-08-25 02	:36:18.661999872	gpu-01.nrp.mghpcc.org	openalto-frontend-57f8ff88df-8gtkj	8.0666
2 20	23-08-25 02	:51:18.661999872	gpu-01.nrp.mghpcc.org	openalto-frontend-57f8ff88df-8gtkj	11.65698
	23-08-25 03	:06:18.661999872	gpu-01.nrp.mghpcc.org	openalto-frontend-57f8ff88df-8gtkj	9.1333
	23-08-25 03	:21:18.661999872	gpu-01.nrp.mghpcc.org	openalto-frontend-57f8ff88df-8gtkj	8.76666
	23-08-25 02	:21:18.661999872	gpu-11.nrp.mghpcc.org	hub-579dbd579f-b2tqm	3.3333
6 20	23-08-25 02	:36:18.661999872	gpu-11.nrp.mghpcc.org	hub-579dbd579f-b2tqm	2.8333
		:51:18.661999872	gpu-11.nrp.mghpcc.org	hub-579dbd579f-b2tqm	2.1000
		:06:18.661999872	gpu-11.nrp.mghpcc.org	hub-579dbd579f-b2tqm	2.1000
		:21:18.661999872	gpu-11.nrp.mghpcc.org	hub-579dbd579f-b2tqm	3.03333
		:21:18.661999872	gpu-12.nrp.mghpcc.org	visualnet-ui-db64699c4-56kd8	10.03333
		:36:18.661999872	gpu-12.nrp.mghpcc.org	visualnet-ui-db64699c4-56kd8	8.46666
		:51:18.661999872	gpu-12.nrp.mghpcc.org	visualnet-ui-db64699c4-56kd8	8.46666
		:06:18.661999872	gpu-12.nrp.mghpcc.org	visualnet-ui-db64699c4-56kd8	7.76666
		:21:18.661999872	gpu-12.nrp.mghpcc.org	visualnet-ui-db64699c4-56kd8	8.56666
		:21:18.661999872	nrp-c11.nysernet.org	tcn-fts-server-578f447456-w9z2d	50.83333
		:36:18.661999872	nrp-c11.nysernet.org	tcn-fts-server-578f447456-w9z2d	54.93333
		:51:18.661999872	nrp-c11.nysernet.org	tcn-fts-server-578f447456-w9z2d	30.13333
		:06:18.661999872	nrp-c11.nysernet.org	tcn-fts-server-578f447456-w9z2d	40.60000
		:21:18.661999872	nrp-c11.nysernet.org	tcn-fts-server-578f447456-w9z2d	29.41568
		:21:18.661999872	nrp-c12.nysernet.org	proxy-694466cbf7-wn9qv	9.06666
		:36:18.661999872	nrp-c12.nysernet.org	proxy-694466cbf7-wn9qv	12.73333
		:51:18.661999872 :06:18.661999872	nrp-c12.nysernet.org	proxy-694466cbf7-wn9qv proxy-694466cbf7-wn9qv	11.49846 10.46666
		:21:18.661999872	nrp-c12.nysernet.org nrp-c12.nysernet.org	proxy-694466cbf7-wn9qv proxy-694466cbf7-wn9qv	11.46666
		:21:18.661999872	nrp-c12.nysernet.org	tcn-fts-mysql-65b54f9c48-z2frl	0.0000
		:36:18.661999872	nrp-c12.nysernet.org	tcn-fts-mysq1-65b54f9c48-z2fr1	0.00000
		:51:18.661999872	nrp-c12.nysernet.org	tcn-fts-mysql-65b54f9c48-z2frl	0.00000
		:06:18.661999872	nrp-c12.nysernet.org	tcn-fts-mysql-65b54f9c48-z2frl	0.0000
		:21:18.661999872	nrp-c12.nysernet.org	tcn-fts-mysql-65b54f9c48-z2frl	0.00000
		:21:18.661999872	nrp-c16.nysernet.org	openalto-agent-59b6c78877-zplf7	0.00000
		:36:18.661999872	nrp-c16.nysernet.org	openalto-agent-59b6c78877-zplf7	0.00000
		:51:18.661999872	nrp-c16.nysernet.org	openalto-agent-59b6c78877-zplf7	0.00000
33 20	23-08-25 03	:06:18.661999872	nrp-c16.nysernet.org	openalto-agent-59b6c78877-zplf7	0.00000
34 20	23-08-25 03	:21:18.661999872	nrp-c16.nysernet.org	openalto-agent-59b6c78877-zplf7	0.00000
35 20	23-08-25 02	:21:18.661999872	nrp-c16.nysernet.org	openalto-db-7645f96cf6-gm69v	0.00000
36 20	23-08-25 02	:36:18.661999872	nrp-c16.nysernet.org	openalto-db-7645f96cf6-gm69v	0.00000
37 20	23-08-25 02	:51:18.661999872	nrp-c16.nysernet.org	openalto-db-7645f96cf6-gm69v	0.00000
		:06:18.661999872	nrp-c16.nysernet.org	openalto-db-7645f96cf6-gm69v	0.00000
		:21:18.661999872	nrp-c16.nysernet.org	openalto-db-7645f96cf6-gm69v	0.00000
		:21:18.661999872	nrp-c16.nysernet.org	postgres-postgresql-0	0.00006
		:36:18.661999872	nrp-c16.nysernet.org	postgres-postgresql-0	0.0000
		:51:18.661999872	nrp-c16.nysernet.org	postgres-postgresql-0	0.00006
		:06:18.661999872	nrp-c16.nysernet.org	postgres-postgresql-0	0.00006
		:21:18.661999872	nrp-c16.nysernet.org	postgres-postgresql-0	0.0000
		:21:18.661999872	nrp-c3.nysernet.org	fts3-vis-bfb9b4c74-5tplw	192.3000
		:36:18.661999872	nrp-c3.nysernet.org	fts3-vis-bfb9b4c74-5tplw	8.2666
		:51:18.661999872	nrp-c3.nysernet.org	fts3-vis-bfb9b4c74-5tplw	7.1666
		:06:18.661999872	nrp-c3.nysernet.org	fts3-vis-bfb9b4c74-5tplw	175.8666
		:21:18.661999872	nrp-c3.nysernet.org	fts3-vis-bfb9b4c74-5tplw	18.2333
		:21:18.661999872	rci-nrp-gpu-03.sdsu.edu	visualnet-api-6f4844fc74-7d8gr	9.9333
		:36:18.661999872	rci-nrp-gpu-03.sdsu.edu	visualnet-api-6f4844fc74-7d8gr	6.5993
		:51:18.661999872	rci-nrp-gpu-03.sdsu.edu	visualnet-api-6f4844fc74-7d8gr	8.4000
		:06:18.661999872	rci-nrp-gpu-03.sdsu.edu	visualnet-api-6f4844fc74-7d8gr	8.9333
54 20	023-08-25 03	:21:18.661999872	rci-nrp-gpu-03.sdsu.edu	visualnet-api-6f4844fc74-7d8gr	9.70000

The above picture shows the data frame for the graph Rate of Transmitted Packets. Note for each node and pod, there are data points for different times. Each pod would represent a different colored line on a graph.

Additional Features

Sorted by Data Type

All Data Types

- Filter all data collected to only include pods that are bp3d-worker pods.
 Display the pod name as the ensemble.
 - Ex: "bp3d-worker-f605f10" becomes "f605f10"
 - Set only_include_worker_pods to True in main.py in get_all_data()
- Store all data in one multi-level dictionary.
 - In main.py: result_dict = get_all_data()
 - Returns a dictionary of dictionaries.
 - {'header': header_dict, 'tables': tables_dict, 'graphs': graphs_dict}

Graphs

- Check for potential pods with data that was dropped and/or recovered (nonzero→ 0 or 0 → nonzero). Requery those graphs for higher resolution at the drop time (optional)
 - o To know if certain pods are untrustworthy (if they frequently drop data, they aren't trustworthy)
 - Requerying is meant for checking if pods were actually dropped or if their values slowly went to 0.
 - o in main.py calling check_graphs_losses().
 - Set print_info to True to print all information on potential pods dropped and recovered.
 - Set requery to True/False, or None if you want to prompt the user in the terminal.
- Display graphs as graphs instead of dataframes
 - Run graph_visualization.py
- Collect all graphs as one large dataframe instead of one dataframe per graph (useful for inputting graphs into a database)
 - Set get_graphs_as_one_df to True in main.py in get_all_data()
- Display the times in the time column as seconds since epoch (01/01/1970) or as a timestamp (%Y-%m-%d %H:%M:%S)
 - Set display_time_as_timestamp to False or True respectively in get_all_data() in main.py

Future Direction

With everything in pandas data frames, it shouldn't prove too challenging to integrate this data with any database we like.

If we choose to go with a time based database like InfluxDB, it is simple to include timestamps for header and tables, as they are already being collected by the queries, just not displayed.

- To Include them, edit _generate_df in header.py and tables.py
 - Uncomment the 6 lines containing the inline comment " # for timestamp", then delete the previous line if it's being rewritten by this new line
 - (Optional): add code to choose to display them as timestamps instead of seconds since epoch (look at get_graphs_dict in graphs.py for inspiration on how to do so)

For additional enhancements, there was the goal of collecting node temperature and power usage, however after further research, this information does not seem to be stored by nautilus, therefore it cannot be queried for. For more information on which node statistics can be queried, go to extras/node_temp_power.pdf