



#TheWiseChoice

Continued Energy Solutions

Everyday, A Little Further



Forever Forward.

For India, Its People and What Comes Next

ENERGY TRANSITION COMPANY

Purpose-built to move India and its people permanently forward.

We operate at the intersection of where energy access meets everyday life: last mile e-mobility that puts livelihoods in motion, Residential Solar with Storage that brings energy independence to homes and businesses and advanced electronics manufacturing that builds the technological backbone of a cleaner economy.





₹5601 Cr.*
FY25-26 Turnover



CAGR 29.6%
Last 4 Fiscal Years



Over **4100+**
Employees



1900+
Distributors

Conventional Tubular Batteries - Regular Series



Up To
20
YEARS*
WARRANTY

10 Years Replacement + 10 Years Pro-Rata

Available Range: 135Ah to 400Ah

Conventional Tubular Batteries - Regular Series

The Eastman Conventional Tubular Battery - Regular Series is a trusted and time-tested power backup solution designed for Indian households and businesses. Built with advanced tubular plate technology, it delivers superior performance, longer backup, and exceptional durability even in extreme temperatures and demanding conditions.

Engineered to efficiently handle deep discharge cycles, it ensures reliable power support during frequent power cuts and heavy usage conditions. With low water topping frequency, high charge acceptance, and robust construction, it offers dependable performance and long service life. Designed for consistent and uninterrupted backup, it is an ideal choice for everyday power needs.



Reliability Life. Uninterrupted.



Easy Recovery After Idle Period

Comes back to full capacity even after months unused — always ready to power your appliances.



Less Fume Generation

Almost no fumes during charging — safe to install near living spaces, safe for children.



Total Cost of Ownership A Lifetime of Value



Lowest Electricity Consumption in Recharging

Consumes less Electricity while Charging Battery — saving electricity and your money every day.



Low Water Loss

Almost no water top-up needed — less maintenance, less cost and longer life.



5% Extra Capacity vs. Rated

You get 5% more backup than the label promises — More Power at no extra cost.

Technical Specifications:

Model	Nominal Voltage	Rated Capacity @C20	Warranty (Months)	Warranty Split (Replacement + Pro-rata)	Dimensions			Net Weight (Kg ±3)
					Length (mm ±3)	Width (mm ±3)	Height (mm ±3)	
EM235Duro	12 V	235 Ah	180	90+90	506	207	405	77
EM250IL	12 V	250 Ah	240	120+120	506	207	405	86.25
EM300P	12 V	300 Ah	120	60+60	560	228	431	80.6
EM330P	12 V	330 Ah	120	60+60	560	228	431	92.8
EM400P	12 V	400 Ah	120	60+60	560	228	431	108
EM15048JST	12 V	150 Ah	48	24+24	515	279	273	52.50
EM17072JST	12 V	150 Ah	72	36+36	515	279	273	52.50
EM25060TT	12 V	250 Ah	72	36+36	506	207	405	65.30
EM25120TT	12 V	250 Ah	120	60+60	506	207	405	74.70
EM13572TT	12 V	135 Ah	72	36+36	502	188	352	54.6
EM15096TT	12 V	150 Ah	96	48+48	502	192	405	55
EM16042TT	12 V	160 Ah	84	42+42	506	192	405	57.2
EM16060TT	12 V	160 Ah	60	30+30	506	192	405	55.6
EM16072TT	12 V	160 Ah	72	36+36	506	192	405	56.3
EM18120TT	12 V	180 Ah	120	60+60	506	192	405	65.6
EM22072TT	12 V	220 Ah	72	36+36	506	192	405	72
EM20096TT	12 V	200 Ah	96	48+48	506	192	405	64.7

Note: As part of regular product updates, specifications may be revised without prior notification.

Conventional Tubular Batteries - Smart Series



Up To
10
YEARS*
WARRANTY
60 Months Replacement + 60 Months Pro-Rata




Available Range: 100Ah to 400Ah

Conventional Tubular Batteries - Smart Series

The Eastman Conventional Tubular Battery- Smart Series is a trusted and time-tested power backup solution designed for Indian households and businesses. Built with advanced tubular plate technology, it delivers superior performance, longer backup, and exceptional durability even in extreme temperatures and demanding conditions.

Engineered to efficiently handle deep discharge cycles, it ensures reliable power support during frequent power cuts and heavy usage conditions. With low water topping frequency, high charge acceptance, and robust construction, it offers dependable performance and long service life. Designed for consistent and uninterrupted backup, it is an ideal choice for everyday power needs.



Reliability

Life. Uninterrupted.

Easy Recovery After Idle Period
Comes back to full capacity even after months unused — always ready to power your appliances.

Less Fume Generation
Almost no fumes during charging — safe to install near living spaces, safe for children.

Total Cost of Ownership

A Lifetime of Value

Lowest Electricity Consumption in Recharging
Consumes less Electricity while Charging Battery — saving electricity and your money every day.

Low Water Loss
Almost no water top-up needed — less maintenance, less cost and longer life.

Technical Specifications:

Model	Nominal Voltage	Rated Capacity @C20	Warranty (Months)	Warranty Split (Replacement + Pro-rata)	Dimensions			Net Weight (Kg ±3)
					Length (mm ±3)	Width (mm ±3)	Height (mm ±3)	
EMSS135048JST	12 V	135 Ah	48	24+24	520	213	278	40.70
EMSS150060TT	12 V	150 Ah	60	36+24	506	192	405	53.80
EMSS160060TT	12 V	150 Ah	60	36+24	506	192	405	53.80
EMSS200060TT	12 V	200 Ah	60	36+24	506	207	405	62.50
EMSS100048TT	12 V	100 Ah	48	24+24	506	192	405	49
EMSS120048TT	12 V	120 Ah	48	24+24	506	192	405	47.6
EMSS135048TT	12 V	135 Ah	48	24+24	506	192	405	47.6
EMSS150048TT	12 V	150 Ah	48	24+24	506	192	405	51
EMSS150054TT	12 V	150 Ah	54	30+24	506	192	405	51
EMSS120060TT	12 V	120 Ah	60	36+24	506	192	405	48.8
EMSS135060TT	12 V	135 Ah	60	36+24	506	192	405	52.2
EMSS180060TT	12 V	180 Ah	60	36+24	506	192	405	55
EMSS220060TT	12 V	220 Ah	60	36+24	506	192	405	62.8
EMSS230060TT	12 V	230 Ah	60	36+24	506	192	405	65
EMSS135048STT	12 V	135 Ah	48	24+24	502	188	352	45.3
EMSS150048STT	12 V	150 Ah	48	24+24	502	188	352	45.3
EMSS135060STT	12 V	135 Ah	60	36+24	502	188	352	49
EMSS150060STT	12 V	150 Ah	60	36+24	502	188	352	49
EMSS120048JST	12 V	120 Ah	48	24+24	520	213	279	39
EMSS150048JST	12 V	150 Ah	48	24+24	518	273	276	48.1
EMSS150054JST	12 V	150 Ah	54	30+24	518	273	276	49.2
EMSS270072TT	12 V	250 Ah	72	36+36	506	207	405	65.3
EMSS140072STT	12 V	120 Ah	72	36+36	503	190	348	44.1
EMSS2700120TT	12 V	250 Ah	120	60+60	506	207	405	65.3
EMSS3200120TT	12 V	300 Ah	120	60+60	506	207	405	72
EMSS4200120TT	12 V	400 Ah	120	60+60	560	228	431	81.6

Note: As part of regular product updates, specifications may be revised without prior notification.

Conventional Tubular Batteries - CitiMax Series



48
MONTHS*
WARRANTY

24 Months Replacement + **24** Months Pro-Rata

Eastman
CitiMax

EC25048TT

48 MONTHS WARRANTY

Low Cost of Ownership
Easy Recovery After Idle Period
Lowest Electricity Consumption in Recharging
Low Water Loss
5% Extra Capacity & Backup With Rated Capacity
Less Fumes Generation

#TheWiseChoice

Conventional Tubular Batteries - CitiMax Series

The Eastman Conventional Tubular Battery - CitiMax is a trusted and time-tested power backup solution designed for Indian households. Built with advanced tubular plate technology, it delivers superior performance, longer backup, and exceptional durability even in extreme temperatures and demanding conditions.

Engineered to efficiently handle deep discharge cycles, it ensures reliable power support during frequent power cuts and heavy usage conditions. With low water topping frequency, high charge acceptance, and robust construction, it offers dependable performance and long service life. Designed for consistent and uninterrupted backup, it is an ideal choice for everyday power needs.



Reliability Life. Uninterrupted.



Easy Recovery After Idle Period

Comes back to full capacity even after months unused — always ready to power your appliances.



Less Fume Generation

Almost no fumes during charging — safe to install near living spaces, safe for children.



Total Cost of Ownership A Lifetime of Value



Lowest Electricity Consumption in Recharging

Consumes less Electricity while Charging Battery — saving electricity and your money every day.



Low Water Loss

Almost no water top-up needed — less maintenance, less cost and longer life.



5% Extra Capacity vs. Rated

You get 5% more backup than the label promises — More Power at no extra cost.

Technical Specifications:

Description	Parameters			
Model	EC 18048 ST	EC 15048 ST	EC 18048 TT	EC 25048 TT
Nominal Voltage	12V	12V	12V	12V
Warranty	(24 +24) Months*	(24 +24) Months*	(24 +24) Months*	(24 +24) Months*
Terminal Type (Layout)	R	R	L	L
Charging Type	CC/CV	CC/CV	CC/CV	CC/CV
Float Voltage	14.4	14.4	14.4	14.4
Maximum Charging Current @27°C	19.8A	16.2A	21.6A	32.4A
Deep Discharge capability	80%	80%	80%	80%
Cycle Life	950	800	950	800
Length(±3mm)	515	520	506	506
Width(±3mm)	279	278	192	207
Height(±3mm)	273	213	405	405
Net Weight (±3 kg)	48.1	39	51.6	62.2
Gross Battery Weight (±3 Kg)	49.9	40.8	53.4	64.1

Note: As part of regular product updates, specifications may be revised without prior notification.


Eastman *Assure*TM

Promise

Round-the-Clock Service

At Eastman, great products deserve equally great service. Through Eastman Assure, we've built a customer-first ecosystem that ensures quick resolutions, proactive support, and peace of mind — every step of the way.



AI-Powered Voice Bot

- Get instant support anytime without waiting or follow-ups.
- Raise requests and check warranty or complaint status in seconds.


78884 78885


24x7 Call Centre

- Expert help is always available, day or night.
- Quick, reliable support for installation, service, and troubleshooting.


1800-419-8610


Online Complaint Management

- Track your complaint in real time with complete visibility.
- Stay informed at every step until your issue is resolved.



Eastman Assure Portal

- One place for all your service needs, simple and convenient.
- Manage warranty, complaints, and service history with ease.



We are 24x7 Available!

+91 78728 78728
WhatsApp

1800 419 8610
Toll Free Number

www.eastmanassure.com
Service Portal



☎ 1800 419 8610 | ☎ +91 78884 78885



Eastman Auto & Power Ltd.

Corporate Office: Quattro Towers, Plot No. 249E, Udyog Vihar Phase IV, Gurugram,
Haryana-122016, India | support@eaplworld.com | ☎ 78728 78728
www.eaplworld.com

 **MADE IN INDIA**