



LOGICLABS TECHNOLOGIES

www.logiclabstech.com

Amazon Web Services

Object Lock

ankitnarula1991@gmail.com

Object Lock

- It allows us to offer a level of protection against our objects in your bucket and prevents them from being deleted, either for a set period of time that is defined by us. We can't enable/disable the object lock after creation of the bucket.
- Object Lock has two protection modes.
- **Compliance:** This is the stricter mode, intended for regulatory compliance. Once in Compliance mode, retention configuration cannot be relaxed; in particular, the retention time period cannot be decreased and the mode cannot be changed.
- **Governance:** Objects against can be protected from being deleted by most users, but we can still grant some users permission to alter the retention settings or delete the object if necessary.

Object Lock

- Create Bucket
- Select ACLs Enabled & Give Public Access
- Enable Bucket versioning
- Go to Advanced Settings
- Check enable for object lock
- Acknowledge the settings
- Click on create bucket

Object Lock

- Open Bucket
- Go to Properties tab
- Go to Object Lock
- Click on Edit for object lock
- Enable default retention
- Select compliance
- Enter Default retention period
- **Note: While Practicing Don't save the changes because after this we are not able to delete the bucket for that particular period.**

Difference Between S3, EBS & EFS

- [Click Here](#)



ankitnarula1991@gmail.com