

Metabolic Network Analysis for Understanding the Biology of Ageing

Sudharshan Ravi^{*a,b}, Harini Narayanan^a and Rudiyanto Gunawan^{a,b}

^aInstitute for Chemical and Bioengineering, ETH Zurich, Zurich

^bSwiss Institute of Bioinformatics, Lausanne, Switzerland

ETH

Eidgenössische Technische Hochschule Zürich
Swiss Federal Institute of Technology Zurich



Swiss Institute of
Bioinformatics

*Email: ravis@chem.ethz.ch

Background


- Ageing is a major risk factor of a plethora of human diseases such as cancer, cardiovascular and neurodegenerative diseases. Thus, a better understanding of the biology of ageing has the potential to delay the on-set of age-related diseases.
- A close connection between ageing and metabolism is well documented^[1,2]. However, specific metabolic pathways that are involved in ageing process are still largely unknown.
- The identification of human metabolic alterations during the ageing process and their phenotypes is crucial for formulating an intervention strategy.

Age-related changes

- We analyzed human transcriptomics data from the Genotype-Tissue Expression (GTEx) project to elucidate age-related changes in human metabolism (see Fig. 1).
- A linear mixed effect model was employed to determine age-related gene expression changes.

$$y_{ijk} = t_i + g_j + b_k + e_{ijk}$$

- Here, y_{ijk} represents the ijk -th logarithmic gene expression (RNA – Seq) in the t_i tissue, at the g_j factor, e.g. age, and in the b_k individual. The variable e denotes the random error.
- Tissue was treated as a fixed effect, age was modeled as a continuous covariate, and individuals were taken as random effects.
- The age-related gene expression changes were mapped onto the human genome scale metabolic network (Recon – 2)^[3].



Metabolic pathway alterations

- Age-related changes in human gene expression pointed to downregulation of TCA cycle, oxidative phosphorylation and other pathways related to energy production and catabolism (see Fig 2).




Figure 2: Mapping of age-related gene expression changes onto the human genome scale metabolic model.




Figure 3: Age-related alterations in human metabolic pathways.

- Figure 3 shows the metabolic pathways with significant age-related alterations according to the gene expression changes.
- Gene set enrichment analysis showed
 - downregulation of TCA cycle and pyruvate metabolism
 - upregulation of response to foreign substances and inflammatory response
 - amino acid and glycan metabolism were dysregulated.

Summary and Outlook

- The analysis of human gene expression implicated alterations in metabolic pathways, particularly those related to cellular energy generation, amino acid homeostasis and xenobiotics, in the ageing process.
- The identification of ageing metabolic pathways is an important first step toward formulating a strategy for mitigating ageing.
- In our continuing work, we will expand our analysis to data from dietary restricted animals, and formulate and validate metabolic targets for ageing using *Caenorhabditis elegans* as a model organism.

Acknowledgement

We sincerely acknowledge the financial support from the Swiss National Science Foundation.

References

- Houtkooper, R.H., Williams, R.W. and Auwerx, J. (2010). *Cell*, **142**, 9-14.
- Barzilai, N., Huffman, D.M., Muzumdar, R.H. *et al.* (2012). *Diabetes*, **61**, 1315-1322.
- Thiele, I., Swainston, N., Fleming, R.M.T. *et al.* (2013). *Nature Biotechnology*, **31**, 419-425.