

Calender Scheduler Application

Task-3



Calendar Using HTML, CSS, and JavaScript

| LMS Username | Name | Batch |
|--------------|-------------------------|-------|
| 2115a619 | Vajja mohith reddy | A6 |
| 2115a618 | Vadlaputi raviteja | A6 |
| 2115a611 | Mallikarjun pagadala | A6 |
| | | |
| | | |



Calender Scheduler Application:

- edit online calendars and share them with multiple users. The software generally allows you to set your availability and check the availability of other users, which makes scheduling easier for everyone in the group or organization.
- A scheduling software is a cloud-based or local computer program or application that automates certain employee scheduling processes such as work schedule management, employee communication, and time tracking.





FRONT END DEVELOPMNENT USING REACT JS

App.js

date: {

```
import React, { useState, useEffect } from 'react' import IconButton from '@material-ui/core/IconButton' import Paper from '@material-ui/core/Paper' import Typography from '@material-ui/core/Typography' import Box from '@material-ui/core/Box'
import { makeStyles } from '@material-ui/core/styles' import { ArrowLeft, ArrowRight } from '@material-ui/icons'
const styles = makeStyles(theme => ({
   calender: {
     border: "1px solid lightgray",
     width: 350,
    margin: "Opx auto",
padding: "0 16px",
borderLeft: "1px solid lightgray",
borderTop: "1px solid lightgray",
['@media(max-width: 400px)']: {
width: "90%",
  calenderTitle: {
display: "flex",
flexDirection: "row",
    justifyContent: "space-between", alignItems: "center",
   arrowlcon: {
     margin: "0 16px"
   weekDavs: {
     listStyleType: "none",
     padding: 0.
```



SUNSTONE

```
display: "inline-block",
  width: "14.2%",
  textAlign: "center",
  marginBottom: "8px",
 dateText: {
 cursor: "pointer"
 selected: {
  background: "yellow"
 graySelected: {
  background: "lightgray"
}))
export default function App() {
 const classes = styles()
 const [weekStartDay, setWeekStartDay] = useState()
 const [date, setDate] = useState(new Date())
 const [month, setMonth] = useState(date.getMonth())
 const [year, setYear] = useState(date.getFullYear())
 const [daysInMonth, setDaysInMonth] = useState(new
Date(year, month + 1, 0))
 useEffect(() => {
  let _temp = new Date(year, month + 1, 0)
  setDaysInMonth(_temp.getDate())
  setYear(_temp.getFullYear())
 }, [month, year])
```

```
SUNSTONE
useEffect(() => {
 let _temp = new Date(year, month, 1)
 setWeekStartDay(_temp.getDay())
}. [month, year])
const monthName = () => {
 let date = new Date(year, month + 1, 0)
 let monthName = date.toLocaleString('default', { month:
'long' })
 return monthName
const onLeftArrowClick = () => {
 if (month === 0) setYear(year - 1)
 setMonth((month + 12 - 1) % 12)
const onRightArrowClick = () => {
 if (month === 11) setYear(year + 1)
 setMonth((month + 12 + 1) % 12)
const handleDateSelection = (e) => {
 let _date = parseInt(e.target.textContent)
 setDate(new Date(year, month, date))
```

const dateStylingClass = (payload) => {
 let classes = `\${classes.date}`

=== month

date.getMonth() !== month

let selected = date.getDate() === payload && date.getMonth()

let graySelected = date.getDate() === payload &&

```
SUNSTONE
if (selected) _classes = _classes + `${classes.selected}`
 else if (graySelected) _classes = _classes +
`${classes.graySelected}`
 return _classes
return (
 <div>
  <Box textAlign="center" mt={2}>
   <Typography
    variant="h5"
    gutterBottom >
    Calender {year}
   </Typography>
   <Typography
    variant="body1"
    gutterBottom >
    Selected Date: {date.toDateString()}
   </Typography>
  </Box>
  <Paper className={classes.calender} elevation={10}>
   <div className={classes.calenderTitle}>
    <lconButton
     className={classes.arrowlcon}
     size="small"
```

onClick={onLeftArrowClick}>

<h4 style={{ textAlign: "center" }}>

<ArrowLeft />
</lconButton>

</h4>

{monthName()}, {year}

```
SUNSTONE
<lconButton
    className={classes.arrowlcon}
    size="small"
    onClick={onRightArrowClick}>
     <ArrowRight />
    </lconButton>
   </div>
   ul className={classes.weekDays}>
     ['sun', 'mon', 'tue', 'wed', 'thu', 'fri', 'sat'].map((day, i) => (
      <Typography variant="caption">
       {day.toUpperCase()}
      </Typography>
      [...new Array(weekStartDay)].map((elem, i) => (
      [...new Array(daysInMonth)].map((elem, i) => (
      className={dateStylingClass(i + 1)}
      key={i}
```

onClick={handleDateSelection}>
<Typography variant="caption"</pre>

className={classes.dateText}>

 ${i + 1}$



```
</Typography>
     </Paper>
   </div>
index.js
$ import React from 'react';
import ReactDOM from 'react-dom';
import App from './App';
ReactDOM.render(
 <React.StrictMode>
  <App />
 </React.StrictMode>,
document.getElementById('root')
```



package.json


```
"name": "react-calender",
"version": "0.1.0",
"private": true,
"dependencies": {
 "@material-ui/core": "^4.12.3"
 "@material-ui/icons": "^4.11.2"
 "@testing-library/jest-dom": "^5.14.1",
 "@testing-library/react": "^11.2.7",
 "@testing-library/user-event": "^12.8.3",
 "react": "^17.0.2",
 "react-dom": "^17.0.2",
 "react-scripts": "4.0.3",
 "web-vitals": "^1.1.2"
"scripts": {
 "start": "react-scripts start",
 "build": "react-scripts build",
 "test": "react-scripts test",
 "eject": "react-scripts eject"
"eslintConfig": {
 "extends": [
  "react-app",
  "react-app/jest"
"browserslist": {
```

SUNSTONE

```
"production": [
  ">0.2%",
  "not dead",
  "not op_mini all"
 "development": [
  "last 1 chrome version",
                                 \bullet \bullet \bullet
  "last 1 firefox version",
  "last 1 safari version"
```



Assessment Parameter





Sample Output:

