

Dashboard / Primer 2.0 - App Dev / Stage 1 / Gen Al / Variational Autoencoders

Quiz review

Started on Wednesday, 13 March 2024, 4:31 PM

State Finished

Completed on Wednesday, 13 March 2024, 4:33 PM

 Time taken
 2 mins 44 secs

 Marks
 10.00/10.00

Grade 100.00 out of 100.00

Question 1

Correct

Mark 1.00 out of 1.00

What is the primary role of autoencoders in generative modeling?

- Regression
- 4/562
- Data compression and reconstruction
- Data classification
- Image recognition
- Clustering

The correct answer is: Data compression and reconstruction

Question 2

Correct

Mark 1.00 out of 1.00

47562

In which application might you use a VAE for generating new, coherent samples?

- Text translation
- Image classification
- Time series forecasting
- Speech recognition
- Designing virtual fashion items

The correct answer is: Designing virtual fashion items 756

٩

Question	3

Correct

Mark 1.00 out of 1.00

In the context of Variational Autoencoders (VAEs), what does variational inference help achieve?

- Faster training speeds
- Improved image resolution
- Approximation of complex posterior distributions
- Direct computation of posterior distributions
- Reduction of model parameters

The correct answer is: Approximation of complex posterior distributions

Question 4

Correct

Mark 1.00 out of 1.00

47562

Reparameterization trick is used to...

- Improve model accuracy
- Deal with the non-differentiability of sampling in VAEs
- Speed up training
- Reduce model size
- None of the given options

The correct answer is: Deal with the non-differentiability of sampling in VAEs

Question 5

Correct

Mark 1.00 out of 1.00

Which application does NOT typically use VAEs?

- Anomaly detection in industrial equipment
- Medical imaging enhancement
- Face generation for video games
- Text summarization
- Fashion design

47562

The correct answer is: Text summarization

Question	6
Question	v

Correct

Mark 1.00 out of 1.00

Which of the following is NOT a type of autoencoder?

- Contractive autoencoder
- Variational autoencoder
- Sparse autoencoder
- Denoising autoencoder
- Supervised autoencoder

The correct answer is: Supervised autoencoder

Question 7

Correct

Mark 1.00 out of 1.00

47562

What does VAE stand for?

- Variational Autoencoder
- Vectorized Autoencoder
- None of the given options
- Virtual Autoencoder
- Variable Autoencoder

The correct answer is: Variational Autoencoder 47562

Question 8

Correct

Mark 1.00 out of 1.00

Why is the reparameterization trick crucial in training VAEs?

- It speeds up the training process
- It allows backpropagation through stochastic nodes
- It increases the model's accuracy
- It reduces the need for labeled data
- 4/5
- It reduces the model's complexity

The correct answer is: It allows backpropagation through stochastic nodes

//03/2024, 20:20	Variational Autoencoders - Pre Quiz: Attempt review
Question 9	
Correct	
Mark 1.00 out of 1.00	
Which component of the VAE loss function	on ensures the latent variables adhere to a standard distribution?
Hinge loss	
Cross-entropy	
KL divergence ✓	
Absolute error	
Mean squared error	
The correct answer is: KL divergence	

Correct

Mark 1.00 out of 1.00

47562

Why are autoencoders considered generative models?

- They are used for supervised learning
- They always reduce data dimensionality
- They can reconstruct and generate data similar to the input

 ✓
- They are only used for image data
- They are a type of neural network

The correct answer is: They can reconstruct and generate data similar to the input

◀ Introduction to Generative Models - Post Quiz

Jump to...

Variational Autoencoders ▶

47562