

RELIANCE MARKET / SUPERMARKET MANAGEMENT SYSTEM

NAME: D. RAVI THEJA
ROLL NO: 24EEB0A15
BRANCH: EEE
SECTION: A
SUBJECT: DBMS

STEP 1: Creating Tables

The screenshot shows the MySQL Workbench interface with the 'Category' table creation script in the SQL Editor. The script defines a table with columns 'cat_id', 'cat_name', and 'description', including a primary key and a unique constraint.

```
1 CREATE TABLE Category (  
2   cat_id      VARCHAR(10) NOT NULL,  
3   cat_name    VARCHAR(50) NOT NULL,  
4   description TEXT,  
5   CONSTRAINT pk_category PRIMARY KEY (cat_id),  
6   CONSTRAINT uq_cat_name UNIQUE (cat_name)  
7 );
```

The Output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	15:16:57	CREATE DATABASE IF NOT EXISTS relance_supersmarket	1 row(s) affected	0.016 sec
2	15:17:07	USE relance_supersmarket	0 row(s) affected	0.000 sec
3	15:17:40	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL cat_name VARCHAR(50) NOT NULL ...	0 row(s) affected	0.031 sec

The bottom screenshot shows the MySQL Workbench interface with the 'Supplier' table creation script in the SQL Editor. The script defines a table with columns 'supplier_id', 'name', 'contact_person', 'phone', 'email', and 'address', including a primary key and two unique constraints.

```
1 CREATE TABLE Supplier (  
2   supplier_id VARCHAR(10) NOT NULL,  
3   name        VARCHAR(100) NOT NULL,  
4   contact_person VARCHAR(100),  
5   phone       VARCHAR(15) NOT NULL,  
6   email       VARCHAR(100),  
7   address     TEXT,  
8   CONSTRAINT pk_supplier PRIMARY KEY (supplier_id),  
9   CONSTRAINT uq_sup_phone UNIQUE (phone),  
10  CONSTRAINT uq_sup_email UNIQUE (email)  
11 );
```

The Output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	15:16:57	CREATE DATABASE IF NOT EXISTS relance_supersmarket	1 row(s) affected	0.016 sec
2	15:17:07	USE relance_supersmarket	0 row(s) affected	0.000 sec
3	15:17:40	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL cat_name VARCHAR(50) NOT NULL ...	0 row(s) affected	0.031 sec
4	15:18:25	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL name VARCHAR(100) NOT NU...	0 row(s) affected	0.047 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```

1 CREATE TABLE Product (
2   product_id VARCHAR(10) NOT NULL,
3   product_name VARCHAR(100) NOT NULL,
4   cat_id VARCHAR(10) NOT NULL,
5   supplier_id VARCHAR(10) NOT NULL,
6   price DECIMAL(10,2) NOT NULL,
7   stock_qty INT NOT NULL DEFAULT 0,
8   reorder_level INT NOT NULL DEFAULT 10,
9   unit VARCHAR(20),
10  CONSTRAINT pk_product PRIMARY KEY (product_id),
11  CONSTRAINT fk_prod_cat FOREIGN KEY (cat_id) REFERENCES Category(cat_id),
12  CONSTRAINT fk_prod_sup FOREIGN KEY (supplier_id) REFERENCES Supplier(supplier_id),
13  CONSTRAINT chk_price CHECK (price > 0),
14  CONSTRAINT chk_stock CHECK (stock_qty >= 0)
15 );

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skiplets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:16:57	CREATE DATABASE IF NOT EXISTS relance_supersmarket	1 row(s) affected	0.016 sec
2	15:17:07	USE relance_supersmarket	0 row(s) affected	0.000 sec
3	15:17:40	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL cat_name VARCHAR(50) NOT NULL ...	0 row(s) affected	0.031 sec
4	15:18:25	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL name VARCHAR(100) NOT NULL ...	0 row(s) affected	0.047 sec
5	15:18:50	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL product_name VARCHAR(100) NOT ...	0 row(s) affected	0.032 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```

1 CREATE TABLE Customer (
2   customer_id VARCHAR(10) NOT NULL,
3   first_name VARCHAR(50) NOT NULL,
4   last_name VARCHAR(50) NOT NULL,
5   phone VARCHAR(15) NOT NULL,
6   email VARCHAR(100),
7   address TEXT,
8   loyalty_points INT NOT NULL DEFAULT 0,
9   CONSTRAINT pk_customer PRIMARY KEY (customer_id),
10  CONSTRAINT uq_cust_phone UNIQUE (phone),
11  CONSTRAINT uq_cust_email UNIQUE (email),
12  CONSTRAINT chk_lp CHECK (loyalty_points >= 0)
13 );

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skiplets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:16:57	CREATE DATABASE IF NOT EXISTS relance_supersmarket	1 row(s) affected	0.016 sec
2	15:17:07	USE relance_supersmarket	0 row(s) affected	0.000 sec
3	15:17:40	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL cat_name VARCHAR(50) NOT NULL ...	0 row(s) affected	0.031 sec
4	15:18:25	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL name VARCHAR(100) NOT NULL ...	0 row(s) affected	0.047 sec
5	15:18:50	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL product_name VARCHAR(100) NOT ...	0 row(s) affected	0.032 sec
6	15:19:28	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL first_name VARCHAR(50) NOT N...	0 row(s) affected	0.063 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```

1 CREATE TABLE Employee (
2   emp_id VARCHAR(50) NOT NULL,
3   first_name VARCHAR(50) NOT NULL,
4   last_name VARCHAR(50) NOT NULL,
5   role VARCHAR(50) NOT NULL,
6   phone VARCHAR(15) NOT NULL,
7   email VARCHAR(100),
8   salary DECIMAL(10,2) NOT NULL,
9   hire_date DATE NOT NULL,
10  CONSTRAINT pk_employee PRIMARY KEY (emp_id),
11  CONSTRAINT uq_emp_phone UNIQUE (phone),
12  CONSTRAINT uq_emp_email UNIQUE (email),
13  CONSTRAINT chk_salary CHECK (salary > 0)
14 );

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skiplets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	15:17:07	USE wlance_supermarket	0 row(s) affected	0.000 sec
3	15:17:40	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL, cat_name VARCHAR(50) NOT NULL,	0 row(s) affected	0.021 sec
4	15:18:26	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL, name VARCHAR(100) NOT N	0 row(s) affected	0.047 sec
5	15:18:50	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL, product_name VARCHAR(100) NO	0 row(s) affected	0.032 sec
6	15:19:20	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT	0 row(s) affected	0.003 sec
7	15:19:57	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NUL	0 row(s) affected	0.047 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```

1 CREATE TABLE Bill (
2   bill_id VARCHAR(10) NOT NULL,
3   customer_id VARCHAR(10),
4   emp_id VARCHAR(10) NOT NULL,
5   bill_date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,
6   total_amount DECIMAL(10,2) NOT NULL,
7   payment_method ENUM('Cash', 'Card', 'UPI', 'Wallet') NOT NULL,
8   status ENUM('Paid', 'Pending', 'Cancelled') NOT NULL DEFAULT 'Paid',
9   CONSTRAINT pk_bill PRIMARY KEY (bill_id),
10  CONSTRAINT fk_bill_cust FOREIGN KEY (customer_id) REFERENCES Customer(customer_id),
11  CONSTRAINT fk_bill_emp FOREIGN KEY (emp_id) REFERENCES Employee(emp_id),
12  CONSTRAINT chk_bill_amount CHECK (total_amount >= 0)
13 );

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	15:25:51	CREATE TABLE Category (cat_id VARCHAR(10) NOT NULL, cat_name VARCHAR(50) NOT NULL,	0 row(s) affected	0.046 sec
4	15:26:44	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL, name VARCHAR(100) NOT N	0 row(s) affected	0.031 sec
5	15:26:50	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL, product_name VARCHAR(100) NO	0 row(s) affected	0.047 sec
6	15:27:06	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT	0 row(s) affected	0.031 sec
7	15:27:17	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NUL	0 row(s) affected	0.031 sec
8	15:27:27	CREATE TABLE Bill (bill_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id	0 row(s) affected	0.063 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 CREATE TABLE Bill_Item (
2   item_id VARCHAR(10) NOT NULL,
3   bill_id VARCHAR(10) NOT NULL,
4   product_id VARCHAR(10) NOT NULL,
5   quantity INT NOT NULL,
6   unit_price DECIMAL(10,2) NOT NULL,
7   subtotal DECIMAL(10,2) NOT NULL,
8   CONSTRAINT pk_bill_item PRIMARY KEY (item_id),
9   CONSTRAINT fk_bi_bill FOREIGN KEY (bill_id) REFERENCES Bill(bill_id),
10  CONSTRAINT fk_bi_prod FOREIGN KEY (product_id) REFERENCES Product(product_id),
11  CONSTRAINT chk_quantity CHECK (quantity > 0)
12 );

```

Output

Action Output

Time	Action	Message	Duration / Fetch
15:26:44	CREATE TABLE Supplier (supplier_id VARCHAR(10) NOT NULL, name VARCHAR(100) NOT NULL, ...)	0 row(s) affected	0.031 sec
15:26:59	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL, product_name VARCHAR(100) NOT NULL, ...)	0 row(s) affected	0.047 sec
15:27:08	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.031 sec
15:27:17	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.031 sec
15:27:27	CREATE TABLE Bill (bill_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id ...)	0 row(s) affected	0.063 sec
15:28:06	CREATE TABLE Bill_Item (item_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 CREATE TABLE Purchase_Order (
2   po_id VARCHAR(10) NOT NULL,
3   supplier_id VARCHAR(10) NOT NULL,
4   emp_id VARCHAR(10) NOT NULL,
5   order_date DATE NOT NULL,
6   expected_date DATE,
7   status ENUM('Pending', 'Received', 'Cancelled') NOT NULL DEFAULT 'Pending',
8   total_amount DECIMAL(10,2) NOT NULL,
9   CONSTRAINT pk_po PRIMARY KEY (po_id),
10  CONSTRAINT fk_po_sup FOREIGN KEY (supplier_id) REFERENCES Supplier(supplier_id),
11  CONSTRAINT fk_po_emp FOREIGN KEY (emp_id) REFERENCES Employee(emp_id)
12 );

```

Output

Action Output

Time	Action	Message	Duration / Fetch
15:26:59	CREATE TABLE Product (product_id VARCHAR(10) NOT NULL, product_name VARCHAR(100) NOT NULL, ...)	0 row(s) affected	0.047 sec
15:27:08	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.031 sec
15:27:17	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.031 sec
15:27:27	CREATE TABLE Bill (bill_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id ...)	0 row(s) affected	0.063 sec
15:28:06	CREATE TABLE Bill_Item (item_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec
15:28:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.046 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * CREATE TABLE Payment (
2   payment_id    VARCHAR(10) NOT NULL,
3   bill_id       VARCHAR(10) NOT NULL,
4   payment_date  DATETIME   NOT NULL DEFAULT CURRENT_TIMESTAMP,
5   amount        DECIMAL(10,2) NOT NULL,
6   payment_mode  ENUM('Cash','Card','UPI','Wallet') NOT NULL,
7   transaction_ref VARCHAR(50),
8   CONSTRAINT pk_payment PRIMARY KEY (payment_id),
9   CONSTRAINT uq_pay_bill UNIQUE (bill_id),
10  CONSTRAINT fk_pay_bill FOREIGN KEY (bill_id) REFERENCES Bill(bill_id)
11 );

```

Output

Time	Action	Message	Duration / Fetch
6 15:27:00	CREATE TABLE Customer (customer_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.031 sec
7 15:27:17	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.021 sec
8 15:27:27	CREATE TABLE Bill (bill_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id ...)	0 row(s) affected	0.063 sec
9 15:28:06	CREATE TABLE Bill_Item (item_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec
10 15:28:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) ...)	0 row(s) affected	0.046 sec
11 15:29:08	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * SHOW TABLES;

```

Result Grid

Tables_in_reliance_supermarket
bill
bill_item
category
customer
employee
payment
product
purchase_order
supplier

Output

Time	Action	Message	Duration / Fetch
7 15:27:17	CREATE TABLE Employee (emp_id VARCHAR(10) NOT NULL, first_name VARCHAR(50) NOT NULL, ...)	0 row(s) affected	0.021 sec
8 15:27:27	CREATE TABLE Bill (bill_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id ...)	0 row(s) affected	0.063 sec
9 15:28:06	CREATE TABLE Bill_Item (item_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec
10 15:28:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) ...)	0 row(s) affected	0.046 sec
11 15:29:00	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NOT NULL, ...)	0 row(s) affected	0.047 sec
12 15:30:34	SHOW TABLES	9 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

STEP 2: Inserting Data into Tables

The screenshot displays the MySQL Workbench interface with two SQL files open. The first file, 'SQL File 1', contains an `INSERT INTO Category` statement with 10 rows of data. The second file, 'SQL File 2', contains an `INSERT INTO Supplier` statement with 8 rows of data. Both queries have been executed, and the output is visible in the 'Output' pane at the bottom.

SQL File 1:

```
1 INSERT INTO Category (cat_id, cat_name, description) VALUES
2 ('CAT001', 'Dairy', 'Milk, butter, cheese, and other dairy products'),
3 ('CAT002', 'Beverages', 'Cold drinks, juices, water, and energy drinks'),
4 ('CAT003', 'Snacks', 'Chips, biscuits, namkeen, and packaged snacks'),
5 ('CAT004', 'Personal Care', 'Soaps, shampoos, toothpastes, and hygiene products'),
6 ('CAT005', 'Household', 'Cleaning agents, detergents, and home utilities'),
7 ('CAT006', 'Bakery', 'Bread, cakes, buns, and baked items'),
8 ('CAT007', 'Frozen Foods', 'Frozen fries, nuggets, ice cream, and ready meals'),
9 ('CAT008', 'Fruits & Vegetables', 'Fresh produce: fruits and vegetables'),
10 ('CAT009', 'Electronics', 'Earphones, chargers, small gadgets'),
11 ('CAT010', 'Stationery', 'Notebooks, pens, files, and office supplies');
```

SQL File 2:

```
1 INSERT INTO Supplier (supplier_id, name, contact_person, phone, email, address) VALUES
2 ('SUP001', 'Fresh Farms Pvt Ltd', 'Ramesh Agarwal', '9881122334', 'ramesh@freshfarms.in', 'Plot 12, Anand Nagar, Pune'),
3 ('SUP002', 'DrinkCo Industries', 'Sunita Mehta', '9812233445', 'sunita@drinkco.in', '5th Floor, Heriwan Point, Mumbai'),
4 ('SUP003', 'SnackWorld Distributors', 'Anil Verma', '9822344556', 'anil@snackworld.in', 'Sector 22, Noida, UP'),
5 ('SUP004', 'CareProducts Ltd', 'Kavitha Reddy', '9833455667', 'kavitha@careproducts.in', 'No. Road, Bengaluru'),
6 ('SUP005', 'HomeEssentials Corp', 'Deepak Shah', '9844566778', 'deepak@homeessentials.in', 'King Road, Surat, Gujarat'),
7 ('SUP006', 'BakeBest Foods', 'Prerna Joshi', '9855677889', 'prerna@bakebest.in', 'Industrial Area, Ludhiana'),
8 ('SUP007', 'FrostLine Pvt Ltd', 'Sameer Gulkarni', '9866788990', 'sameer@frostline.in', 'Cold Storage Zone, Nagpur'),
9 ('SUP008', 'GreenHarvest Agro', 'Nirmala Devi', '9877899001', 'nirmala@greenharvest.in', 'Village Mandi, Nashik'),
10 ('SUP009', 'TechDoods Wholesale', 'Rajan Pillai', '9889000112', 'rajan@techdoods.in', 'Langinton Road, Mumbai'),
11 ('SUP010', 'PaperPlus Stationery', 'Asha Trivedi', '9890011223', 'asha@paperplus.in', 'Civil Lines, Jaipur');
```

Output:

#	Time	Action	Message	Duration / Fetch
8	15:27:27	CREATE TABLE BN (item_id VARCHAR(10) NOT NULL, customer_id VARCHAR(10), emp_id ...	0 row(s) affected	0.063 sec
9	15:28:06	CREATE TABLE BN_item (item_id VARCHAR(10) NOT NULL, item_id VARCHAR(10) NOT NULL ...	0 row(s) affected	0.047 sec
10	15:28:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) ...	0 row(s) affected	0.046 sec
11	15:29:08	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, item_id VARCHAR(10) NO...	0 row(s) affected	0.047 sec
12	15:30:34	SHOW TABLES	9 row(s) returned	0.000 sec / 0.000 sec
13	15:31:34	INSERT INTO Category (cat_id, cat_name, description) VALUES (CAT001, 'Dairy', 'Milk, butter, chee...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

Output:

#	Time	Action	Message	Duration / Fetch
9	15:28:06	CREATE TABLE BN_item (item_id VARCHAR(10) NOT NULL, item_id VARCHAR(10) NOT NULL ...	0 row(s) affected	0.047 sec
10	15:28:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) ...	0 row(s) affected	0.046 sec
11	15:29:08	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, item_id VARCHAR(10) NO...	0 row(s) affected	0.047 sec
12	15:30:34	SHOW TABLES	9 row(s) returned	0.000 sec / 0.000 sec
13	15:31:34	INSERT INTO Category (cat_id, cat_name, description) VALUES (CAT001, 'Dairy', 'Milk, butter, chee...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
14	15:33:29	INSERT INTO Supplier (supplier_id, name, contact_person, phone, email, address) VALUES (SUP001, 'Fresh...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.016 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```
1 * INSERT INTO Product (product_id, product_name, cat_id, supplier_id, price, stock_qty, reorder_level, unit) VALUES
2 ( 'PROD001', 'Amul Full Cream Milk 1L', 'CAT0001', 'SUP0001', 20.00, 150, 20, 'Litre'),
3 ( 'PROD002', 'Coca-Cola 2L Bottle', 'CAT0002', 'SUP0002', 60.00, 200, 40, 'Bottle'),
4 ( 'PROD003', 'Lays Classic Salted Chips', 'CAT0003', 'SUP0003', 20.00, 300, 50, 'Packet'),
5 ( 'PROD004', 'Dove Beauty Soap 100g', 'CAT0004', 'SUP0004', 45.00, 100, 15, 'Piece'),
6 ( 'PROD005', 'Vib Dishwash Bar 200g', 'CAT0005', 'SUP0005', 22.00, 250, 40, 'Piece'),
7 ( 'PROD006', 'Britannia Whole Wheat Bread', 'CAT0006', 'SUP0006', 35.00, 120, 25, 'Loaf'),
8 ( 'PROD007', 'McCaIn French Fries 400g', 'CAT0007', 'SUP0007', 120.00, 80, 20, 'Pack'),
9 ( 'PROD008', 'Fresh Tomatoes 1kg', 'CAT0008', 'SUP0008', 40.00, 80, 15, 'kg'),
10 ( 'PROD009', 'Bolt Bassheads 100 Earphones', 'CAT0009', 'SUP0009', 700.00, 10, 'Piece'),
11 ( 'PROD010', 'Classmate Single Line Notebook', 'CAT0010', 'SUP0010', 55.00, 200, 20, 'Piece')
```

Output

Time	Action	Message	Duration / Fetch
10 15:20:42	CREATE TABLE Purchase_Order (po_id VARCHAR(10) NOT NULL, supplier_id VARCHAR(10) NO...	0 row(s) affected	0.046 sec
11 15:20:08	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NO...	0 row(s) affected	0.047 sec
12 15:30:34	SHOW TABLES	9 row(s) returned	0.000 sec / 0.000 sec
13 15:31:34	INSERT INTO Category (cat_id, cat_name, description) VALUES (CAT001, 'Dairy', 'Milk, butter, chee...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
14 15:33:25	INSERT INTO Supplier (supplier_id, name, contact_person, phone, email, address) VALUES (SUP001, 'Fres...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
15 15:33:53	INSERT INTO Product (product_id, product_name, cat_id, supplier_id, price, stock_qty, reorder_level, unit) VA...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```
1 * INSERT INTO Customer (customer_id, first_name, last_name, phone, email, address, loyalty_points) VALUES
2 ( 'CUST001', 'Aarav', 'Sharma', '97900011111', 'aarav.sharma@gmail.com', 'B-12, Vasant Vihar, Delhi', 50),
3 ( 'CUST002', 'Priya', 'Patel', '97900022222', 'priya.patel@gmail.com', '45, Paldi, Ahmedabad', 120),
4 ( 'CUST003', 'Rohan', 'Mehta', '97900033333', 'rohan.mehta@yahoo.com', '7, Koregaon Park, Pune', 30),
5 ( 'CUST004', 'Sneha', 'Reddy', '97900044444', 'sneha.reddy@gmail.com', '22, Banjara Hills, Hyderabad', 200),
6 ( 'CUST005', 'Karan', 'Singh', '97900055555', 'karan.singh@outlook.com', '101, Sector 15, Chandigarh', 75),
7 ( 'CUST006', 'Ananya', 'Nair', '97900066666', 'ananya.nair@gmail.com', '8, Indiranagar, Bengaluru', 90),
8 ( 'CUST007', 'Vikram', 'Joshi', '97900077777', 'vikram.joshi@gmail.com', '55, Borivali West, Mumbai', 15),
9 ( 'CUST008', 'Deepika', 'Gupta', '97900088888', 'deepika.gupta@gmail.com', 'Flat 40, Salt Lake, Kolkata', 60),
10 ( 'CUST009', 'Aditya', 'Kumar', '97900099999', 'aditya.kumar@gmail.com', '10, Anna Nagar, Chennai', 40),
11 ( 'CUST010', 'Pooja', 'Verma', '97900101010', 'pooja.verma@outlook.com', '55, Civil Lines, Lucknow', 85);
```

Output

Time	Action	Message	Duration / Fetch
11 15:29:00	CREATE TABLE Payment (payment_id VARCHAR(10) NOT NULL, bill_id VARCHAR(10) NO...	0 row(s) affected	0.047 sec
12 15:30:34	SHOW TABLES	9 row(s) returned	0.000 sec / 0.000 sec
13 15:31:34	INSERT INTO Category (cat_id, cat_name, description) VALUES (CAT001, 'Dairy', 'Milk, butter, chee...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
14 15:33:25	INSERT INTO Supplier (supplier_id, name, contact_person, phone, email, address) VALUES (SUP001, 'Fres...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
15 15:33:53	INSERT INTO Product (product_id, product_name, cat_id, supplier_id, price, stock_qty, reorder_level, unit) VA...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
16 15:34:27	INSERT INTO Customer (customer_id, first_name, last_name, phone, email, address, loyalty_points) VALUES (...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * INSERT INTO Bill (bill_id, customer_id, emp_id, bill_date, total_amount, payment_method, status) VALUES
2 ( 'BILL001', 'CUST001', 'EMP001', '2025-01-05 10:15:00', '124.00', 'Cash', 'Paid' ),
3 ( 'BILL002', 'CUST002', 'EMP002', '2025-01-06 11:30:00', '175.00', 'UPI', 'Paid' ),
4 ( 'BILL003', 'CUST003', 'EMP003', '2025-01-07 14:00:00', '136.00', 'Card', 'Paid' ),
5 ( 'BILL004', 'CUST004', 'EMP005', '2025-01-08 09:45:00', '360.00', 'Cash', 'Paid' ),
6 ( 'BILL005', 'CUST005', 'EMP003', '2025-01-09 16:20:00', '799.00', 'Card', 'Paid' ),
7 ( 'BILL006', 'CUST006', 'EMP005', '2025-01-10 13:00:00', '275.00', 'UPI', 'Paid' ),
8 ( 'BILL007', 'CUST007', 'EMP002', '2025-01-11 10:50:00', '335.00', 'Cash', 'Paid' ),
9 ( 'BILL008', 'CUST008', 'EMP005', '2025-01-12 17:10:00', '80.00', 'Wallet', 'Paid' ),
10 ( 'BILL009', 'CUST009', 'EMP003', '2025-01-13 12:00:00', '35.00', 'UPI', 'Paid' ),
11 ( 'BILL010', 'CUST010', 'EMP005', '2025-01-14 15:30:00', '80.00', 'Card', 'Paid' );

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:35:25	INSERT INTO Bill (bill_id, customer_id, emp_id, bill_date, total_amount, payment_method, status) VALUES (BILL...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * INSERT INTO Bill_Item (item_id, bill_id, product_id, quantity, unit_price, subtotal) VALUES
2 ( 'BI001', 'BILL001', 'PROD001', 3, 28.00, 84.00 ),
3 ( 'BI002', 'BILL001', 'PROD003', 2, 20.00, 40.00 ),
4 ( 'BI003', 'BILL002', 'PROD002', 2, 65.00, 130.00 ),
5 ( 'BI004', 'BILL003', 'PROD004', 3, 45.00, 135.00 ),
6 ( 'BI005', 'BILL003', 'PROD006', 3, 35.00, 105.00 ),
7 ( 'BI006', 'BILL003', 'PROD005', 3, 22.00, 66.00 ),
8 ( 'BI007', 'BILL004', 'PROD007', 2, 120.00, 240.00 ),
9 ( 'BI008', 'BILL004', 'PROD008', 2, 60.00, 120.00 ),
10 ( 'BI009', 'BILL005', 'PROD009', 3, 799.00, 2397.00 ),
11 ( 'BI010', 'BILL006', 'PROD010', 5, 55.00, 275.00 ),
12 ( 'BI011', 'BILL007', 'PROD001', 5, 28.00, 140.00 ),
13 ( 'BI012', 'BILL007', 'PROD002', 3, 65.00, 195.00 ),
14 ( 'BI013', 'BILL008', 'PROD003', 4, 20.00, 80.00 ),
15 ( 'BI014', 'BILL009', 'PROD004', 1, 35.00, 35.00 ),
16 ( 'BI015', 'BILL010', 'PROD004', 2, 45.00, 90.00 );

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:35:25	INSERT INTO Bill (bill_id, customer_id, emp_id, bill_date, total_amount, payment_method, status) VALUES (BILL...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
2	15:35:56	INSERT INTO Bill_Item (item_id, bill_id, product_id, quantity, unit_price, subtotal) VALUES (BI001, 'BILL001, PR...	15 row(s) affected Records: 15 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```
1 * INSERT INTO Purchase_Order (po_id, supplier_id, emp_id, order_date, expected_date, status, total_amount) VALUES
2 ( 'PO001', 'SUP001', 'EMP004', '2025-01-02', '2025-01-05', 'Received', 5600.00),
3 ( 'PO002', 'SUP002', 'EMP004', '2025-01-03', '2025-01-07', 'Received', 9750.00),
4 ( 'PO003', 'SUP003', 'EMP004', '2025-01-05', '2025-01-09', 'Received', 4900.00),
5 ( 'PO004', 'SUP004', 'EMP000', '2025-01-06', '2025-01-12', 'Pending', 6500.00),
6 ( 'PO005', 'SUP005', 'EMP004', '2025-01-07', '2025-01-11', 'Received', 3300.00),
7 ( 'PO006', 'SUP006', 'EMP000', '2025-01-08', '2025-01-14', 'Pending', 4200.00),
8 ( 'PO007', 'SUP007', 'EMP004', '2025-01-09', '2025-01-13', 'Received', 10000.00),
9 ( 'PO008', 'SUP008', 'EMP004', '2025-01-10', '2025-01-15', 'Pending', 3200.00),
10 ( 'PO009', 'SUP009', 'EMP000', '2025-01-11', '2025-01-16', 'Pending', 39500.00),
11 ( 'PO010', 'SUP010', 'EMP004', '2025-01-12', '2025-01-16', 'Received', 5300.00);
```

Output

#	Time	Action	Message	Duration / Fetch
1	15:35:25	INSERT INTO BI_bill_customer_id,emp_id,bill_date,total_amount,payment_method,status) VALUES (BILL...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
2	15:35:56	INSERT INTO BI_item_id,bill_id,product_id,quantity,unit_price,subtotal) VALUES (BI001',BILL001',PR...	15 row(s) affected Records: 15 Duplicates: 0 Warnings: 0	0.000 sec
3	15:36:22	INSERT INTO Purchase_Order (po_id,supplier_id,emp_id,order_date,expected_date,status,total_amount) VA...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```
1 * INSERT INTO Payment (payment_id, bill_id, payment_date, amount, payment_mode, transaction_ref) VALUES
2 ( 'PAY001', 'BILL001', '2025-01-05 10:15:30', 124.00, 'Cash', NULL),
3 ( 'PAY002', 'BILL002', '2025-01-06 11:31:00', 175.00, 'UPI', 'UPI20250106-80421'),
4 ( 'PAY003', 'BILL003', '2025-01-07 14:01:00', 136.00, 'Card', 'CARD20250107-11329'),
5 ( 'PAY004', 'BILL004', '2025-01-08 09:46:00', 368.00, 'Cash', NULL),
6 ( 'PAY005', 'BILL005', '2025-01-09 10:21:00', 799.00, 'Card', 'CARD20250109-54081'),
7 ( 'PAY006', 'BILL006', '2025-01-10 13:01:00', 275.00, 'UPI', 'UPI20250110-38037'),
8 ( 'PAY007', 'BILL007', '2025-01-11 10:51:00', 335.00, 'Cash', NULL),
9 ( 'PAY008', 'BILL008', '2025-01-12 17:11:00', 80.00, 'Wallet', 'WALL20250112-60280'),
10 ( 'PAY009', 'BILL009', '2025-01-13 12:01:00', 35.00, 'UPI', 'UPI20250113-18445'),
11 ( 'PAY010', 'BILL010', '2025-01-14 15:31:00', 96.00, 'Card', 'CARD20250114-78932');
```

Output

#	Time	Action	Message	Duration / Fetch
1	15:35:25	INSERT INTO BI_bill_customer_id,emp_id,bill_date,total_amount,payment_method,status) VALUES (BILL...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
2	15:35:56	INSERT INTO BI_item_id,bill_id,product_id,quantity,unit_price,subtotal) VALUES (BI001',BILL001',PR...	15 row(s) affected Records: 15 Duplicates: 0 Warnings: 0	0.000 sec
3	15:36:22	INSERT INTO Purchase_Order (po_id,supplier_id,emp_id,order_date,expected_date,status,total_amount) VA...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
4	15:36:51	INSERT INTO Payment (payment_id,bill_id,payment_date,amount,payment_mode,transaction_ref) VALUES (P...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```
1 * SELECT table_name, table_rows
2 FROM information_schema.tables
3 WHERE table_schema = 'retailance_supermarket';
```

Result Grid

TABLE_NAME	TABLE_ROWS
bill	10
bill_item	15
category	10
customer	10
employee	10
payment	10
product	10
purchase_order	10
supplier	10

tables 2 x

Output

#	Time	Action	Message	Duration / Fetch
1	15:35:25	INSERT INTO bill (bill_id, customer_id, emp_id, bill_date, total_amount, payment_method, status) VALUES (BILL...	10 rows(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
2	15:35:56	INSERT INTO bill_item (bill_id, item_id, bill_id, product_id, quantity, unit_price, subtotal) VALUES (BILLID, P...	15 rows(s) affected Records: 15 Duplicates: 0 Warnings: 0	0.000 sec
3	15:36:22	INSERT INTO Purchase_Order (po_id, supplier_id, emp_id, order_date, expected_date, status, total_amount) V...	10 rows(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
4	15:36:51	INSERT INTO Payment (payment_id, bill_id, payment_date, amount, payment_mode, transaction_ref) VALUES (...	10 rows(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
5	15:37:50	SELECT table_name, table_rows FROM information_schema.tables WHERE table_schema = 'retailance_supermar...	9 rows(s) returned	0.015 sec / 0.000 sec

Object Info Session

STEP 3: Running Queries

The first screenshot shows a MySQL Workbench window with a query in the SQL File editor. The query is an INNER JOIN between the Product and Category tables. The result grid displays 10 rows of product data, including product names, prices, stock quantities, and category names.

The second screenshot shows the same MySQL Workbench window with a different query. This query filters products where the price is greater than 50 and orders them by price in descending order. The result grid displays 4 rows of product data.

Query 1: INNER JOIN

```
1 -- Shows each product along with its category name
2 * SELECT p.product_name, p.price, p.stock_qty, c.cat_name
3 FROM Product p
4 INNER JOIN Category c ON p.cat_id = c.cat_id;
```

product_name	price	stock_qty	cat_name
Amul Full Cream Milk 1L	28.00	150	Dairy
Coca-Cola 2L Bottle	65.00	200	Beverages
Lays Classic Salted Chips	20.00	300	Snacks
Dove Beauty Soap 100g	45.00	180	Personal Care
Van Dabwah Bar 200g	22.00	250	Household
Britanna Whole Wheat Bread	35.00	120	Bakery
McCain French Fries 400g	120.00	90	Frozen Foods
Fresh Tomatoes 1kg	40.00	80	Fruits & Vegetables
boAt Bassheads 100 Earphones	799.00	50	Electronics
Classmate Single Line Notebook	55.00	200	Stationery

Query 2: WHERE price > 50

```
1 -- Shows only products where price is above 50, sorted by price
2 * SELECT product_name, price, stock_qty, unit
3 FROM Product
4 WHERE price > 50
5 ORDER BY price DESC;
```

product_name	price	stock_qty	unit
boAt Bassheads 100 Earphones	799.00	50	Piece
McCain French Fries 400g	120.00	90	Pack
Coca-Cola 2L Bottle	65.00	200	Bottle
Classmate Single Line Notebook	55.00	200	Piece

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Shows how much each customer has spent in total
2 SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills,
3       SUM(b.total_amount) AS total_spent
4 FROM Customer c
5 INNER JOIN bill b ON c.customer_id = b.customer_id
6 GROUP BY c.customer_id, c.first_name, c.last_name;

```

Result Grid

first_name	last_name	total_bills	total_spent
Aarav	Sharma	1	124.00
Priya	Patel	1	175.00
Rohan	Mehta	1	136.00
Sneha	Reddy	1	360.00
Karan	Singh	1	799.00
Ananya	Nair	1	275.00
Vinay	Joshi	1	335.00
Deepika	Gupta	1	80.00
Aditya	Kumar	1	35.00
Pooja	Verma	1	90.00

Output

#	Time	Action	Message	Duration / Fetch
1	15:51:32	USE reference_supermarket	0 row(s) affected	0.000 sec
2	15:51:51	SELECT p.product_name, p.price, p.stock_qty, c.cat_name FROM Product p INNER JOIN Category c ON p.cat...	10 row(s) returned	0.000 sec / 0.000 sec
3	15:52:31	SELECT product_name, price, stock_qty, unit FROM Product WHERE price > 50 ORDER BY price DESC LIMIT...	4 row(s) returned	0.032 sec / 0.000 sec
4	15:52:58	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent FR...	10 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Shows only those customers whose total spending exceeds $200
2 SELECT c.first_name, c.last_name,
3       SUM(b.total_amount) AS total_spent
4 FROM Customer c
5 INNER JOIN bill b ON c.customer_id = b.customer_id
6 GROUP BY c.customer_id, c.first_name, c.last_name
7 HAVING total_spent > 200;

```

Result Grid

first_name	last_name	total_spent
Sneha	Reddy	360.00
Karan	Singh	799.00
Ananya	Nair	275.00
Vinay	Joshi	335.00

Output

#	Time	Action	Message	Duration / Fetch
1	15:51:32	USE reference_supermarket	0 row(s) affected	0.000 sec
2	15:51:51	SELECT p.product_name, p.price, p.stock_qty, c.cat_name FROM Product p INNER JOIN Category c ON p.cat...	10 row(s) returned	0.000 sec / 0.000 sec
3	15:52:31	SELECT product_name, price, stock_qty, unit FROM Product WHERE price > 50 ORDER BY price DESC LIMIT...	4 row(s) returned	0.032 sec / 0.000 sec
4	15:52:58	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent FR...	10 row(s) returned	0.000 sec / 0.000 sec
5	15:53:31	SELECT c.first_name, c.last_name, SUM(b.total_amount) AS total_spent FROM Customer c INNER JOIN BI...	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Shows each bill with the customer name and cashier name
2 SELECT b.bill_id, b.bill_date,
3       CONCAT(c.first_name, ' ', c.last_name) AS customer_name,
4       CONCAT(e.first_name, ' ', e.last_name) AS cashier_name,
5       b.total_amount, b.payment_method
6 FROM BILL b
7 INNER JOIN Customer c ON b.customer_id = c.customer_id
8 INNER JOIN Employee e ON b.emp_id = e.emp_id
9 ORDER BY b.bill_date;

```

Result Grid

bill_id	bill_date	customer_name	cashier_name	total_amount	payment_method
BILL001	2025-01-05 10:15:00	Aarav Sharma	Priya Sharma	124.00	Cash
BILL002	2025-01-06 11:30:00	Priya Patel	Amit Singh	175.00	UPI
BILL003	2025-01-07 14:00:00	Rohan Mehra	Priya Sharma	136.00	Card
BILL004	2025-01-08 09:45:00	Sneha Reddy	Vikram Rao	360.00	Cash
BILL005	2025-01-09 16:20:00	Karan Singh	Amit Singh	709.00	Card
BILL006	2025-01-10 13:00:00	Ananya Nair	Arun Reddy	275.00	UPI
BILL007	2025-01-11 10:50:00	Vikram Joshi	Priya Sharma	335.00	Cash
BILL008	2025-01-12 19:00:00	Deepika Gupta	Vikram Rao	96.00	Wallet
BILL009	2025-01-13 12:00:00	Aditya Kumar	Amit Singh	35.00	UPI
BILL010	2025-01-14 18:30:00	Pooja Verma	Arun Reddy	90.00	Card

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	15:51:32	USE reference_supermarket	0 row(s) affected	0.000 sec / 0.000 sec
2	15:51:51	SELECT p.product_name, p.price, p.stock_qty, c.cat_name FROM Product p INNER JOIN Category c ON p.c...	10 row(s) returned	0.000 sec / 0.000 sec
3	15:52:31	SELECT product_name, price, stock_qty, unit FROM Product WHERE price > 50 ORDER BY price DESC LIM...	4 row(s) returned	0.032 sec / 0.000 sec
4	15:52:50	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent FR...	10 row(s) returned	0.000 sec / 0.000 sec
5	15:53:31	SELECT c.first_name, c.last_name, SUM(b.total_amount) AS total_spent FROM Customer c INNER JOIN BI...	4 row(s) returned	0.000 sec / 0.000 sec
6	15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, ' ', c.last_name) AS customer_name, CONCAT(e.f...	10 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Shows products that don't appear in any bill item
2 SELECT p.product_name, p.price, p.stock_qty
3 FROM Product p
4 LEFT JOIN Bill_Item bi ON p.product_id = bi.product_id
5 WHERE bi.bill_id IS NULL;

```

Result Grid

product_name	price	stock_qty
--------------	-------	-----------

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	15:51:51	SELECT p.product_name, p.price, p.stock_qty, c.cat_name FROM Product p INNER JOIN Category c ON p.c...	10 row(s) returned	0.000 sec / 0.000 sec
3	15:52:31	SELECT product_name, price, stock_qty, unit FROM Product WHERE price > 50 ORDER BY price DESC LIM...	4 row(s) returned	0.032 sec / 0.000 sec
4	15:52:50	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent F...	10 row(s) returned	0.000 sec / 0.000 sec
5	15:53:31	SELECT c.first_name, c.last_name, SUM(b.total_amount) AS total_spent FROM Customer c INNER JOIN BI...	4 row(s) returned	0.000 sec / 0.000 sec
6	15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, ' ', c.last_name) AS customer_name, CONCAT(e.f...	10 row(s) returned	0.000 sec / 0.000 sec
7	15:55:04	SELECT p.product_name, p.price, p.stock_qty FROM Product p LEFT JOIN Bill_Item bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```
-- Shows products whose price is above the average product price
SELECT product_name, price, stock_qty
FROM Product
WHERE price > (SELECT AVG(price) FROM Product)
ORDER BY price DESC
```

Result Grid

product_name	price	stock_qty
bea1 Baseballs	100	50

Product 9

Output

Action Output

Time	Action	Message	Duration / Fetch
15:52:31	SELECT product_name, price, stock_qty, unit FROM Product WHERE price > 50 ORDER BY price DESC LIM...	4 row(s) returned	0.032 sec / 0.000 sec
15:52:59	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent F...	10 row(s) returned	0.000 sec / 0.000 sec
15:53:31	SELECT c.first_name, c.last_name, SUM(b.total_amount) AS total_spent FROM Customer c INNER JOIN ...	4 row(s) returned	0.000 sec / 0.000 sec
15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, c.last_name) AS customer_name, CONCAT(c.f...	10 row(s) returned	0.000 sec / 0.000 sec
15:55:04	SELECT p.product_name, p.price, p.stock_qty FROM Product p LEFT JOIN Bill_Items bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec
15:55:48	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

SQL File

```
-- Shows each paid bill along with its payment mode and reference
SELECT b.bill_id, b.bill_date, b.total_amount,
p.payment_mode, p.transaction_ref, p.payment_date
FROM Bill b
INNER JOIN Payment p ON b.bill_id = p.bill_id
WHERE b.status = 'Paid'
ORDER BY b.bill_date
```

Result Grid

bill_id	bill_date	total_amount	payment_mode	transaction_ref	payment_date
BILL001	2025-01-05 10:15:00	124.00	Cash		2025-01-05 10:15:30
BILL002	2025-01-06 11:30:00	175.00	UPI	UPI20250106-88421	2025-01-06 11:31:00
BILL003	2025-01-07 14:00:00	136.00	Card	CARD20250107-11329	2025-01-07 14:01:00
BILL004	2025-01-08 09:45:00	360.00	Cash		2025-01-08 09:46:00
BILL005	2025-01-09 16:20:00	789.00	Card	CARD20250109-54881	2025-01-09 16:21:00
BILL006	2025-01-10 13:00:00	275.00	UPI	UPI20250110-30017	2025-01-10 13:01:00
BILL007	2025-01-11 10:50:00	335.00	Cash		2025-01-11 10:51:00
BILL008	2025-01-12 17:10:00	80.00	Wallet	WALT20250112-66283	2025-01-12 17:11:00
BILL009	2025-01-13 12:00:00	35.00	UPI	UPI20250113-10445	2025-01-13 12:01:00
BILL010	2025-01-14 18:30:00	90.00	Card	CARD20250114-78932	2025-01-14 18:31:00

Result 10

Output

Action Output

Time	Action	Message	Duration / Fetch
15:52:50	SELECT c.first_name, c.last_name, COUNT(b.bill_id) AS total_bills, SUM(b.total_amount) AS total_spent F...	10 row(s) returned	0.000 sec / 0.000 sec
15:53:31	SELECT c.first_name, c.last_name, SUM(b.total_amount) AS total_spent FROM Customer c INNER JOIN ...	4 row(s) returned	0.000 sec / 0.000 sec
15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, c.last_name) AS customer_name, CONCAT(c.f...	10 row(s) returned	0.000 sec / 0.000 sec
15:55:04	SELECT p.product_name, p.price, p.stock_qty FROM Product p LEFT JOIN Bill_Items bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec
15:55:48	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec
15:56:20	SELECT b.bill_id, b.bill_date, b.total_amount, p.payment_mode, p.transaction_ref, p.payment_date FROM ...	10 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Increases the price of all Dairy products by 5%
2 UPDATE Product
3 SET price = price * 1.05
4 WHERE cat_id = 'CAT001';
5

```

Output

Time	Action	Message	Duration / Fetch
15:53:31	SELECT c.first_name, c.last_name, SUM(p.total_amount) AS total_spent FROM Customer c INNER JOIN...	4 row(s) returned	0.000 sec / 0.000 sec
15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, ' ', c.last_name) AS customer_name, CONCAT(b...	10 row(s) returned	0.000 sec / 0.000 sec
15:55:04	SELECT p.product_name, p.price, p.stock_qty FROM Product p LEFT JOIN Bill_item bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec
15:55:40	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec
15:56:20	SELECT b.bill_id, b.bill_date, b.total_amount, p.payment_mode, p.transaction_ref, p.payment_date FROM ...	10 row(s) returned	0.016 sec / 0.000 sec
15:57:13	UPDATE Product SET price = price * 1.05 WHERE cat_id = 'CAT001'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.031 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * SELECT product_name, price FROM Product WHERE cat_id = 'CAT001';
2

```

Result Grid

product_name	price
Amul Full Cream Milk IL	29.40

Export: | Wrap Cell Contents

Product 11

Output

Time	Action	Message	Duration / Fetch
15:54:07	SELECT b.bill_id, b.bill_date, CONCAT(c.first_name, ' ', c.last_name) AS customer_name, CONCAT(b...	10 row(s) returned	0.000 sec / 0.000 sec
15:55:04	SELECT p.product_name, p.price, p.stock_qty FROM Product p LEFT JOIN Bill_item bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec
15:55:40	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec
15:56:20	SELECT b.bill_id, b.bill_date, b.total_amount, p.payment_mode, p.transaction_ref, p.payment_date FROM ...	10 row(s) returned	0.016 sec / 0.000 sec
15:57:13	UPDATE Product SET price = price * 1.05 WHERE cat_id = 'CAT001'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.031 sec
15:58:08	SELECT product_name, price FROM Product WHERE cat_id = 'CAT001' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 -- Deletes a specific bill item from the Bill_Item table
2 * DELETE FROM Bill_Item
3 WHERE item_id = 'B015';

```

Output

#	Time	Action	Message	Duration / Fetch
7	15:55:04	SELECT product_name, price, stock_qty FROM Product p LEFT JOIN Bill_Item bi ON p.product_id = bi.p...	0 row(s) returned	0.000 sec / 0.000 sec
8	15:55:48	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec
9	15:56:20	SELECT b.bill_id, b.bill_date, b.total_amount, p.payment_mode, p.transaction_ref, p.payment_date FROM	10 row(s) returned	0.016 sec / 0.000 sec
10	15:57:13	UPDATE Product SET price = price * 1.05 WHERE cat_id = 'CAT001'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.031 sec
11	15:58:00	SELECT product_name, price FROM Product WHERE cat_id = 'CAT001' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	15:58:39	DELETE FROM Bill_Item WHERE item_id = 'B015'	1 row(s) affected	0.015 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File

```

1 * SELECT * FROM Bill_Item;

```

Result Grid

item_id	bill_id	product_id	quantity	unit_price	subtotal
B0001	BILL001	PROD001	3	28.00	84.00
B0002	BILL001	PROD003	2	20.00	40.00
B0003	BILL002	PROD002	2	65.00	130.00
B0004	BILL002	PROD004	1	45.00	45.00
B0005	BILL003	PROD006	2	35.00	70.00
B0006	BILL003	PROD005	2	22.00	44.00
B0007	BILL004	PROD007	2	120.00	240.00
B0008	BILL004	PROD008	3	40.00	120.00
B0009	BILL005	PROD009	1	799.00	799.00
B0010	BILL006	PROD010	5	55.00	275.00
B0011	BILL007	PROD001	5	28.00	140.00
B0012	BILL007	PROD002	3	65.00	195.00
B0013	BILL008	PROD003	4	20.00	80.00
B0014	BILL009	PROD006	1	35.00	35.00

Bill_Item 12

Output

#	Time	Action	Message	Duration / Fetch
8	15:55:40	SELECT product_name, price, stock_qty FROM Product WHERE price > (SELECT AVG(price) FROM Product...	1 row(s) returned	0.000 sec / 0.000 sec
9	15:56:20	SELECT b.bill_id, b.bill_date, b.total_amount, p.payment_mode, p.transaction_ref, p.payment_date FROM	10 row(s) returned	0.016 sec / 0.000 sec
10	15:57:13	UPDATE Product SET price = price * 1.05 WHERE cat_id = 'CAT001'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.031 sec
11	15:58:00	SELECT product_name, price FROM Product WHERE cat_id = 'CAT001' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	15:58:39	DELETE FROM Bill_Item WHERE item_id = 'B015'	1 row(s) affected	0.015 sec
13	15:58:17	SELECT * FROM Bill_Item LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec

Object Info Session