Proton Servo (Steel Gears, 180° Rotation, Torque Ratio)

SKU: 2002-0180-0002

$17.99

1 Add to Cart

Add to Wish List



Copyright Base10 Assets®. All Rights Reserved. No part of this image may be reproduced in any form or by any means without permission in writing from Base10 Assets®.





This website uses cookies to ensure you get the best experience on our website

Accept Cookies

in every other way. The 'Torque' version sacrifices speed to optimize its performance in higher torque applications.

While makers of all levels can appreciate the **steel gears** that form the Proton's core, the nucleus of the design is **beginner-friendly accessibility**! That's why the Proton's set of features has been pared-down to the bare essentials:

- **180° of rotation** to turn your ideas into reality
- **75 oz-in of torque** to push your project into innovation
- an **H25T spline**, which you can use to mount all kinds of rotating components found throughout the goBILDA® ecosystem and the wider hobby market

Looking to make your start in robotics, or provide one for someone else? The Proton can be a **fantastic first step** for implementing servo solutions in novice projects without straining your wallet!

DOWNLOADS

STEP File

SPECS

Weight	52g
Output Shaft Style	25 Tooth Spline
Voltage Range	4.8V - 6.0V
No-Load Speed (4.8V)	0.21 sec/60° (48RPM)
No-Load Speed (6.0V)	0.19 sec/60° (55RPM)
Stall Torque (4.8V)	65 oz-in (4.68 kg.cm)
Stall Torque (6.0V)	75 oz-in (5.40 kg.cm)

This website uses cookies to ensure you get the best experience on our website

(6.0V)	
Stall Current (4.8V)	800mA
Stall Current (6.0V)	1,000mA
Max PWM Range	600-2400µsec
Travel per µsec	0.105°/µsec
Max Rotation	189°
Pulse Amplitude	3-5V
Deadband Width	5µsec
Motor Type	Brushed DC
Feedback Style	5KΩ Potentiometer
Output Shaft Support	Dual Ball Bearing
Gear Material	Steel
Wire Length	11.81" (300mm)
Wire Gauge	22AWG
Connector Type	3-Pos TJC8 Servo Connector [MH-FC]
Servo Size	Standard
Direction with Increasing PWM Signal	Clockwise

RELATED PRODUCTS:

These products have been hand curated by our R&D team. We have selected products that are directly compatible with or very

This website uses cookies to ensure you get the best experience on our website

25 Tooth Spline Servo Arms

25 Tooth Spline Servo Hubs



25T Spline Servo Gears

3410-0025-… 3410 Series Servo-Mount Winch Pulley (25T Spline, Dual Spool, 112mm Circumferenc

$8.99

25 Tooth Spline Servo Couplers

25 Tooth Spline Servo Shafts

Mounting

1804-0032-… Servo Stand (Standard Size)

$6.99

1801-0040-… Servo Plate (Standard Size)

$4.99

1802-0043-… Servo Frame (Standard Size)

$7.99

1800-0040-… Servo Pattern Plate (Standard Size)

$5.99

This website uses cookies to ensure you get the best experience on our website

Electronics

Servo Controllers

Servo Signal Boosters

Servo Signal Modification & Monitoring

Servo Power

TJC8 Servo Wiring

This website uses cookies to ensure you get the best experience on our website