Sign Up   Log in

CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C

HTML Element Reference - By Category

‹ Previous   Next ›

Basic HTML

Tag	Description
<!DOCTYPE>	Defines the document type
<html>	Defines an HTML document
<head>	Contains metadata/information for the document
<title>	Defines a title for the document
<body>	Defines the document's body
<h1> to <h6>	Defines HTML headings
<p>	Defines a paragraph
 	Inserts a single line break
<hr>	Defines a thematic change in the content
<!--...-->	Defines a comment

Formatting

<abbr>	Defines an abbreviation or an acronym
<address>	Defines contact information for the author/owner of a document/article
<b>	Defines bold text
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Not supported in HTML5. Use CSS instead. Defines big text
<blockquote>	Defines a section that is quoted from another source
<center>	Not supported in HTML5. Use CSS instead. Defines centered text
<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<del>	Defines text that has been deleted from a document
<dfn>	Specifies a term that is going to be defined within the content
<em>	Defines emphasized text
<font>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<i>	Defines a part of text in an alternate voice or mood
<ins>	Defines a text that has been inserted into a document
<kbd>	Defines keyboard input
<mark>	Defines marked/highlighted text
<meter>	Defines a scalar measurement within a known range (a gauge)
<pre>	Defines preformatted text
<progress>	Represents the progress of a task

<rt>	Defines an explanation/pronunciation of characters (for East Asian typography)
<ruby>	Defines a ruby annotation (for East Asian typography)
<s>	Defines text that is no longer correct
<samp>	Defines sample output from a computer program
<small>	Defines smaller text
<strike>	Not supported in HTML5. Use <del> or <s> instead. Defines strikethrough text
<strong>	Defines important text
<sub>	Defines subscripted text
<sup>	Defines superscripted text
<template>	Defines a container for content that should be hidden when the page loads
<time>	Defines a specific time (or datetime)
<tt>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u>	Defines some text that is unarticulated and styled differently from normal text
<var>	Defines a variable
<wbr>	Defines a possible line-break

Forms and Input

Tag	Description
<form>	Defines an HTML form for user input

<button>	Defines a clickable button
<select>	Defines a drop-down list
<optgroup>	Defines a group of related options in a drop-down list
<option>	Defines an option in a drop-down list
<label>	Defines a label for an <input> element
<fieldset>	Groups related elements in a form
<legend>	Defines a caption for a <fieldset> element
<datalist>	Specifies a list of pre-defined options for input controls
<output>	Defines the result of a calculation

Frames

Tag	Description
<frame>	Not supported in HTML5. Defines a window (a frame) in a frameset
<frameset>	Not supported in HTML5. Defines a set of frames
<noframes>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<iframe>	Defines an inline frame

Images

Tag	Description
<img>	Defines an image
<map>	Defines a client-side image map
<area>	Defines an area inside an image map

<u>\<figure\></u>	Specifies self-contained content
<u>\<picture\></u>	Defines a container for multiple image resources
<u>\<svg\></u>	Defines a container for SVG graphics

Audio / Video

Tag	**Description**
<u>\<audio\></u>	Defines sound content
<u>\<source\></u>	Defines multiple media resources for media elements (\<video\>, \<audio\> and \<picture\>)
<u>\<track\></u>	Defines text tracks for media elements (\<video\> and \<audio\>)
<u>\<video\></u>	Defines a video or movie

Links

Tag	**Description**
<u>\<a\></u>	Defines a hyperlink
<u>\<link\></u>	Defines the relationship between a document and an external resource (most used to link to style sheets)
<u>\<nav\></u>	Defines navigation links

Lists

Tag	**Description**
<u>\<menu\></u>	Defines an alternative unordered list
<u>\<ul\></u>	Defines an unordered list
<u>\<ol\></u>	Defines an ordered list

<dl>	Defines a description list
<dt>	Defines a term/name in a description list
<dd>	Defines a description of a term/name in a description list

Tables

Tag	Description
<table>	Defines a table
<caption>	Defines a table caption
<th>	Defines a header cell in a table
<tr>	Defines a row in a table
<td>	Defines a cell in a table
<thead>	Groups the header content in a table
<tbody>	Groups the body content in a table
<tfoot>	Groups the footer content in a table
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting

Styles and Semantics

Tag	Description
<style>	Defines style information for a document
<div>	Defines a section in a document
<span>	Defines a section in a document

|	
<footer>	Defines a footer for a document or section
<main>	Specifies the main content of a document
<section>	Defines a section in a document
<search>	Defines a search section
<article>	Defines an article
<aside>	Defines content aside from the page content
<details>	Defines additional details that the user can view or hide
<dialog>	Defines a dialog box or window
<summary>	Defines a visible heading for a <details> element
<data>	Adds a machine-readable translation of a given content

Meta Info

Tag	Description
<head>	Defines information about the document
<meta>	Defines metadata about an HTML document
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document

Programming

Tag	Description
<script>	Defines a client-side script
<noscript>	Defines an alternate content for users that do not support client-side scripts

<u>\<object\></u>	Defines an embedded object
<u>\<param\></u>	Defines a parameter for an object

❮ Previous	Log in to track progress	Next ❯

Front-end Certification Program

Prove your skills and increase your earning potential by becoming a W3Schools Certified Front-End developer.

Check It Out!

COLOR PICKER

w3schools

Tutorials ▾   Exercises ▾   Services ▾

Sign Up   Log in

☰   .   CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C

NEWSLETTER   GET CERTIFIED

REPORT ERROR

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

Tutorials ▾   Exercises ▾   Services ▾   🔍   ◑   Sign Up   Log in

≡   .   CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

Tutorials ▾   Exercises ▾   Services ▾   🔍   ◑   Sign Up   Log in

≡   .   CSS   JAVASCRIPT   SQL   PYTHON   JAVA   PHP   HOW TO   W3.CSS   C