1. **Create a tomcat container on 8080 and deploy sample application in tomcat.**

Implementation steps

1. Connect to the EC2 instance using EC2 Instance Connect or SSH.
2. Verify that Docker is installed and running.

```
sudo systemctl status docker --no-pager
```

3. Pull the Tomcat 9 image.

```
sudo docker pull tomcat:9.0
```

4. Create a Tomcat container and map host port 8080 to container port 8080.

```
sudo docker run -d --name tomcat8080 -p 8080:8080 tomcat:9.0
```

5. Download a sample WAR application named sample.war to the EC2 instance.
6. Copy the sample WAR file into the Tomcat container's web applications directory.

```
sudo docker cp sample.war tomcat8080:/usr/local/tomcat/webapps/sample.war
```

7. Verify that the Tomcat container is running.


```
sudo docker ps
```


8. Allow inbound TCP traffic on port 8080 in the EC2 security group's inbound rules.
9. Open the following URL in a browser, replacing EC2-PUBLIC-IP with the instance's public IP address.


```
http://EC2-PUBLIC-IP:8080/sample/
```

Expected result

- The Tomcat container is created and running successfully.
- The container port 8080 is mapped to EC2 port 8080.
- The sample application is deployed successfully.
- The sample application opens in the browser.


hub.docker.com/_/tomcat/tags?name=9.0
New Get $250 in credits for Cloud Sandboxes. Claim credits →
hub
Explore
My Hub
Search Docker Hub
CtrlK
Explore / Official Images / tomcat
tomcat
Docker Official Image · 500M+ · 3.8K
Apache Tomcat is an open source implementation of the Java Servlet and JavaServer Pages technologies
WEB SERVERS
Overview
Tags
Sort by
Newest
9.0
TAG
9.0.123-jre8-temurin-resolute
Last pushed about 8 hours by doijanky
docker pull tomcat:9.0.123-jre8-temurin-resolute
Digest
OS/ARCH
Vulnerabilities
Compressed size
10af770ff3d2
linux/amd64
2 8 0 0 3
115.8 MB
a3053f751a66
linux/arm/v7
2 8 0 0 3
108.92 MB


us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
aws
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
jenkins 2.60.3 cd14cecfdb3a 8 years ago 696MB
[ec2-user@ip-172-31-36-242 ~]$ sudo docker pull tomcat:9.0
9.0: Pulling from library/tomcat
4e07a0f12b2c: Pull complete
06ad70e463aa: Pull complete
5dec61325458: Pull complete
f39241fdc590: Pull complete
4f4fb700ef54: Pull complete
130739ca07b1: Pull complete
954939152883: Pull complete
6db72904ff0f: Pull complete
Digest: sha256:cd946066142aaa3aa79abe69181ede8b3efdf0fdce2a1847826307d108254a18
Status: Downloaded newer image for tomcat:9.0
docker.io/library/tomcat:9.0
[ec2-user@ip-172-31-36-242 ~]$ sudo docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
tomcat 9.0 07a087b26405 13 hours ago 445MB
nginx stable 3a8edbda21b6 7 days ago 163MB
sonarqube community 01676bb7354b 11 days ago 1.44GB
jenkins/jenkins lts-jdk21 82becee63645 13 days ago 445MB
ubuntu 24.04 69f919497cad 3 weeks ago 78.2MB
hello-world latest e2ac70e7319a 6 months ago 10.1kB
jenkins 2.60.3 cd14cecfdb3a 8 years ago 696MB
[ec2-user@ip-172-31-36-242 ~]$
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 35.175.253.127 PrivateIPs: 172.31.36.242


us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
aws
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
root@a5f2b11faf95:/usr/local/tomcat/webapps# ls -l
total 0
root@a5f2b11faf95:/usr/local/tomcat/webapps# exit
exit
[root@ip-172-31-36-242 ~]# sudo docker exec -it tomcat8080 bash
root@a5f2b11faf95:/usr/local/tomcat# cd webapps
root@a5f2b11faf95:/usr/local/tomcat/webapps# wget https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war
bash: wget: command not found
root@a5f2b11faf95:/usr/local/tomcat/webapps# exit
exit
[root@ip-172-31-36-242 ~]# wget https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war
--2026-10-13 12:45:25-- https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war
Resolving tomcat.apache.org (tomcat.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to tomcat.apache.org (tomcat.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 4606 (4.5K)
Saving to: 'sample.war'
sample.war 100%[=====>] 4.50K --.-KB/s in 0s
2026-10-13 12:45:25 (41.5 MB/s) - 'sample.war' saved [4606/4606]
[root@ip-172-31-36-242 ~]# docker cp sample.war tomcat8080:/usr/local/tomcat/webapps/sample.war
Successfully copied 6.14kB to tomcat8080:/usr/local/tomcat/webapps/sample.war
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 35.175.253.127 PrivateIPs: 172.31.36.242



2. **Create volume and deploy tomcat container on port 8081.**

Implementation steps

1. Connect to the EC2 instance.
2. Create a Docker volume named tomcat-volume.

sudo docker volume create tomcat-volume

3. Verify that the volume has been created.

sudo docker volume ls

4. Create a Tomcat container on port 8081 and mount the Docker volume to the Tomcat web applications directory.

sudo docker run -d --name tomcat8081 -p 8081:8080 -v tomcat-volume:/usr/local/tomcat/webapps tomcat:9.0

5. Copy the sample WAR file from the first Tomcat container to the EC2 host.

sudo docker cp tomcat8080:/usr/local/tomcat/webapps/sample.war /tmp/sample.war

6. Copy the sample WAR file into the second Tomcat container.

sudo docker cp /tmp/sample.war tomcat8081:/usr/local/tomcat/webapps/sample.war

7. Verify that the container is running.


sudo docker ps


8. Allow inbound TCP traffic on port 8081 in the EC2 security group's inbound rules.
9. Open the application in a browser.


http://EC2-PUBLIC-IP:8081/sample/

Expected result

- The Docker volume tomcat-volume is created successfully.
- The Tomcat container runs on EC2 port 8081.
- The volume is mounted at /usr/local/tomcat/webapps.
- The sample application opens successfully on port 8081.









3. **Limit the nginx container to 500 MB.**

Implementation steps

1. Connect to the EC2 instance.
2. Pull the Nginx stable image.

sudo docker pull nginx:stable

3. Create an Nginx container with a memory limit of 500 MB and map host port 8082 to container port 80.

sudo docker run -d --name nginx500mb -p 8082:80 --memory=500m nginx:stable

4. Verify that the container is running.

sudo docker ps

5. Check the memory usage and memory limit of the container.

sudo docker stats nginx500mb


6. Allow inbound TCP traffic on port 8082 in the EC2 security group's inbound rules.
7. Open the following URL in a browser.

http://EC2-PUBLIC-IP:8082

Expected result

- The Nginx container is running successfully.
- The container's memory limit is set to 500 MB.
- The default Nginx welcome page opens in the browser.





4. **Create a sample docker file using below instructions.**
    1. **Base module as amazonlinux:latest**
    2. **Maintainer you name**

3. **Install nginx**
4. **COPY one index.html file to image**
5. **Expose on port 80**
6. **Command to start the nginx container**

Implementation steps

1. Connect to the EC2 instance.
2. Create a directory for the Dockerfile project.

```
mkdir dockerfile-task
```

3. Navigate to the project directory.

```
cd dockerfile-task
```

4. Create an HTML file named index.html.

```
vi index.html
```

5. Add the following HTML content to the file and save it.

```
<!DOCTYPE html>
<html>
<head>
  <title>My Docker Assignment</title>
</head>
<body>
  <h1>Welcome to My Docker Container!</h1>
  <p>Nginx is running on Amazon Linux.</p>
</body>
</html>
```

6. Create a file named Dockerfile.

```
vi Dockerfile
```

7. Add the following instructions to the Dockerfile.

```
FROM amazonlinux:latest
MAINTAINER Poojith
RUN dnf install -y nginx
COPY index.html /usr/share/nginx/html/index.html
EXPOSE 80
CMD ["nginx", "-g", "daemon off;"]
```

8. Build the Docker image.

```
sudo docker build -t my-nginx-image .
```

9. Verify that the image has been created.

sudo docker images

10. Create a container from the custom image.

sudo docker run -d --name my-nginx-container -p 8083:80 my-nginx-image

11. Verify that the container is running.

sudo docker ps

12. Test the web page from the EC2 instance.

curl http://localhost:8083


13. Allow inbound TCP traffic on port 8083 in the EC2 security group's inbound rules.


14. Open the following URL in a browser.


http://EC2-PUBLIC-IP:8083


Expected result

- The Dockerfile uses amazonlinux:latest as its base image.
- Nginx is installed inside the image.
- The custom HTML file is copied to the Nginx web directory.
- The image my-nginx-image is built successfully.
- The custom web page opens in the browser.




us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
aws
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
[ec2-user@ip-172-31-36-242 ~]$ cd ~/dockerfile-task
-bash: cd: /home/ec2-user/dockerfile-task: No such file or directory
[ec2-user@ip-172-31-36-242 ~]$ sudo su -
Last login: Tue Oct 13 12:33:30 UTC 2026 on pts/1
[root@ip-172-31-36-242 ~]# cd ~/dockerfile-task/
[root@ip-172-31-36-242 dockerfile-task]# ls -l
total 8
-rw-r--r--. 1 root root 162 Oct 13 12:59 Dockerfile
-rw-r--r--. 1 root root 191 Oct 13 12:59 index.html
[root@ip-172-31-36-242 dockerfile-task]# cat Dockerfile
FROM amazonlinux:latest
MAINTAINER Poojith
RUN dnf install -y nginx
COPY index.html /usr/share/nginx/html/index.html
EXPOSE 80
CMD ["nginx", "-g", "daemon off;"]
[root@ip-172-31-36-242 dockerfile-task]# sudo docker build -t my-nginx-image .
[+] Building 26.5s (8/8) FINISHED docker:default
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 261B 0.0s
=> [internal] load metadata for docker.io/library/amazonlinux:latest 0.2s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> CACHED [1/3] FROM docker.io/library/amazonlinux:latest@sha256:8ed3c0a996841537f75607e7d1de2114d8150391f75792e8da9268738547 0.0s
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 54.196.117.185 PrivateIPs: 172.31.36.242
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
aws
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
=> => transferring dockerfile: 261B 0.0s
=> [internal] load metadata for docker.io/library/amazonlinux:latest 0.2s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> CACHED [1/3] FROM docker.io/library/amazonlinux:latest@sha256:8ed3c0a996841537f75607e7d1de2114d8150391f75792e8da9268738547 0.0s
=> [internal] load build context 0.0s
=> => transferring context: 92B 0.0s
=> [2/3] RUN dnf install -y nginx 25.6s
=> [3/3] COPY index.html /usr/share/nginx/html/index.html 0.0s
=> exporting to image 0.6s
=> => exporting layers 0.6s
=> => writing image sha256:f7f2050020b0ff53c331118a3baf17685a5e9335bb1adad1478e4fd8afe568a5 0.0s
=> => naming to docker.io/library/my-nginx-image 0.0s
[root@ip-172-31-36-242 dockerfile-task]# sudo docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
my-nginx-image latest f7f2050020b0 About a minute ago 421MB
tomcat 9.0 07a087b26405 31 hours ago 445MB
nginx stable 3a8edbda21b6 8 days ago 163MB
sonarqube community 01676bb7354b 12 days ago 1.44GB
jenkins/jenkins lts-jdk21 82becee63645 13 days ago 445MB
ubuntu 24.04 69f919497cad 3 weeks ago 78.2MB
hello-world latest e2ac70e7319a 6 months ago 10.1kB
jenkins 2.60.3 cd14cecfdb3a 8 years ago 696MB
[root@ip-172-31-36-242 dockerfile-task]#
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 54.196.117.185 PrivateIPs: 172.31.36.242
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
aws
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
nginx stable 3a8edbda21b6 8 days ago 163MB
sonarqube community 01676bb7354b 12 days ago 1.44GB
jenkins/jenkins lts-jdk21 82becee63645 13 days ago 445MB
ubuntu 24.04 69f919497cad 3 weeks ago 78.2MB
hello-world latest e2ac70e7319a 6 months ago 10.1kB
jenkins 2.60.3 cd14cecfdb3a 8 years ago 696MB
[root@ip-172-31-36-242 dockerfile-task]# sudo docker run -d --name my-nginx-container -p 8083:80 my-nginx-image
0164ce8ef09f9be9ca9055ebad363586745381c28b9e3f1a87f049d47c00b4d7
[root@ip-172-31-36-242 dockerfile-task]# sudo docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
0164ce8ef09f my-nginx-image "nginx -g 'daemon of…" 5 seconds ago Up 4 seconds 0.0.0.0:8083->80/tcp, :::8083->80/tcp my-nginx-container
[root@ip-172-31-36-242 dockerfile-task]# curl http://localhost:8083
<!DOCTYPE html>
<html>
<head>
<title>My Docker Assignment</title>
</head>
<body>
<h1>Welcome to My Docker Container!</h1>
Nginx is running on Amazon Linux.
</body>
</html>
[root@ip-172-31-36-242 dockerfile-task]#
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 54.196.117.185 PrivateIPs: 172.31.36.242



5. **Push image to Docker hub**

Implementation steps

1. Ensure that the custom Docker image my-nginx-image:latest has been created successfully.
2. Verify the locally available images.

sudo docker images

3. Create a repository named my-nginx-image in your Docker Hub account, if it does not already exist.
4. Log in to Docker Hub.

sudo docker login

5. Tag the local image with your Docker Hub username and repository name.

sudo docker tag my-nginx-image:latest poojith7878/my-nginx-image:latest

6. Verify that the image has the Docker Hub tag.

sudo docker images


7. Push the image to Docker Hub.


sudo docker push poojith7878/my-nginx-image:latest

8. Open Docker Hub in a browser and navigate to the my-nginx-image repository.
9. Verify that the latest tag is available in the repository.

Expected result

- The local image is tagged with the Docker Hub repository name.
- The image is pushed successfully to Docker Hub.
- The latest image tag is visible in the Docker Hub repository.





6. **push image to AWS ECR**

Implementation steps

1. Ensure that the custom Docker image my-nginx-image:latest has been created successfully.
2. Attach an IAM role to the EC2 instance with the required Amazon ECR permissions. In this implementation, the role is EC2-ECR-Push-Role, with the AmazonEC2ContainerRegistryPowerUser policy.
3. Verify that the EC2 instance can access AWS credentials through its IAM role.

aws sts get-caller-identity

4. Configure the AWS CLI to use the us-east-1 region.

aws configure set region us-east-1

5. Create an ECR repository named my-nginx-image, if it does not already exist.

aws ecr create-repository --repository-name my-nginx-image --region us-east-1

If the repository already exists, verify it using:

aws ecr describe-repositories --repository-names my-nginx-image --region us-east-1

6. Log in to Amazon ECR using Docker.

aws ecr get-login-password --region us-east-1 | sudo docker login --username AWS --password-stdin 956035085469.dkr.ecr.us-east-1.amazonaws.com

7. Tag the local image with the Amazon ECR repository URI.

sudo docker tag my-nginx-image:latest 956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image:latest


8. Push the image to Amazon ECR.


sudo docker push 956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image:latest


9. Open the Amazon ECR console in the AWS Management Console.
10. Navigate to Amazon ECR → Private registry → Repositories → my-nginx-image.
11. Verify that the latest image tag is visible in the repository.


Expected result


- The EC2 instance authenticates successfully using its IAM role.
- The ECR repository my-nginx-image is available.
- The custom Docker image is tagged with the ECR repository URI.
- The image is pushed successfully to Amazon ECR.
- The latest tag is visible in the ECR repository.






us-east-1.console.aws.amazon.com/ecr/private-registry/repositories?region=us-east-1
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
Amazon ECR > Private registry > Repositories
Amazon Elastic Container Registry
Private registry
Repositories
Features & Settings
Public registry
Repositories
Settings
ECR public gallery
Amazon ECS
Amazon EKS
Getting started
Successfully created private repository, my-nginx-image
Private repositories (1)
View push commands
Delete
Actions
Create repository
Search by repository substring
Repository URI copied
Repository n
Created at
Tag immutability
Encryption type
my-nginx-image
95603508546 9.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image
14 October 2026, 11:59:15 (UTC+05.5)
Mutable
AES-256
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles/create?trustedEntityType=AWS_SERVICE&selectedService=EC2&selectedUseCase=EC2
Search
[Alt+S]
Global
Poojith R (956035085469)
Poojith R
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Add permissions Info
Use existing policy
Attach an existing managed policy to the role.
Create inline policy
Create a new policy that will be attached directly to the role.
Permissions policies (1/1231) Info
Choose one or more policies to attach to your new role.
Filter by Type
AmazonEC2ContainerRegistryPowerUser
All types
1 match
Policy name
Type
Description
AmazonEC2ContainerRegistryPowerUser
AWS managed
Set permissions boundary - optional
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Global
Poojith R (956035085469)
Poojith R
IAM > Roles
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Role EC2-ECR-Push-Role created.
View role
Roles (1/16) Info
Delete
Create role
An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.
Search
Role name
Trusted entities
Last activity
CloudWatchAgentRole
AWS Service: ec2
27 days ago
EC2-CloudWatch-Agent-Role
AWS Service: ec2
28 days ago
EC2-ECR-Push-Role
AWS Service: ec2
-
poojith
AWS Service: vpc-flow-logs
27 days ago
s3crr_role_for_poojith-1004-test1
AWS Service: s3
34 days ago
s3replicate_role_for_poojith-1004-test1
AWS Service: batchoperations.s3
34 days ago


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ModifyIAMRole:instanceId=i-03291684833d28d6b
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
EC2 > Instances > i-03291684833d28d6b > Modify IAM role
Modify IAM role Info
Attach an IAM role to your instance.
Instance ID
i-03291684833d28d6b (Docker-Lab-EC2)
IAM role
Select an IAM role to attach to your instance or create a new role if you haven't created any. The role you select replaces any roles that are currently attached to your instance.
EC2-ECR-Push-Role
Create new IAM role
Cancel
Update IAM role


us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-03291684833d28d6b&osUser=ec2-user&region=us-east-1&ssh...
Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
[ec2-user@ip-172-31-36-242 ~]$ aws sts get-caller-identity
{
"UserId": "AROA55GBBWSO2WG45WBGK:i-03291684833d28d6b",
"Account": "956035085469",
"Arn": "arn:aws:sts::956035085469:assumed-role/EC2-ECR-Push-Role/i-03291684833d28d6b"
}
[ec2-user@ip-172-31-36-242 ~]$ aws configure set region us-east-1
[ec2-user@ip-172-31-36-242 ~]$ aws ecr describe-repositories --repository-names my-nginx-image --region us-east-1
{
"repositories": [
{
"repositoryArn": "arn:aws:ecr:us-east-1:956035085469:repository/my-nginx-image",
"registryId": "956035085469",
"repositoryName": "my-nginx-image",
"repositoryUri": "956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image",
"createdAt": "2026-10-14T06:29:15.921000+00:00",
"imageTagMutability": "MUTABLE",
"imageScanningConfiguration": {
"scanOnPush": false
},
"encryptionConfiguration": {
"encryptionType": "AES256"
}
}
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 54.196.117.185 PrivateIPs: 172.31.36.242


Search
[Alt+S]
United States (N. Virginia)
Poojith R (956035085469)
Poojith R
}
[ec2-user@ip-172-31-36-242 ~]$ aws ecr get-login-password --region us-east-1 | sudo docker login --username AWS --password-stdin 9560
35085469.dkr.ecr.us-east-1.amazonaws.com
WARNING! Your password will be stored unencrypted in /root/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store
Login Succeeded
[ec2-user@ip-172-31-36-242 ~]$ sudo docker tag my-nginx-image:latest 956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image:late
st
[ec2-user@ip-172-31-36-242 ~]$ sudo docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image latest f7f2050020b0 22 minutes ago 421MB
my-nginx-image latest f7f2050020b0 22 minutes ago 421MB
poojith7878/my-nginx-image latest f7f2050020b0 22 minutes ago 421MB
tomcat 9.0 07a087b26405 31 hours ago 445MB
nginx stable 3a8edbda21b6 8 days ago 163MB
sonarqube community 01676bb7354b 12 days ago 1.44GB
jenkins/jenkins lts-jdk21 82becee63645 13 days ago 445MB
ubuntu 24.04 69f919497cad 3 weeks ago 78.2MB
hello-world latest e2ac70e7319a 6 months ago 10.1kB
jenkins 2.60.3 cd14cecfdb3a 8 years ago 696MB
[ec2-user@ip-172-31-36-242 ~]$ sudo docker push 956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image:latest
The push refers to repository [956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image]
i-03291684833d28d6b (Docker-Lab-EC2)
PublicIPs: 54.196.117.185 PrivateIPs: 172.31.36.242

```
jenkins                                          2.60.3      cd14cecfdb3a   8 years ago      696MB
[ec2-user@ip-172-31-36-242 ~]$ sudo docker push 956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image:latest
The push refers to repository [956035085469.dkr.ecr.us-east-1.amazonaws.com/my-nginx-image]
463ef129a443: Pushed
a8dfc0135166: Pushed
37ab5dcca5fc: Pushed
latest: digest: sha256:d41a045707a1c711c01f1f4457f7a6395a51e681b57bc585a33682b4836b880b size: 949
[ec2-user@ip-172-31-36-242 ~]$
```

