

1. Watch the video and write notes.


➔ Watched the video completely and prepared notes.

2. Create a GitHub account.

➔ Opened the GitHub website.

➔ Clicked Sign up to create a new account.

➔ Created the GitHub account using Gmail account.



3. Set up MFA (Multi-Factor Authentication) for the GitHub account using a mobile app.

➔ Logged in to the GitHub account.

➔ Opened Settings from the GitHub profile menu.

➔ Navigated to Password and authentication.

➔ Selected the option to enable Two-Factor Authentication (2FA).

➔ Selected the Authenticator App method.


➔ Installed an authenticator application on the mobile phone.


➔ Scanned the QR code provided by GitHub using the authenticator app.

➔ Entered the verification code generated by the mobile authenticator.

➔ Completed the MFA setup and verification.

➔ Saved the recovery codes securely.





4. Execute all commands shown in the video.

➔ Git –version, git status, git init (initialization)

```
pooji@Poojith MINGW64 ~/OneDrive/Desktop
$ git --version
git version 2.37.1.windows.1

pooji@Poojith MINGW64 ~/OneDrive/Desktop
$ git status
fatal: not a git repository (or any of the parent directories): .git

pooji@Poojith MINGW64 ~/OneDrive/Desktop
$ git init
Initialized empty Git repository in C:/Users/pooji/OneDrive/Desktop/.git/

pooji@Poojith MINGW64 ~/OneDrive/Desktop (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true


pooji@Poojith MINGW64 ~/OneDrive/Desktop (master)
$
```

- ➔ **Git config** --global user.name "your_name" – to add user
- ➔ **Git config** --global user.email "your_email" – to add email.
- ➔ **Git --list** – gives all the details in a list format.

```
pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git config --global user.name "Pooji"

pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git config --global user.email "ravutla.10@gmail.com"

pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Pooji
user.email=ravutla.10@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
```



- ➔ **Git remote -v, git remote add origin <SSH URL>**

```
pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git remote -v

pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git remote add origin https://github.com/ravutla-10/Test_repo.git

pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$ git remote -v
origin https://github.com/ravutla-10/Test_repo.git (fetch)
origin https://github.com/ravutla-10/Test_repo.git (push)

pooji@Pooji MINGW64 ~/OneDrive/Desktop (master)
$
```

```

pop@Poojith MINGW64 ~/OneDrive/Desktop (master)
$ mkdir Git_Test

pop@Poojith MINGW64 ~/OneDrive/Desktop (master)
$ cd Git_Test/

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ touch a b c d e f g h

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git commit -m "adding files"
On branch master

Initial commit

Untracked Files:
  (use "git add <file>..." to include in what will be committed)
    ../Brave.lnk
    ../Cmava.lnk
    ../Desktop_Files/
    ../Docker Desktop.lnk
    ../Eclipse IDE For Java Developers - 2025-09.lnk
    ../
    ../desktop.ini

nothing added to commit but untracked files present (use "git add" to track)

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git add .

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git commit -m "adding files"
[master (root-commit) ddc927] adding files
3 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Git_Test/a
create mode 100644 Git_Test/b
create mode 100644 Git_Test/c
create mode 100644 Git_Test/d
create mode 100644 Git_Test/e
create mode 100644 Git_Test/f
create mode 100644 Git_Test/g
create mode 100644 Git_Test/h

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4) - 274 bytes | 274.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
to https://github.com/ravutla-10/Test_repo.git
! [new branch] master -> master
branch 'master' set up to track 'origin/master'.

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$

```

The screenshot shows a GitHub repository page for 'Test_repo' by user 'ravutla-10'. The repository is public and has 1 branch (master) and 0 tags. The main content area shows a commit titled 'adding files' by 'ddcc927' from 1 minute ago. Below the commit, there is a 'README' section with a placeholder for a README file and a button to 'Add a README'. The right sidebar contains information about the repository, including 'About' (test repository to execute basic operations), 'Releases' (No releases published), 'Packages' (No packages published), and 'Contributors' (1 contributor: ravutla-10).

➔ Git status, git add, git commit

```

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ touch 1

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked Files:
  (use "git add <file>..." to include in what will be committed)
    ../Brave.lnk
    ../Cmava.lnk
    ../Desktop_Files/
    ../Docker Desktop.lnk
    ../Eclipse IDE For Java Developers - 2025-09.lnk
    ../
    ../desktop.ini

nothing added to commit but untracked files present (use "git add" to track)

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git commit -m "adding file 1"
On branch master
Your branch is up to date with 'origin/master'.

Untracked Files:
  (use "git add <file>..." to include in what will be committed)
    ../Brave.lnk
    ../Cmava.lnk
    ../Desktop_Files/
    ../Docker Desktop.lnk
    ../Eclipse IDE For Java Developers - 2025-09.lnk
    ../
    ../desktop.ini

nothing added to commit but untracked files present (use "git add" to track)

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git add .


pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git commit -m "adding file 1"
[master fcd4da] adding file 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Git_Test/1

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git push

pop@Poojith MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$

```

➔ Git push, git clone

[illegible]

➔ **Git revert <commit_Id>**

```

poojith@Poojitht MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git log
commit 972ded3fab204f62ade199a918e8492b8a20bed8 (HEAD -> master, origin/master)
Author: Poojith <ravutla.100@gmail.com>
Date: Tue Aug 18 16:00:08 2026 +0530

    Revert "adding file 1"

This reverts commit 4ce76de64e0948643cf8aac3e4885499b4d4cbba.

commit 4ce76de64e0948643cf8aac3e4885499b4d4cbba
Author: Poojith <ravutla.100@gmail.com>
Date: Tue Aug 18 15:34:11 2026 +0530

    adding file 1

commit ddc92770e09b2429b45f02688d173c4db966f2a972
Author: Poojith <ravutla.100@gmail.com>
Date: Tue Aug 18 15:49:02 2026 +0530

    adding files

poojith@Poojitht MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ git revert 972ded3
[master <2d591e>] Revert "Revert "adding file 1""
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Git_Test/1

poojith@Poojitht MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ ls
1 Test_repo/ b c d e f g h

poojith@Poojitht MINGW64 ~/OneDrive/Desktop/Git_Test (master)
$ !

```

➔ Git reset

[illegible]