

One feature per session

context window

```
system: You are a coding agent. Work in the w...
user: Continue building todo.py.
tool_use bash: Getting my bearings.
bash result: /private/var/folders/b7/1tvk5qmx...
tool_use read_file: read_file("path": "progre...
read_file result: # progress log (append-only)
tool_use read_file: Checking feature_list.jsd...
read_file result: [
tool_use run_tests: F01-F06 are marked done. ...
run_tests result: ERROR: tests: 0 passed, 12 ...
tool_use write_file: The smoke test fails. Th...
write_file result: wrote todo.py (67 lines)
tool_use run_tests: run_tests()
run_tests result: ERROR: tests: 6 passed, 6 f...
tool_use write_file: Base app confirmed worki...
write_file result: wrote todo.py (77 lines)
tool_use run_tests: run_tests()
run_tests result: ERROR: tests: 7 passed, 5 f...
assistant: F07 shipped: priority levels are i...
```

1886/6000 tok

■ system ■ user ■ assistant ■ tool call ■ tool result ■ hook ■ skill ■ summary

the disk (real files)

```
AGENTS.md
CLAUDE.md
__pycache__/todo.cpython-311.pyc
init.sh
progress.md
# progress log (append-only)
tests/__pycache__/test_todo.cpython-311.pyc
tests/test_todo.py
todo.py
feature_list.json 7/12 passing
```

✓	✓	✓	✓	✓	✓
✓	✗	✗	✗	✗	✗

```
git log
○○
137371f
```

Commit, log, done. The session leaves the repo mergeable; the next session starts clean.