https://ieltsai.pro/

Report generated on Aug 03, 2026



10 Failed

2 Warnings

48 Passed

Issues to fix

HIGH	To improve the website experience for your visitors, it is recommended to eliminate any render-blocking resources on this webpage.
HIGH	Build quality backlinks from websites relevant to your topic/niche to improve your search engine rankings.
MEDIUM	Serving resources (images, JS, CSS) from a CDN service, could improve website loading times, reduce bandwidth costs and increase content availability and redundancy.
MEDIUM	Serve properly sized images to reduce page loading times and to improve user's experience.
MEDIUM	Avoid using distorted images, as they can have a negative impact on the user experience.
MEDIUM	By creating a custom 404 error page with helpful links and information, users are more likely to stay on the site and continue to explore.
MEDIUM	Add a Google Analytics script to this website to help in diagnosing potential SEO issues by monitoring site visitors and traffic sources.
LOW	Using more than 20 HTTP requests on a webpage can negatively impact the loading time.

© 2022 SEO Site Checkup

Common SEO issues

4 Failed 1 Warnings 17 Passed

Meta Title Test

This webpage is using a title tag with a length of **63 characters**. While there's no target number of characters, titles should be descriptive and concise. We recommend using a title with a length **between 20 - 60 characters** in order to fit Google Search results that have a 600-pixel limit.

Text: Free AI IELTS Practice, Band Scores & Mock Tests | IELTS Ai Pro
Length: 63 characters

Meta Description Test

This webpage is using a meta description tag.

Text: Get instant AI band scores for IELTS Writing & Speaking, plus free Cambridge-style Reading and Listening mock tests. Track progress and start free today.
Length: 153 characters

Google Search Results Preview Test

Desktop version

https://www.ieltsai.pro/
Free AI IELTS Practice, Band Scores & Mock Tests | IELTS Ai...
Get instant AI band scores for IELTS Writing & Speaking, plus free Cambridge-style Reading and Listening mock tests. Track progress and start free today.

Mobile version

https://www.ieltsai.pro/
Free AI IELTS Practice, Band Scores & Mock Tests | IELTS Ai...
Get instant AI band scores for IELTS Writing & Speaking, plus free Cambridge-style Reading and Listening mock tests. Track progress an...

© 2022 SEO Site Checkup

Social Media Meta Tags Test

This webpage is using social media meta tags.

Open Graph Meta Tags	
og:title	Free AI IELTS Practice, Band Scores & Mock Tests | IELTS Ai Pro
og:description	Get instant AI band scores for IELTS Writing & Speaking, plus free Cambridge-style Reading and Listening mock tests. Track progress and start free today.
og:type	website
og:locale	en_US
og:site_name	IELTS Ai Pro
og:url	https://www.ieltsai.pro/
og:image	https://www.ieltsai.pro/og.webp
og:image:width	1200
og:image:height	630
og:image:type	image/webp

Twitter Card Meta Tags	
twitter:card	summary_large_image
twitter:title	Free AI IELTS Practice, Band Scores & Mock Tests | IELTS Ai Pro
twitter:description	Get instant AI band scores for IELTS Writing & Speaking, plus free Cambridge-style Reading and Listening mock tests. Track progress and start free today.
twitter:image	https://www.ieltsai.pro/og.webp

Most Common Keywords Test

There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

17 ielts | 14 band | 12 practice | 12 test | 9 score

© 2022 SEO Site Checkup

Keywords Usage Test

The most common keywords of this webpage are distributed well across the important HTML tags. This helps search engines to properly identify the topic of this webpage.

Keyword	Title tag	Meta description	Headings
ielts	✓	✓	✓
band	✓	✓	✓
practice	✓	✗	✓
test	✓	✓	✗
score	✓	✓	✓

Keywords Cloud Test

8 academic | 1 achieve | 1 actually | 1 adaptive | 3 analytics | 1 available | 14 band
3 based | 1 believe | 2 believes | 1 best | 2 blog | 2 builder | 2 built | 2 calculator
1 card | 1 checker | 1 choose | 2 clear | 1 compare | 1 complete | 8 completed
1 content | 1 corrections | 1 credit | 2 criteria | 1 daily | 3 easier | 2 estimated
1 evaluation | 1 expert | 1 faster | 6 feedback | 2 fluency | 1 focus | 3 focused | 1 follow
3 free | 1 gaps | 2 good | 1 help | 1 higher | 17 ielts | 1 improve | 2 improvement
2 instant | 8 just | 1 learners | 2 life | 3 listening | 1 lives | 1 manage | 1 need
1 people | 1 personalized | 3 plan | 2 plans | 5 platform | 2 policy | 2 powered
12 practice | 3 prep | 2 pricing | 2 privacy | 2 progress | 1 reach | 3 reading | 3 real
1 recurring | 1 required | 1 response | 2 review | 1 rubric | 9 score | 2 service
1 sessions | 1 skip | 1 smarter | 6 speaking | 2 start | 1 step | 1 study | 3 target
2 task | 1 technology | 2 terms | 12 test | 3 tests | 2 time | 1 tools | 2 track
2 vocabulary | 1 weak | 1 weaknesses | 2 words | 1 work | 1 works | 1 workspace
1 worldwide | 7 writing

Related Keywords Test

There are no indexed keywords for this domain!

© 2022 SEO Site Checkup

Competitor Domains Test

Identifying competitor domains allows you to find domains that are competing with your website for search engine rankings on similar keywords. These domains typically target the same audience and have overlapping goals in terms of organic traffic.

Heading Tags Test

This webpage contains headings tags.

H1 tags

AI-PoweredIELTS Practicefor a higher band score.

H2 tags

Everything you need to reach your target band.

Robots.txt Test

Congratulations! Your site uses a "robots.txt" file.

https://www.ieltsai.pro/robots.txt

Sitemap Test

This website has a sitemap file.

https://www.ieltsai.pro/sitemap.xml

Image Alt Test

All "img" tags from this webpage have the required "alt" attribute.

© 2022 SEO Site Checkup

Responsive Image Test

Not all images in this webpage are properly sized! This webpage is serving images that are larger than needed for the size of the user's viewport.

© 2022 SEO Site Checkup

How to pass this test?

This test fails when one or more images on the page are served at dimensions significantly larger than the size at which the browser actually renders them. Fixing this issue means resizing the source files (or serving responsive variants) so the bytes downloaded match the pixels actually displayed. The result is faster page loads, lower data usage, and better Core Web Vitals scores.

Example

```
<img
  src="/images/hero-800.jpg"
  srcset="/images/hero-400.jpg 400w,
        /images/hero-800.jpg 800w,
        /images/hero-1600.jpg 1600w"
  sizes="(max-width: 640px) 100vw, 800px"
  alt="Marathon runners at sunrise"
  width="800" height="450">
```

Where to make the change

- **Raw HTML:** use `srcset` and `sizes` to let the browser pick the right variant for the user's viewport. Always include intrinsic `width` and `height` attributes.
- **WordPress:** WordPress generates multiple image sizes automatically. Use the `the_post_thumbnail()` helper or the block editor's image block, both of which emit responsive `srcset` markup.
- **Shopify:** use the `image_url` Liquid filter with size parameters (for example `{{ image | image_url: width: 800 }}`) and pair with `image_tag` to emit a responsive image.
- **Wix or Squarespace:** both platforms generate responsive variants automatically; this issue is typically caused by uploading a deliberately oversized image.
- **Headless or framework sites:** use the framework's image component (for example `next/image` or `astro:assets`), which generates responsive variants and lazy-loads off-screen images.

Common causes and how to resolve them

- **Original camera or stock-photo file uploaded as-is:** a 6000-pixel-wide JPEG rendered in a 400-pixel column wastes most of the bytes. Resize the source or generate responsive variants.
- **No `srcset`:** the browser has no choice but to use the single source. Add multiple variants so mobile users get smaller files.
- **Hero images sized for ultra-wide displays:** if your largest layout is 1600 pixels, do not ship a 4000-pixel original.
- **Background images set in CSS without responsive sources:** use the `image-set()` CSS function or media queries to swap in different image files at different breakpoints.

Best practices

- **Generate variants at common widths:** 400, 800, 1200, and 1600 pixels covers most viewports cleanly.
- **Always set width and height:** intrinsic dimensions let the browser reserve space and avoid layout shift, helping CLS.
- **Lazy-load off-screen images:** add `loading="lazy"` to images below the fold so the browser only downloads them when needed.

© 2022 SEO Site Checkup

- **Pair with modern formats:** resizing alone is good; resizing and serving WebP or AVIF compounds the savings.

Image Aspect Ratio Test

Not all image display dimensions match the natural aspect ratio! Fix aspect ratio issues to avoid distorted images on this website!

How to pass this test?

This test fails when one or more images are rendered at an aspect ratio meaningfully different from the source file's native ratio, producing stretched or squashed visuals. Fixing this issue means either using `width` and `height` attributes that match the file's real dimensions or replacing the source with a correctly proportioned crop.

Example

```
<!-- Source file is 1600 x 900 (16:9). Set matching attributes: -->
<img src="/images/marathon-1600.jpg"
    alt="Marathon runners at sunrise"
    width="1600" height="900"
    style="max-width: 100%; height: auto;">
```

Where to make the change

- **Raw HTML and CSS:** set the `width` and `height` attributes to the source file's native dimensions. Use CSS `height: auto` when scaling responsively so the browser preserves the ratio.
- **WordPress:** when inserting an image via the block editor, choose the image's intended size rather than overriding dimensions in custom CSS.
- **Shopify, Wix, or Squarespace:** use the platform's built-in image cropper so the displayed crop matches the source file you upload.
- **Headless or framework sites:** components like `next/image` require both `width` and `height`, which prevents distortion when the layout scales.

Common causes and how to resolve them

- **Hard-coded width and height that do not match the file:** recompute them from the source dimensions or remove them and rely on the file's intrinsic ratio.
- **Container has a fixed height that crops the image:** use CSS `object-fit: cover` if cropping is intentional, or change the container so the image keeps its natural ratio.
- **Wrong source file uploaded:** swap in a correctly proportioned crop rather than stretching the wrong file in CSS.

Best practices

- **Always set both `width` and `height`:** the browser uses these to reserve space and avoid layout shift before the image loads, which helps CLS.
- **Use `object-fit` when cropping is intentional:** `cover` fills the container without distortion; `contain` letterboxes to preserve the full image.
- **Standardize on a few aspect ratios:** picking one or two ratios per template makes it easier to crop assets consistently and avoid one-off distortions.

© 2022 SEO Site Checkup

Deprecated HTML Tags Test

This webpage does not use HTML deprecated tags.

© 2022 SEO Site Checkup

Google Analytics Test

A Google Analytics script is not detected on this page. While there are several tools available to monitor your site's visitors and traffic sources, Google Analytics is a free, commonly recommended program to help diagnose potential SEO issues.

© 2022 SEO Site Checkup

How to pass this test?

Google Analytics 4 is a free measurement platform that records visitor behavior, traffic sources, and conversion data. Installing it does not directly affect rankings, but the data it produces is essential for measuring SEO performance, identifying high-value pages, and prioritizing future optimization work. Fixing this issue means installing the GA4 tag site-wide and confirming events appear in your reports.

Example

```
<!-- Place inside <head> on every page -->
<script async src="https://www.googletagmanager.com/gtag/js?id=G-XXXXXXXXXX"></script>
<script>
  window.dataLayer = window.dataLayer || [];
  function gtag(){dataLayer.push(arguments);}
  gtag('js', new Date());
  gtag('config', 'G-XXXXXXXXXX');
</script>
```

Where to make the change

- **Raw HTML:** paste the GA4 snippet into the `<head>` of every page. A shared layout file is the cleanest place.
- **WordPress:** use a site-kit or analytics plugin, or paste the snippet into your theme's header file. Avoid duplicating the tag across multiple plugins.
- **Shopify:** add the GA4 measurement ID under Online Store, Preferences, Google Analytics, or install the official Google channel app.
- **Wix or Squarespace:** both platforms offer a GA4 measurement ID field in their analytics settings panel.
- **Headless or framework sites:** install via Google Tag Manager or use the framework's analytics integration so the tag fires on every route change.

Common causes and how to resolve them

- **Tag not installed at all:** install GA4 using the snippet above or the platform-specific path.
- **Universal Analytics tag still in place:** Universal Analytics stopped processing data on July 1, 2024. Replace any UA tag (`UA-...`) with a GA4 measurement ID (`G-...`).
- **Tag fires only on the homepage:** ensure the snippet is in a shared template loaded by every page, not pasted into one post.
- **Cookie banner blocks the tag before consent:** integrate Consent Mode v2 so GA4 receives anonymized signals before consent and full data after.
- **Tag duplicated:** two snippets on the same page double-count sessions. Audit with the Tag Assistant browser extension and remove duplicates.

Best practices

- **Verify with real-time reports:** after installing, open GA4's Realtime view and load the site to confirm events arrive.
- **Use Google Tag Manager:** for any site beyond the simplest, GTM gives you a single place to manage analytics, conversion tags, and third-party scripts without code changes.

© 2022 SEO Site Checkup

- **Configure key events:** mark conversions (purchase, lead, signup) as key events so reports highlight what matters for SEO ROI.
- **Link to Search Console:** connecting GA4 to Search Console surfaces organic queries alongside on-site behavior in the same reports.

Favicon Test

This website appears to have a favicon.

Backlinks Test

This domain has **4 backlinks** from **4 referring domains** and a rank of **0/1000** while the average rank of Top 100 sites is **895/1000**.

JS Error Test

There are no severe JavaScript errors on this webpage.

Console Errors Test

This webpage doesn't have any warnings or errors caught by the Chrome DevTools Console.

Charset Declaration Test

This webpage has a character encoding declaration.

> *Content-Type: text/html; charset=utf-8*

Speed optimizations

3 Failed **1** Warnings **15** Passed

HTML Page Size Test

The size of this webpage's HTML is **20.91 Kb** and is under the average webpage's HTML size of **33 Kb**. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

© 2022 SEO Site Checkup

DOM Size Test

The Document Object Model (DOM) of this webpage has **730 nodes** which is less than the recommended value of 1,500 nodes.

HTML Compression/GZIP Test

This webpage is successfully compressed using **br compression** on your code. The HTML code is compressed from **119.52 Kb** to **20.91 Kb** (**83% size savings**). This helps ensure a faster loading webpage and improved user experience.

Site Loading Speed Test

The loading time of this webpage (measured from N. Virginia, US) is around **0.53 seconds** and this is under the average loading speed which is **5 seconds**.

JS Execution Time Test

The JavaScript code used by this webpage is executed in less than **2 seconds**.

© 2022 SEO Site Checkup

Page Objects Test

This webpage is using more than **20 http requests**, which can slow down page loading and negatively impact user experience!

Content size by content type

Content type	Percent	Size
Javascript	53.9 %	231.71 Kb
Css	18.4 %	79.24 Kb
Image	14.3 %	61.55 Kb
Font	11.3 %	48.67 Kb
Html	2.0 %	8.49 Kb
Other	0.0 %	0 B
TOTAL	**100%**	**429.65 Kb**

Requests by content type

Content type	Percent	Requests
Javascript	55.6 %	15
Image	29.6 %	8
Font	7.4 %	2
Html	3.7 %	1
Css	3.7 %	1
Other	0.0 %	0
TOTAL	**100%**	**27**

Content size by domain

Domain	Percent	Size
ieltsai.pro	100.0 %	429.65 Kb
TOTAL	**100%**	**429.65 Kb**

Requests by domain

© 2022 SEO Site Checkup

Domain	Percent	Requests
ieltsai.pro	100.0 %	27
TOTAL	100%	27

CDN Usage Test

This webpage is not serving resources (images, javascript and css) from CDNs!

How to pass this test?

A Content Delivery Network serves static assets from edge locations close to the user, reducing latency, improving cache hit rates, and offloading traffic from the origin server. Fixing this issue means routing your images, JavaScript, CSS, and fonts through a CDN so visitors anywhere in the world get fast, consistent delivery.

Where to make the change

- **Cloud platforms:** Cloudflare, Fastly, AWS CloudFront, Bunny.net, and similar providers offer free or low-cost CDN tiers. Sign up, point your domain through the CDN, and enable caching for static asset paths.
- **WordPress:** use a CDN integration plugin or sign up directly with Cloudflare and update the site's nameservers.
- **Shopify:** Shopify serves storefront assets through its own CDN automatically; the failure usually points at custom assets uploaded outside the platform.
- **Headless or framework sites:** deploying to Vercel, Netlify, or Cloudflare Pages puts the entire site behind a global CDN by default.

Common causes and how to resolve them

- **No CDN at all:** add one. Even a free Cloudflare account in front of an existing host produces measurable speed gains.
- **CDN configured but bypassed for some assets:** ensure all `img`, `script`, `link`, and `font` URLs use the CDN hostname rather than the origin.
- **Cache headers prevent caching:** long-lived assets need `cache-control` headers like `public, max-age=31536000, immutable`. Without them, the CDN cannot cache effectively.
- **Origin-only third-party scripts:** many vendors already serve their scripts via their own CDN. Use the URL the vendor provides rather than self-hosting.

Best practices

- **Use a versioned asset path:** filenames like `app.a3f9.css` let you set far-future cache headers without ever serving stale files. Update the filename when content changes.
- **Enable Brotli at the edge:** most CDNs can compress responses on the fly, including text formats.
- **Pre-warm caches for new launches:** after a major release, request key URLs through every region (or use the CDN's purge-and-prefetch tools) so users do not hit cold caches.

© 2022 SEO Site Checkup

Modern Image Format Test

This webpage is using images in a modern format.

Image Metadata Test

This webpage is not using images with large metadata.

Image Caching Test

This website is using cache headers for images and the browsers will display these images from the cache.

JavaScript Caching Test

This webpage is using cache headers for all JavaScript resources.

CSS Caching Test

This webpage is using cache headers for all CSS resources.

JavaScript Minification Test

All JavaScript files used by this webpage are minified.

CSS Minification Test

All CSS resources used by this webpage are minified.

© 2022 SEO Site Checkup

Render Blocking Resources Test

This webpage is using render blocking resources! Eliminating render-blocking resources can help this webpage to load significantly faster and will improve the website experience for your visitors.

© 2022 SEO Site Checkup

How to pass this test?

This test fails when JavaScript or CSS resources block the browser from rendering visible content. Each render-blocking file delays the first paint, and on slower networks the cumulative impact can be severe. Fixing this issue means inlining the truly critical CSS, deferring or asynchronously loading non-essential scripts, and removing unused code.

Example

```
<head>
  <!-- Inline only above-the-fold critical CSS -->
  <style>/* critical styles here */</style>

  <!-- Load full stylesheet asynchronously -->
  <link rel="preload" href="/styles/main.css" as="style"
      onload="this.onload=null;this.rel='stylesheet'">

  <!-- Defer non-critical scripts -->
  <script src="/scripts/app.js" defer></script>
</head>
```

Where to make the change

- **Application code or templates:** identify the CSS and JavaScript needed for the initial render and load only those synchronously. Defer the rest.
- **Build pipeline:** use a critical CSS extractor (such as `critical` or `penthouse`) to generate the above-the-fold styles automatically.
- **WordPress:** performance plugins offer "delay JS execution" and "load CSS asynchronously" options that handle most of this without code changes.
- **Headless or framework sites:** use the framework's preload and code-splitting hints to control what blocks rendering.

Common causes and how to resolve them

- **Single large stylesheet blocking render:** inline critical CSS for the first viewport, load the full stylesheet asynchronously.
- **Synchronous third-party scripts in the head:** add `defer` or `async`, or move them to the end of the body.
- **Web fonts blocking text rendering:** add `font-display: swap` in `@font-face` rules so the fallback font shows immediately.
- **Render-blocking `@import` in CSS:** replace with separate `<link rel="stylesheet">` tags so the browser can fetch them in parallel.

Best practices

- **Use `defer` for scripts that need the DOM:** they execute after parsing but before `DOMContentLoaded`.
- **Use `async` for fully independent scripts:** they execute as soon as they download, in any order.
- **Preload the critical request chain:** tell the browser early about fonts and key assets with `<link rel="preload">`.

© 2022 SEO Site Checkup

- **Audit with Lighthouse:** the Render-blocking resources audit lists every offending file with the estimated time saved by deferring it.

URL Redirects Test

This URL performed 1 redirects! While redirects are typically not advisable (as they can affect search engine indexing issues and adversely affect site loading time), one redirect may be acceptable, particularly if the URL is redirecting from a non-www version to its www version, or vice-versa.

https://ieltsai.pro/ → https://www.ieltsai.pro/

Largest Contentful Paint Test

The Largest Contentful Paint duration of this webpage is **0.0** seconds. To provide a good user experience, Google recommends that sites should strive to have Largest Contentful Paint of **2.5** seconds or less.

Cumulative Layout Shift Test

The CLS score of this webpage is **0.0000**. To provide a good user experience, Google recommends that sites should strive to have a CLS score of **0.1** or less.

Server and security

1 Failed **0** Warnings **6** Passed

URL Canonicalization Test

https://www.ieltsai.pro/ and https://ieltsai.pro/ resolve to the same URL.

SSL Checker and HTTPS Test

This website is successfully using HTTPS, a secure communication protocol over the Internet.

- The certificate is not used before the activation date.
- The certificate has not expired.
- The hostname "www.ieltsai.pro" is correctly listed in the certificate.
- The certificate should be trusted by all major web browsers.
- The certificate was not revoked.
- The certificate was signed with a secure hash.

Certificate Chain:

Server certificate	
Common Name	www.ieltsai.pro
Subject Alternative Names (SANs)	www.ieltsai.pro
Not Valid Before	Sat, July 25th 2026, 3:01:39 am (UTC)
Not Valid After	Fri, October 23rd 2026, 3:01:38 am (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	YR2

Intermediate certificate	
Common Name	YR2
Organization	Let's Encrypt
Location	US
Not Valid Before	Wed, September 3rd 2025, 12:00:00 am (UTC)
Not Valid After	Sat, September 2nd 2028, 11:59:59 pm (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	Root YR

Intermediate certificate	
Common Name	Root YR
Organization	ISRG

© 2022 SEO Site Checkup

Location	US
Not Valid Before	Wed, May 13th 2026, 12:00:00 am (UTC)
Not Valid After	Thu, September 2nd 2032, 11:59:59 pm (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

Root certificate	
Common Name	ISRG Root X1
Organization	Internet Security Research Group
Location	US
Not Valid Before	Thu, June 4th 2015, 11:04:38 am (UTC)
Not Valid After	Mon, June 4th 2035, 11:04:38 am (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

Mixed Content Test (HTTP over HTTPS)

This webpage does not use mixed content - both the initial HTML and all other resources are loaded over HTTPS.

HTTP2 Test

This webpage is using the HTTP/2 protocol.

© 2022 SEO Site Checkup

Plaintext Emails Test

We've found 1 email addresses in your page code! We advise you to protect email links in a way that hides them from the spam harvesters.

How to pass this test?

This test fails when the page exposes one or more email addresses in plain text. Spam-harvesting bots scrape pages for plaintext addresses and add them to bulk mailing lists. Fixing this issue means obfuscating contact addresses, using a contact form, or rendering them via JavaScript so simple scrapers cannot read them.

Where to make the change

- **Application code or templates:** replace plain `contact@example.com` text with one of the obfuscation techniques below.
- **WordPress:** a contact form plugin handles email submissions without exposing the address. Some SEO and security plugins also offer email obfuscation.
- **Shopify, Wix, Squarespace:** use the platform's built-in contact form blocks rather than displaying the email address directly.

Common causes and how to resolve them

- **Plain text address in a paragraph or footer:** replace with a contact form, an obfuscated rendering (HTML entities, CSS reversal), or a JavaScript-built mailto link.
- **Mailto link with the address visible:** the visible text is what bots read. Make the visible text a label like "Email us" while the `href` still works.
- **Address baked into images is fine for SEO but bad for accessibility:** screen readers cannot read it. Pair an image with a contact form instead.

Best practices

- **Prefer contact forms:** they reduce spam and make analytics easier.
- **Use HTML entity encoding:** writing `co...` for the address defeats the simplest scrapers, though sophisticated ones decode it.
- **Render via JavaScript:** building the mailto link client-side blocks scrapers that only read static HTML.
- **Consider a Cloudflare-style email obfuscation:** some CDNs automatically rewrite plaintext emails to obfuscated equivalents.

Unsafe Cross-Origin Links Test

This webpage is not using **target="_blank"** links without **rel="noopener"** or **rel="noreferrer"** attribute.

Mobile usability

0 Failed 0 Warnings 3 Passed

Meta Viewport Test


This webpage is using a viewport meta tag.

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

Media Query Responsive Test

This webpage is using CSS media queries, which is the base for responsive design functionalities.

Mobile Snapshot Test



Advanced SEO

2 Failed 0 Warnings 7 Passed

Structured Data Test

This webpage is using structured data.

Custom 404 Error Page Test

This website is not using a custom 404 error page! Default 404 error pages result in a poor experience - it can mislead users into thinking an entire site is down or broken, greatly increases the chance they leave the website entirely, and looks unprofessional. We recommend to have a custom 404 error page in order to improve the website's user experience by letting users know that only a specific page is missing/broken (and not the entire site), providing them helpful links, the opportunity to report bugs, and potentially track the source of broken links.

How to pass this test?

This test fails when the site does not serve a branded, helpful page for missing URLs. A custom 404 keeps users on the site by offering navigation, search, and suggested links rather than dropping them at the browser's generic error screen. Fixing this issue means designing a 404 template, ensuring it returns the correct HTTP 404 status, and pointing your server at it.

Where to make the change

- **Server configuration:** point your web server at a custom 404 page. In Nginx, use `error_page 404 /404.html;`. In Apache, use `ErrorDocument 404 /404.html`.
- **WordPress:** create a `404.php` template in your theme. WordPress invokes it automatically for missing URLs.
- **Shopify:** edit the `404.liquid` template in the theme code editor.
- **Wix or Squarespace:** use the platform's built-in 404 page editor in site settings.
- **Headless or framework sites:** Next.js uses `not-found.js`, Astro uses `404.astro`, and similar frameworks all have a convention for the missing-route page.

Common causes and how to resolve them

- **No custom 404 at all:** create one. The minimum is the site header, navigation, a clear "page not found" message, and links to popular sections.
- **404 page returns HTTP 200:** a "soft 404" confuses search engines. Verify the response status with DevTools or curl, and configure the server to return 404 for missing routes.
- **404 page redirects to homepage:** redirecting users to the homepage hides broken URLs from analytics and search engines. Show a real 404 instead.
- **Generic browser error visible:** the server is not invoking the custom template. Check the configuration directive.

Best practices

- **Keep the site chrome:** show the header, footer, and navigation so users do not feel lost.
- **Offer next steps:** a search box, popular links, or category navigation help users get back on track.
- **Track 404s:** log missing-URL hits in analytics so you can spot broken inbound links worth fixing or redirecting.
- **Be clear about the error:** "Sorry, that page does not exist" is better than vague messaging that confuses users.

© 2022 SEO Site Checkup

Noindex Tag Test

This webpage does not use the noindex meta tag. This means that it can be indexed by search engines.

Canonical Tag Test

This webpage is using the canonical link tag. This tag specifies that the URL: https://www.ieltsai.pro/ is preferred to be used in search results. Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure.

```
<link data-oid="m5uiwjj" data-rh="true" href="https://www.ieltsai.pro/" rel="canonical"/>
```

Nofollow Tag Test

This webpage does not use the nofollow meta tag. This means that search engines will crawl all links from this webpage.

Disallow Directive Test

Your robots.txt file includes a disallow command which instructs search engines to avoid certain parts of your website! You are advised to confirm if access to these resources or pages are intended to be blocked (e.g., if they contain internal-only content or sensitive information).

Meta Refresh Test

This webpage is not using a meta refresh tag.

SPF Records Test

This DNS server is using an SPF record.

```
v=spf1 include:icloud.com ~all
```

© 2022 SEO Site Checkup

Ads.txt Validation Test

The request of ads.txt file has an unexpected Content-Type header: **text/html; charset=utf-8**. In order for this resource to be easily accessed by the DSPs and advertisers, its Content-Type header should be **text/plain** or **text/plain; charset=utf-8**.

How to pass this test?

The ads.txt file is a public list of the advertising vendors authorized to sell your inventory programmatically. A correctly formatted ads.txt protects against domain spoofing in the ad supply chain and is required for inclusion in many premium advertising marketplaces. Fixing this issue means publishing a valid ads.txt at the site root with current authorized seller entries.

Example

```
google.com, pub-0000000000000000, DIRECT, f08c47fec0942fa0
example-ssp.com, 12345, RESELLER
contact=ads@example.com
```

Where to make the change

- **Raw HTML or static site:** upload `ads.txt` to the site root so it is served at `https://example.com/ads.txt`.
- **WordPress:** use a small plugin or upload the file via FTP. Some advertising plugins manage it automatically based on connected accounts.
- **Shopify:** upload the file through the theme code editor as an asset, then expose it at the root via a route configuration.
- **Cloudflare or similar CDN:** serve ads.txt from a worker if you do not have file-system access at the origin.

Common causes and how to resolve them

- **File missing:** create one with at least your direct advertising relationships.
- **File at the wrong path:** ads.txt must be at the domain root, not in a subdirectory.
- **Wrong relationship value:** use `DIRECT` for direct seller relationships, `RESELLER` for authorized resellers. Other values are invalid.
- **Stale entries:** partners change; remove relationships you no longer have so spoofers cannot exploit them.
- **Returning HTML instead of plain text:** the file must be served as `text/plain`. A page that returns HTML or a 404 fails validation.

Best practices

- **Audit quarterly:** stale entries are the main source of ads.txt vulnerabilities.
- **Mirror app-ads.txt for mobile inventory:** apps use a parallel `app-ads.txt` file with the same syntax.
- **Add a contact line:** include a `contact=email@example.com` line so vendors can reach the right person about ad-quality issues.

© 2022 SEO Site Checkup