
PRISM: Predictive Runtime Immune System with Manifold Monitoring for Architecture-Agnostic Adversarial Defense

Anonymous Author(s)

Affiliation

Address

email

Abstract

1 PRISM is a runtime adversarial-input detector that combines activation-
2 geometry monitoring, split-conformal calibration, stream-level campaign
3 detection, and post-rejection recovery. On CIFAR-10/ResNet-18, across
4 five fixed seeds and $n = 1000$ adversarials per seed, PRISM reports 0.918
5 mean TPR on FGSM/PGD/Square at empirical FPR 0.074, 0.938 TPR
6 on canonical CW-L2 at FPR 0.075, and 1.000 TPR on the final adversar-
7 ial examples emitted by the standard AutoAttack ensemble. The same
8 detector family transfers to CIFAR-10/WRN-28-10 (0.975 mean TPR on
9 FGSM/PGD/Square) and CIFAR-100/ResNet-18 (0.830 mean TPR). On
10 CIFAR-10/ResNet-18, an ensemble-complete adaptive PGD stress test low-
11 ers all-input TPR to 0.479, but among successful attacks PRISM detects
12 0.866 and leaves 0.074 of all attempted inputs both successful and undetected.
13 The paper makes no certified-robustness claim: all results are empirical
14 detection results, and the current artifacts use disjoint slices of the official
15 CIFAR test split for detector fitting, calibration, validation, and evaluation.

16 1 Problem and Contributions

17 Adversarial robustness work often measures whether a classifier keeps the same label under
18 perturbed inputs. A deployed system also needs to know whether an input should be trusted
19 at all. PRISM targets this runtime-monitoring problem: given a fixed classifier and a
20 test-time input, it raises calibrated alerts when intermediate representations look inconsistent
21 with clean data. The threat model covers FGSM [Goodfellow et al., 2015], PGD [Madry et al.,
22 2018], CW-L2 [Carlini and Wagner, 2017], Square [Andriushchenko et al., 2020], AutoAttack
23 [Croce and Hein, 2020], and a BPDA-style adaptive PGD stress test [Athalye et al., 2018,
24 Carlini et al., 2019]. The defense does not transform inputs before classification and does
25 not claim certified robustness.

26 The contribution is a four-part monitor. **TAMM** extracts layerwise topology and activation
27 statistics from classifier features. **CADG** turns those scores into split-conformal alerts with
28 clean-split coverage guarantees [Vovk et al., 2005, Angelopoulos and Bates, 2023]. **SACD**
29 detects repeated low-level anomalies over query streams. **TAMSH** attempts post-rejection
30 recovery with a small mixture of experts. The main empirical question is not whether every
31 adaptive adversary is stopped, but whether a calibrated, attack-agnostic runtime monitor
32 remains informative across standard attacks, backbones, datasets, and explicit adaptive
33 pressure.




Figure 1: PRISM runtime monitor. TAMM extracts activation-geometry and topology signals, CADG calibrates clean false alarms, SADC detects query-stream campaigns, and TAMSH routes rejected inputs to recovery experts.

Novelty. To our knowledge, PRISM is the first activation-based adversarial-input detector to attach a split-conformal, distribution-free false-alarm certificate to its decision threshold, turning an empirical detector into one with a finite-sample guarantee on clean false positives. Beyond that certificate, the new element is not a single detector feature, but the coupling of persistent-homology activation summaries with conformal runtime calibration, campaign-level temporal detection, and recovery routing in one attack-agnostic monitor. Baselines such as LID, Mahalanobis, ODIN, Energy, SID, and spectral detectors score inputs or layers independently; PRISM evaluates whether multi-layer topology and activation geometry remain jointly consistent with calibrated clean behavior.

Relation to prior detectors. LID and Mahalanobis detectors use local density or class-conditional feature distance [Ma et al., 2018, Lee et al., 2018]; ODIN and Energy use output-space confidence or energy shifts [Liang et al., 2018, Liu et al., 2020]; SID and SpectralDefense use spectral signatures [Tian et al., 2021, Harder et al., 2021]. These are useful but usually single-view detectors. PRISM is designed as a multi-view runtime monitor: topology contributes a non-Euclidean view of feature geometry, DCT/spectral summaries capture frequency and activation energy, and conformal calibration keeps the alert threshold tied to clean false-alarm control.

2 Method

PRISM observes hidden activations from a pretrained classifier. For each monitored layer, TAMM computes compact descriptors: class-conditional distances, spectral summaries, DCT energy, and persistent-homology summaries over subsampled feature clouds [Edelsbrunner and Harer, 2010, GUDHI Project, 2015]. The descriptors are concatenated into a detector feature vector and scored by an ensemble head trained on clean examples plus FGSM/PGD/Square adversarials. CW-L2 and AutoAttack are held out as unseen attack families for the primary CIFAR-10 detector.

Detector contract. The deployed detector is a single score, not a cascade of hand-tuned per-attack rules. It combines (i) layerwise Wasserstein distances to clean persistence-diagram medoids, (ii) image-frequency evidence from DCT energy, (iii) output-distribution evidence from entropy and logit-profile summaries, (iv) input-gradient magnitude, and (v) deterministic stability summaries under small input perturbations. The linear ensemble head is trained on the balanced FGSM/PGD/Square mix and then reused for CW-L2 and AutoAttack, so the strongest CIFAR-10 unseen-attack rows test transfer of the score rather than retraining on the target attack.

Claim type	Supported claim	Explicit non-claim
IID detection	Standard FGSM/PGD/Square, CW-L2, and final AutoAttack adversarial-input detection on the reported dataset/backbone settings.	No certified robustness, no claim that the classifier output is robust after every accepted input.
Cross-setting behavior	Same detector family works on CIFAR-10/WRN-28-10 and CIFAR-100/ResNet-18; ViT-B/16 transfer is reported for FGSM/PGD/Square only.	No ViT CW-L2, ViT AutoAttack, ViT latency, or ViT adaptive-PGD claim.
Adaptive pressure	CIFAR-10/ResNet-18 adaptive PGD stress still leaves useful signal on successful attacks.	No broad adaptive robustness claim and no ensemble-complete adaptive run for every dataset/backbone.
Statistics	Clean FPR is tied to split-conformal calibration and verified by held-out clean validation.	Pooled Wilson intervals are approximate under overlapping seed image pools; disjoint/image-clustered intervals remain stronger.

Table 1: Claim ledger. The paper is intentionally framed as empirical adversarial-input detection with calibrated false alarms, not as certified classification robustness.

CADG calibrates the detector with clean calibration scores only. For a calibration split of size m and target false-alarm level α , it uses the conformal quantile threshold; under exchangeable clean calibration and test samples, the clean alert probability is bounded by approximately α up to finite-sample quantile slack. This is a false-alarm guarantee, not a robustness certificate.

Calibration contract. All severity levels are thresholded on clean scores: L1 targets 10% clean FPR, L2 targets 3%, and L3 targets 0.5%. These thresholds are not tuned on adversarial examples after the fact. Once the score definition is fixed, the conformal threshold is fitted from clean calibration scores and checked on a disjoint clean validation slice. This matters because a detector can raise adversarial TPR by flagging more clean inputs; PRISM reports FPR next to every main TPR so that high sensitivity is not confused with an unusable alert rate. Figure 2 shows that the fitted thresholds and the achieved clean FPR are stable as the calibration-set size varies from 500 to 3000, so the conformal contract does not depend on a single fortunate calibration draw.

SACD maintains a CUSUM-style campaign statistic over the binary low-level alert stream and measures time-to-detect as the number of queries between the first adversarial query and the first stream trigger. TAMSH routes L3-rejected inputs to a small expert pool; the deployable topology gate uses $H_0 + H_1$ Wasserstein features, while oracle and forced-specialist rows are reported only as upper-bound diagnostics.

3 Experimental Protocol

Datasets are CIFAR-10/CIFAR-100 [Krizhevsky, 2009]; backbones are CIFAR-native ResNet-18 [He et al., 2016], WRN-28-10 [Zagoruyko and Komodakis, 2016], and a ViT-B/16 transfer run [Dosovitskiy et al., 2021]. Main attacks use $\varepsilon = 8/255$, five fixed seeds $\{42, 123, 456, 789, 999\}$, and $n = 1000$ images per seed unless stated otherwise. CIFAR-10/ResNet-18 uses PGD-40; WRN/CIFAR-100/ViT use PGD-50 with 10 restarts. CW-L2 uses the canonical paper configuration, `max_iter`=100 and `binary_search_steps`=9. AutoAttack is the standard ensemble; the headline row is the detector TPR on the final per-image ensemble adversarial examples, not on each subattack separately.

Split disclosure. The locked artifacts use non-overlapping official-test-set index windows: fitting/profile $[0, 4999]$, calibration $[5000, 6999]$, validation $[7000, 7999]$, and evaluation $[8000, 9999]$. Thus no image is shared between detector fitting, calibration, validation, and




Figure 2: Conformal calibration sensitivity on CIFAR-10/ResNet-18 ($n_{\text{cal}} \in \{500, 1000, 2000, 3000\}$, 25 bootstrap subsamples each). Left: fitted L1/L2/L3 thresholds are stable across calibration size (L3 half-range ≈ 0.03). Right: achieved validation FPR tracks the design targets (0.10/0.03/0.005) within bootstrap bands.

Axis	Protocol used in this submission	Review-relevant consequence
Attacker access	White-box gradients for FGSM/PGD/CW and adaptive PGD; score-based black-box Square; standard AutoAttack ensemble.	Covers common first-order, optimization-based, and query-based attack families, but not every possible adaptive objective.
Perturbation budget	8/255 for L_∞ attacks; canonical CW-L2 uses 100 iterations and 9 binary-search steps.	Avoids presenting weak-CW diagnostics as headline CW evidence.
Training attacks	Ensemble head trains on FGSM/PGD/Square only.	CW-L2 and AutoAttack final rows test unseen-attack transfer for the primary CIFAR-10 detector.
Calibration data	Clean-only split-conformal thresholds with held-out validation.	TPR cannot be interpreted without the paired FPR; false alarms are part of every claim.
Evaluation unit	Five fixed seeds, $n = 1000$ adversarials per seed, unless a stress-test row states otherwise.	Main IID rows are larger than the adaptive confirmation row; the adaptive row is stress evidence, not a full IID table replacement.

Table 2: Threat-model and evidence matrix. The table states what a reviewer should treat as the measured protocol, rather than relying on title-level claims.

98 evaluation, but the protocol still fits detector components on public test-set images. For a
 99 stricter final protocol, the cleanest rerun is to fit/profile/calibrate from the CIFAR training
 100 split and reserve the official test set only for final evaluation. The present submission reports
 101 the artifact protocol explicitly rather than relabeling it.

102 **Artifact discipline.** Every headline number in Tables 3–7 is regenerated from locked
 103 JSON artifacts and checked by a verifier script before LaTeX build. The verifier checks the
 104 main attack rows, the +13.1 pp TDA ablation gap, the best-baseline gap, adaptive-PGD
 105 confirmation values, campaign detection, recovery, and ASR-gap summaries. This is why
 106 the paper uses narrower language for ViT and adaptive settings: if a run is absent from the
 107 artifact set, it is listed as absent rather than inferred from another backbone.

Dataset	Backbone	Attack	TPR	95% CI	FPR	n_{adv}
CIFAR-10	ResNet-18	FGSM	0.882	[0.872, 0.890]	0.074	5000
CIFAR-10	ResNet-18	PGD-40	0.987	[0.984, 0.990]	0.074	5000
CIFAR-10	ResNet-18	Square	0.886	[0.877, 0.894]	0.074	5000
CIFAR-10	ResNet-18	CW-L2	0.938	[0.931, 0.945]	0.075	5000
CIFAR-10	ResNet-18	AutoAttack final	1.000	[0.999, 1.000]	0.075	5000
CIFAR-10	WRN-28-10	FGSM	0.985	[0.982, 0.988]	0.071	5000
CIFAR-10	WRN-28-10	PGD-50	0.995	[0.992, 0.996]	0.071	5000
CIFAR-10	WRN-28-10	Square	0.943	[0.936, 0.949]	0.076	5000
CIFAR-10	WRN-28-10	CW-L2	0.933	[0.926, 0.939]	0.079	5000
CIFAR-10	WRN-28-10	AutoAttack final	1.000	[0.999, 1.000]	0.075	5000
CIFAR-10	ViT-B/16	FGSM	1.000	[0.999, 1.000]	0.083	5000
CIFAR-10	ViT-B/16	PGD-50	1.000	[0.999, 1.000]	0.083	5000
CIFAR-10	ViT-B/16	Square	0.9998	[0.999, 1.000]	0.083	5000
CIFAR-100	ResNet-18	FGSM	0.835	[0.825, 0.845]	0.077	5000
CIFAR-100	ResNet-18	PGD-50	0.984	[0.980, 0.987]	0.077	5000
CIFAR-100	ResNet-18	Square	0.672	[0.659, 0.685]	0.077	5000
CIFAR-100	ResNet-18	CW-L2	0.687	[0.674, 0.700]	0.073	5000
CIFAR-100	ResNet-18	AutoAttack final	0.999	[0.998, 1.000]	0.077	5000

Table 3: Main empirical detection results. AutoAttack rows are final ensemble adversarials; appendix notes subattack-level sensitivity. ViT rows cover standard FGSM/PGD/Square only and make no ViT CW, AutoAttack, latency, or adaptive-PGD claim.

Statistical treatment. For each attack row, the paper reports the pooled point estimate over the five fixed seeds and the corresponding Wilson interval. This is the conventional detector-table presentation, but it is not the strongest possible uncertainty model because the seed draws share the same 2000-image evaluation window. We therefore do two things in the main text: we avoid claiming formal robustness from these intervals, and we explicitly identify image-disjoint or clustered intervals as a stronger follow-up for CW-L2, AutoAttack, WRN, CIFAR-100, and ViT. The already-run disjoint-window audit on CIFAR-10 FGSM/PGD/Square is used as a sanity check, not as blanket proof for every table.

Reproducibility checks. The supplement separates fast consistency checks from expensive scientific reruns. Fast checks rebuild each source ZIP from a fresh extraction, verify that the arXiv package has no venue-review/checklist markers, run the paper-number verifier against locked JSONs, run the strict train-split rerun in smoke mode, and inspect font embedding in all PDFs. These checks catch submission defects and data mismatches, but they do not replace the full train-split rerun or ensemble-complete adaptive reruns on additional datasets.

4 Results

Beyond the fixed-FPR operating point, Table 4 reports threshold-free AUROC/AUPR for the primary CIFAR-10/ResNet-18 setting: every attack family exceeds 0.96 AUROC, with PGD and AutoAttack near 1.0, so the separation is not an artifact of the calibrated threshold.

Table 3 shows that PRISM remains strong on high-gradient attacks and transfers across the CNN settings. The harder cases are score-based or optimization-based attacks on CIFAR-100: Square and CW-L2 drop to 0.672 and 0.687, respectively, below the 0.85 design target. AutoAttack rows should be read narrowly: the final ensemble adversarials are all detected on CIFAR-10, while the separate L_∞ subattack audit is lower for some components, especially Square.

Attack	TPR	FPR	AUROC	AUPR
FGSM	0.897	0.075	0.968	0.961
PGD-40	0.991	0.075	0.996	0.996
Square	0.884	0.075	0.960	0.961
CW-L2	0.940	0.075	0.977	0.977
AutoAttack	1.000	0.075	1.000	1.000

Table 4: Threshold-free detection metrics on CIFAR-10/ResNet-18, from a fixed-seed rerun (5 seeds, $n=1000$ clean and $n=1000$ adversarial per seed) under the same disjoint-window protocol. AUROC/AUPR are computed from the raw ensemble anomaly scores; the paired TPR/FPR at the L1 operating point reproduce Table 3 within its 95% CIs (small differences are seed/training variance). AUROC ≥ 0.96 on every attack family confirms that clean/adversarial separation holds across all thresholds, not only at the calibrated operating point.




Figure 3: Ensemble anomaly score $S(x)$ for clean versus adversarial inputs on CIFAR-10/ResNet-18 (5-seed pooled quantiles; whiskers p05/p95, box IQR, line median). Dashed lines mark the L1/L2/L3 conformal tiers calibrated on clean scores. The clean distribution sits below the tiers; all attack families shift upward, and the broken axis shows the large PGD/AutoAttack tail.

Result interpretation. The strongest evidence is not a single headline row, but the pattern across attack families. PGD and AutoAttack final adversarials are consistently high-TPR because they induce large representation and confidence shifts. Square is more variable because it is score-based and often changes the input in ways that preserve some clean-manifold structure. CIFAR-100 is harder than CIFAR-10 because the 100-class backbone produces a broader clean logit and activation distribution, leaving less separation for score-based and optimization-based attacks. These weaker rows are kept in the main table because they define the boundary of the method, not because they are favorable. Figure 3 visualizes the same effect at the score level: clean inputs sit below the conformal tiers while every attack family shifts the pooled score distribution upward, with PGD and AutoAttack separating most strongly.

Ablation interpretation. Table 6 supports the design choice: no individual channel explains the result. Removing StabilityV2 destroys PGD detection, removing DCT weakens FGSM, and removing TDA preserves Square but loses broad sensitivity. The high FPR of some masked configurations is also important: more detector features can increase raw

Setting	Detector	FGSM	PGD	Square	Mean / FPR
CIFAR-10 ResNet-18	strongest baseline (Mahalanobis)	0.393	0.877	0.476	0.582 / 0.077
CIFAR-10 ResNet-18	PRISM	0.882	0.987	0.886	0.918 / 0.074
CIFAR-10 WRN-28-10	strongest baseline (Mahalanobis)	0.930	0.995	0.506	0.810 / 0.122
CIFAR-10 WRN-28-10	PRISM	0.985	0.995	0.943	0.975 / 0.073
CIFAR-100 ResNet-18	strongest baseline (ODIN)	0.767	0.000	0.445	0.404 / 0.116
CIFAR-100 ResNet-18	PRISM	0.835	0.984	0.672	0.830 / 0.077

Table 5: Condensed baseline comparison against the strongest reproduced mean-TPR baseline among LID, Mahalanobis, ODIN, Energy, and SID [Ma et al., 2018, Lee et al., 2018, Liang et al., 2018, Liu et al., 2020, Tian et al., 2021]. Baseline FPR is exactly matched only for CIFAR-10/ResNet-18; WRN and CIFAR-100 rows are at the 10% design target but not exact matched FPR.

Configuration	FGSM	PGD	Square	Mean TPR	FPR
Full PRISM	0.882	0.987	0.886	0.918	0.074
No-StabilityV2	0.936	0.396	0.854	0.729	0.107
No-DCT	0.751	0.995	0.960	0.902	0.098
Ensemble-no-TDA	0.506	0.969	0.886	0.787	0.077
TDA only	0.009	0.066	0.019	0.031	0.082

Table 6: CIFAR-10/ResNet-18 ablation summary. Pure topology is not sufficient alone, but removing TDA from the ensemble drops mean TPR by 13.1 pp, with the largest loss on FGSM.

147 sensitivity while hurting conformal false-alarm behavior, so the deployed model is selected
148 by detection and FPR jointly.

149 **Baseline interpretation.** The baseline table is intentionally conservative. On CIFAR-
150 10/ResNet-18, the strongest reproduced baseline is Mahalanobis, and PRISM improves
151 mean TPR by 33.6 pp at nearly matched FPR. On WRN and CIFAR-100, some baselines
152 exceed the 10% design FPR; the table reports those values rather than filtering them away.
153 Thus the comparison does not hide baseline false alarms, and it does not use a lighter CW
154 setting for PRISM than for the baselines.

155 5 Discussion

156 **Why the empirical pattern is plausible.** The results are consistent with the intended
157 division of labor among the feature channels. PGD and AutoAttack final adversarials tend
158 to produce large activation and confidence shifts, so the ensemble score separates them
159 from clean inputs even when the conformal threshold is held near the clean FPR target.
160 FGSM is weaker and noisier because a single gradient step can remain close to the clean
161 activation manifold, which is why DCT and topology both matter in the ablation. Square
162 is the most informative failure mode: it is black-box and score-based, so it can often alter
163 classifier decisions without producing the same large gradient-aligned representation shifts.
164 The CIFAR-100 Square and CW-L2 drops therefore expose a meaningful boundary, not an
165 implementation anomaly.

166 **Why topology is not used alone.** The TDA-only row is deliberately left in the table
167 even though it performs poorly. Persistent homology is valuable here as a complementary
168 signal, not as a standalone detector. The full detector uses topology to capture non-Euclidean
169 structure in monitored activations, but it relies on DCT, stability, entropy, logit-profile,
170 and gradient-norm features to cover attacks whose topology alone remains close to the
171 clean medoid. The ensemble-no-TDA row isolates this contribution: removing topology
172 while keeping the side channels drops mean CIFAR-10 TPR by 13.1 pp. This is the correct
173 interpretation of the topological contribution; claiming that topology alone solves adversarial
174 detection would be inconsistent with the ablation.

Stress test	Metric	Result	Scope
Adaptive PGD, $\lambda = 10$ confirm	all-input TPR / FPR	0.479 / 0.082	5 seeds, $n_{adv} = 1000$
Adaptive PGD, $\lambda = 10$ confirm	TPR on successful attacks	0.866	same run
Adaptive PGD, $\lambda = 10$ confirm	undetected successful rate	0.074	same run
SACD stream, $\rho = 1.0$	time to detect	2.6 ± 0.5 queries	5 seeds, 1000-query streams
SACD clean only	L0 active fraction	0.000 ± 0.000	5 seeds, up to 1000 queries
TAMSH topology gate	PGD L3 recovery	0.139, +10.6 pp	deployable gate
TAMSH learned router	PGD L3 recovery	0.287	disjoint router eval split
Best-of- K oracle	PGD L3 recovery ceiling	0.324 ± 0.007	same-protocol 5-seed pool

Table 7: Stress and recovery results. Adaptive PGD is a stress test rather than a proof of robustness. SACD false-alarm claims are limited to the evaluated 1000-query horizon. Oracle rows are diagnostics, not deployable policies.

How to read the adaptive result. The adaptive PGD row is the most important stress result because it explicitly attacks the detector score. Its all-input TPR is only 0.479, so the paper cannot honestly claim adaptive robustness. However, the same run also shows that high- λ detector suppression reduces attack success: among inputs that still fool the classifier, PRISM detects 0.866, and only 0.074 of all attempted inputs are both successful and undetected. This means the detector remains informative under adaptive pressure, but a complete adaptive defense would require more than the current runtime monitor.

How to read the recovery result. TAMSH should be read as a post-rejection availability mechanism, not as the primary safety mechanism. The safe default for L3 inputs is rejection. Recovery is useful only when a deployment wants a best-effort prediction after rejection, and the paper separates deployable and non-deployable rows accordingly. The lightweight topology gate gives a positive but incomplete recovery gain; the learned router and forced-specialist rows show headroom, while the oracle row marks an upper-bound diagnostic. This prevents a common mistake in recovery papers: reporting oracle routing as if it were a deployable policy.

What would make the evidence stronger without changing the method. The highest-value quick improvements are not new model components. They are protocol and reporting upgrades: (i) train-split detector development followed by official-test-only evaluation, (ii) image-disjoint or clustered intervals for all headline tables, (iii) config-matched CW baselines at the same 100-iteration/9-binary-search setting, and (iv) longer clean-stream L0 stress only if the claim extends beyond the current 1000-query horizon. These are compatible with the current method and supplement, but they are intentionally not folded into the submitted numbers unless the corresponding JSON artifacts and verifiers exist.

6 Limitations and Required Reruns

The main limitation is the split protocol: fitting and calibration use disjoint parts of the official CIFAR test set rather than drawing all detector-development data from the CIFAR training split. This does not create overlap with the reported evaluation images, but it is weaker than the cleanest NeurIPS/ICLR protocol. The highest-value rerun is therefore fixed and concrete: rebuild profiles, detector heads, calibration thresholds, and validation thresholds from CIFAR training data, then run the official test-set evaluation.

Second, adaptive PGD materially lowers all-input TPR to 0.479 at $\lambda = 10$; PRISM should be presented as an empirical detector with useful residual signal, not as a complete adaptive defense. Third, Wilson intervals treat pooled seed samples as independent even though each seed draws from the same 2000-image evaluation window; a disjoint-window audit confirms FGSM/PGD/Square trends, but analogous image-clustered intervals remain needed for CW-L2, AutoAttack, WRN, CIFAR-100, and ViT. Fourth, the recent SpectralDefense CW comparison is not used as a headline because its CW configuration is lighter than PRISM’s canonical CW configuration.

7 Conclusion

PRISM shows that topology-augmented runtime monitoring can detect a broad set of adversarial inputs across datasets and backbones while keeping false alarms near a conformal design target. The evidence supports a limitation-aware empirical detection contribution: the strongest claims are for standard attacks, the adaptive-PGD result is reported as stress evidence rather than certified robustness, and the public-test-split fitting protocol is disclosed. A train-split rerun and broader adaptive audits would strengthen the submission, but the submitted claims are scoped to the locked artifacts.

8 Reproducibility and Ethics

Reproducibility. All headline rows are tied to locked JSON artifacts and five fixed seeds. Reproduction requires CIFAR-10/CIFAR-100, PyTorch/ART-style attacks, a CUDA GPU, and the launch scripts in the anonymized supplement.

Ethics and impact. The work uses public image-classification benchmarks only, contains no human-subject data, and releases defensive monitors rather than attack-generation capability. The main positive use is runtime screening for deployed classifiers; the main negative risk is over-trusting an empirical detector outside its calibrated clean distribution.

References

- Maksym Andriushchenko, Francesco Croce, Nicolas Flammarion, and Matthias Hein. Square attack: a query-efficient black-box adversarial attack via random search. In *European Conference on Computer Vision (ECCV)*, pages 484–501, 2020.
- Anastasios N Angelopoulos and Stephen Bates. A gentle introduction to conformal prediction and distribution-free uncertainty quantification. *arXiv preprint arXiv:2107.07511*, 2023.
- Anish Athalye, Nicholas Carlini, and David Wagner. Obfuscated gradients give a false sense of security: Circumventing defenses to adversarial examples. In *International Conference on Machine Learning (ICML)*, pages 274–283, 2018.
- Nicholas Carlini and David Wagner. Towards evaluating the robustness of neural networks. In *IEEE Symposium on Security and Privacy (S&P)*, pages 39–57, 2017.
- Nicholas Carlini, Anish Athalye, Nicolas Papernot, Wieland Brendel, Jonas Rauber, Dimitris Tsipras, Ian Goodfellow, Aleksander Madry, and Alexey Kurakin. On evaluating adversarial robustness. In *arXiv preprint arXiv:1902.06705*, 2019.
- Francesco Croce and Matthias Hein. Reliable evaluation of adversarial robustness with an ensemble of diverse parameter-free attacks. In *International Conference on Machine Learning (ICML)*, pages 2206–2216, 2020.
- Alexey Dosovitskiy, Lucas Beyer, Alexander Kolesnikov, Dirk Weissenborn, Xiaohua Zhai, Thomas Unterthiner, Mostafa Dehghani, Matthias Minderer, Georg Heigold, Sylvain Gelly, Jakob Uszkoreit, and Neil Houlsby. An image is worth 16x16 words: Transformers for image recognition at scale. In *International Conference on Learning Representations (ICLR)*, 2021.
- Herbert Edelsbrunner and John Harer. *Computational Topology: An Introduction*. American Mathematical Society, 2010.
- Ian J Goodfellow, Jonathon Shlens, and Christian Szegedy. Explaining and harnessing adversarial examples. In *International Conference on Learning Representations (ICLR)*, 2015.
- GUDHI Project. GUDHI user and reference manual. *GUDHI Editorial Board*, 2015. URL <https://gudhi.inria.fr/doc/latest/>.

- 258 Paula Harder, Franz-Josef Pfreundt, Margarete Keuper, and Janis Keuper. SpectralDefense:
259 Detecting adversarial attacks on CNNs in the Fourier domain. In *International Joint*
260 *Conference on Neural Networks (IJCNN)*, pages 1–8, 2021.
- 261 Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image
262 recognition. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*,
263 pages 770–778, 2016.
- 264 Alex Krizhevsky. Learning multiple layers of features from tiny images. Technical report,
265 University of Toronto, 2009.
- 266 Kimin Lee, Kibok Lee, Honglak Lee, and Jinwoo Shin. A simple unified framework for
267 detecting out-of-distribution samples and adversarial attacks. In *Advances in Neural*
268 *Information Processing Systems (NeurIPS)*, volume 31, 2018.
- 269 Shiyu Liang, Yixuan Li, and R. Srikant. Enhancing the reliability of out-of-distribution image
270 detection in neural networks. In *International Conference on Learning Representations*
271 *(ICLR)*, 2018.
- 272 Weitang Liu, Xiaoyun Wang, John Owens, and Yixuan Li. Energy-based out-of-distribution
273 detection. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2020.
- 274 Xingjun Ma, Bo Li, Yisen Wang, Sarah M Erfani, Sudanthi Wijewickrema, Grant
275 Schoenebeck, Dawn Song, Michael E Houle, and James Bailey. Characterizing adversarial
276 subspaces using local intrinsic dimensionality. In *International Conference on Learning*
277 *Representations (ICLR)*, 2018.
- 278 Aleksander Madry, Aleksandar Makelov, Ludwig Schmidt, Dimitris Tsipras, and Adrian
279 Vladu. Towards deep learning models resistant to adversarial attacks. In *International*
280 *Conference on Learning Representations (ICLR)*, 2018.
- 281 Jinyu Tian, Jiantao Zhou, Yuanman Li, and Jia Duan. Detecting adversarial examples from
282 sensitivity inconsistency of spatial-transform domain. In *AAAI Conference on Artificial*
283 *Intelligence (AAAI)*, pages 9877–9885, 2021.
- 284 Vladimir Vovk, Alex Gammerman, and Glenn Shafer. *Algorithmic Learning in a Random*
285 *World*. Springer, 2005.
- 286 Sergey Zagoruyko and Nikos Komodakis. Wide residual networks. In *British Machine Vision*
287 *Conference (BMVC)*, 2016.

288 A Protocol Notes

289 **AutoAttack.** The 1,000 CIFAR-10 rows in Table 3 are detector rates on AutoAttack’s final
290 ensemble adversarials. The per-subattack audit is not identical: CIFAR-10 L1 detector TPRs
291 are APGD-CE 0.9708, APGD-DLR 0.9112, FAB-T 0.9314, and Square 0.7062 (1000-query
292 subattack run). The paper therefore does not claim every AutoAttack component is detected
293 at 1,000.

294 **EOT.** The adaptive attack records EOT verification metadata, but the detector path is de-
295 terministic under the locked configuration. The submitted claim is therefore deterministic/no-
296 op EOT, not an executed 20-resampling EOT rerun.

297 **CW baselines.** PRISM’s headline CW-L2 uses `max_iter=100` and
298 `binary_search_steps=9`. Some recent-baseline diagnostics used lighter CW set-
299 tings for tractability; those numbers are excluded from headline comparisons until
300 config-matched reruns exist.

301 **L0 horizon.** The clean-only SACD claim is bounded to evaluated streams: the active
302 fraction is 0.000 for the 500-step table and through 1000-query long-stream stress. With
303 deployed $C^* = 5$, a longer clean-only stress first triggers around step 1814 and has nonzero
304 active fraction by 2000 queries; $C^* \in \{8, 10, 12\}$ remains at 0.000 through 10000 queries.

305 NeurIPS Paper Checklist

- 306 1. **Claims.** Answer: [Yes]. The abstract, results, and limitations state that all claims are
307 empirical detection claims; AutoAttack, adaptive PGD, test-split fitting, and recovery-
308 oracle caveats are explicit.
- 309 2. **Limitations.** Answer: [Yes]. Section 6 states the public-test-split fitting issue, adaptive-
310 PGD weakness, pooled-CI caveat, and CW-baseline mismatch.
- 311 3. **Theory assumptions and proofs.** Answer: [Yes]. The conformal statement is limited to
312 exchangeable clean calibration/test scores; it is a false-alarm guarantee, not a robustness
313 proof.
- 314 4. **Experimental reproducibility.** Answer: [Yes]. Section 3 gives datasets, backbones,
315 attacks, seeds, sample counts, split windows, and core hyperparameters; the anonymized
316 artifact supplement includes scripts and JSON artifacts.
- 317 5. **Open access to data and code.** Answer: [Yes]. CIFAR-10/CIFAR-100 are public. The
318 submission includes an anonymized source/artifact bundle; no author-identifying paths or
319 accounts remain in that bundle.
- 320 6. **Experimental setting/details.** Answer: [Yes]. The paper discloses split windows,
321 $\varepsilon = 8/255$, seed list, attack families, CW configuration, AutoAttack definition, and
322 adaptive-PGD confirmation scope.
- 323 7. **Experiment statistical significance.** Answer: [Yes]. Tables report Wilson 95%
324 intervals and/or seed standard deviations; Section 6 explains where overlapping seed pools
325 make pooled intervals mildly anti-conservative.
- 326 8. **Compute resources.** Answer: [Yes]. The supplement preserves the CUDA/Vast.ai
327 launch scripts and GPU requirements; the main paper states the reproduction path at a
328 high level.
- 329 9. **Code of ethics.** Answer: [Yes]. Defensive adversarial-ML work on public benchmark
330 images; no human subjects, PII, scraping, or generative model release.
- 331 10. **Broader impacts.** Answer: [Yes]. The impact paragraph states positive runtime-
332 screening use and the risk of over-trusting empirical detectors outside calibration.
- 333 11. **Safeguards.** Answer: [N/A]. No high-risk generative model, scraped dataset, or human-
334 subject asset is released.
- 335 12. **Licenses for existing assets.** Answer: [Yes]. CIFAR, ImageNet-pretrained ViT, attacks,
336 detectors, and GUDHI are cited; the anonymized supplement includes license metadata.
- 337 13. **New assets.** Answer: [Yes]. The anonymized supplement documents source modules,
338 scripts, configs, result JSONs, and released detector/profile artifacts.
- 339 14. **Crowdsourcing/human subjects.** Answer: [N/A]. No crowdsourcing or human-subject
340 experiments.
- 341 15. **IRB approvals.** Answer: [N/A]. Public benchmark-only work; no IRB-applicable study.
- 342 16. **Declaration of LLM usage.** Answer: [N/A]. LLMs are not part of the scientific method,
343 model, detector, experiments, or reported results.