

1. 00:00:30

The screenshot displays a web application interface for managing inventory optimization. A modal window titled "Create Life Cycle Classification Rules" is open, featuring a "Description" field, a "Rule Criteria" section, and a "Rule Value" section. The background shows a sidebar with "Rules Category" and "Rule Builder" sections. The bottom of the screen shows a Windows taskbar with various icons and a system clock.

Rules Category

- Summary
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock
- Holdback Stock
- Initial Allocation
- Store Priority Groups
- Replenishment
- Simple Pack Rounding Threshold
- Life Cycle Calendar
- Life Cycle Calendar

Rule Builder

- Rule Criteria
- Rule Value

System Information

14:05
17/12/2025

per specific criteria that you want.

Let's say for specific subclass and let's say region, you can have a lifecycle of just two

per cycle of phase three five. So you can have different lifecycle phase.

Now this lifecycle phase that you can see from here, these are all loaded. So these are preloaded.

You can load it through this table. So there is a table. There's a staging table that will hold all of this

C:\Oracle\V24\IPO\RDF_LAR_Measures.txt - Notepad++



Kalp Shah



Mervin Maynes

Sana dammak

Meg Galgano

lifecycle phases. So there is no UI at the moment where you can set up all these lifecycle phases. These are just loaded through the staging table.
So, but the idea is you can have different lifecycle phase setup for a specific criteria.

3. 00:01:30

The screenshot displays the 'Create Life Cycle Classification Rules' dialog box in the Oracle Retail Inventory Management (RIM) application. The dialog is titled 'Create Rule Criteria' and features a 'Filter Column Names' input field. Below this, a table lists available columns for selection:

Column Name	Add All
Location 1 - Company	Add
Location 2 - Chain	Add
Location 3 - Area	Add
Location 4 - Region	Add
Location 5 - District	Add
Location 6 - Location	Add
Location Group	Add

To the right of the column list is a 'Selected Columns' section with the instruction 'Add columns from the list to build your query.' and a 'Clear Selections' button. The background interface shows the 'Rules Category' sidebar with options like Summary, Post-processing, Supply Chain Network, Allocation and Replenishment, Display Stock, Holdback Stock, Initial Allocation, Store Priority Groups, Replenishment, Simple Pack Rounding Threshold, Life Cycle Calendar, and Rule Builder. The 'Rule Builder' section is currently active, showing 'Rule Criteria' and 'Rule Value' fields.

Like in this example, we have four different lifecycle phases. If you want to look at the date or whatever the setup that we have, so you can go to the manage workbook. In the innovation workbench, you can do a query from here. So from here, let's say I just want to see what lifecycle phase has been loaded in this environment.

4. 00:02:06

Manage Inventory Optimization x Oracle APEX Home x Order Overview: Home: Inven x +

rgbu.gbuua.ocs.oc-test.com/hijynjmcxc697drczh/ords/f/apex/workspace/home?session=705857955812612

APEX App Builder SQL Workshop Team Development Gallery

Search

oracleintuser_preprod

Top Apps

Top Users

Summary

1 Applications 2 Tables 2 Developers

Workspace Message

No Workspaces Message

About

Oracle APEX is a low-code development platform that enables you to build scalable, secure enterprise apps, with world-class features, that can be deployed anywhere.

Learn More

APEX Website

Blog

Tutorials

Videos

Educational Resources

Ideas & Feature Requests

apex.world

Social

X LinkedIn Facebook YouTube

Page events: 1 hours [Edit Reporting Timeframe]

14:06 17/12/2025

There's nothing. Maybe the team loaded directly to the not understanding table, but directly on the internal table. But this is the table that you will use if you're going to load your lifecycle phases. And the details what file we need to use is in the RAP interface document. Right? Yes, I will leave it to you. So you can see we have here the the call and learn name. Those are your call and names. Start in the

Manage Inventory Optimization | SQL Commands | Order Overview: Home | Inventory | +

rap.retail.us-phoenix-1.ocs.oc-test.com/rqbu-rap-cte-prd999-rsp/oraseul/?qjr=Home%2Fjral-main-content-tab-3

Create Life Cycle Classification Rules

Description Required

Rule Criteria

Rule Value

Life Cycle Calendar

LONG LIFE - 2 PHASE | 3 PHASE - DATED | 5 PHASE | 4 PHASE - ASSORT.

Start date type:

End date type:

Initializing...

Note: The columns represent the Assortment Duration.

Cancel | Save

Rules Category

- Summary
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock
- Holdback Stock
- Initial Allocation
- Store Priority Groups
- Replenishment
- Simple Pack Rounding Threshold
- Life Cycle Calendar
- Life Cycle Calendar

Rule Builder

- Rule Criteria
- Rule Value

Windows taskbar: 14:07 17/12/2025

phase type. So let's say for the first phase, it will be your initial location, second is this code already. So you can have an up to six lifecycle phases from here. And then assortment duration. So you can define all the here from here. You can also update this table directly from innovation workbench. And the the incurs for each

6. 00:04:00

Manage Inventory Optimization | SQL Commands | Order Overview: Home: Inven | +

rap.retail.us-phoenix-1.ocs.oc-test.com/igbu-rap-cte-prd999-rsp/oraseul/?qjr=Home%2Fjral-main-content-tab-3

Create Life Cycle Classification Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Life Cycle Calendar

LONG LIFE - 2 PHASE | 3 PHASE - DATED | 5 PHASE | 4 PHASE - ASSORT.

Start date type: Assort start | Phase 1 Type: Initial Allocation
End date type: Assort end | Phase 2 Type: Maturity

	>= 0
Phase 1 start	0 day(s) from assortment Start
Phase 2 start	2 day(s) from assortment End

Note: The columns represent the Assortment Duration.

Cancel Save

like what do you use to have in there? Like how to define when the phase will start? Is it like based on the certain start and end date? Yeah. So it is only based on the assortment start date. And so you can use either from start humming this from start or how many days before end. So you can define up to six lifecycle phases. And then so this example here

7. 00:04:54

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Inven x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio... x

Rules Category

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 0

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Life Cycle Calendar Rules

Actions View + ✎ ✕ ↺ ↻ ⚙ Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Lo
2016	Allocation_001_CD	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	99 Co
2015	Allocation_001	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	20
1810	CrossDock_Rule_1	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 112701-Scoop Neck Crop T-Shirt Forest: Small	Style Color Size	112701-Scoop Neck Crop T-Shirt Forest: Small	Yes	Location	99 Co
1809	CD_excess	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451255-Espressione - Espresso	Style Color Size	23451255-Espressione - Espresso Maker/Coffeemaker - Black	Yes	Location	99 Co
1808	CrossDockRepl	Location 6 - Location = 99001-US Virtual WH - West Coast DC B&M AND Merchandise 9 - Style Color Size = 70063172-Wide Leg Pocket Jogger Red Medium	Style Color Size	70063172-Wide Leg Pocket Jogger Red Medium	Yes	Location	99 Co
1807	Womens Activewear Top - 8 weeks	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	1-L Mc
1806	Womens Activewear Tops - 30% of Season - Ecom	Location 3 - Area = 71-United States Direct / Online AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	71-
1805	16 wk demand, fixed date	Location 1 - Company = 1-Retailer Ltd AND Merchandise 4 - Department = 125-Men's Activewear	Department	125-Men's Activewear	Yes	Company	1-R
112801	112801-Scoop Neck T-Shirt	Location 6 - Location = 2038-US - Walla Walla AND Merchandise 9 - Style Color Size = 112801-Scoop Neck T-Shirt	Style Color Size	112801-Scoop Neck T-Shirt	Yes	Location	99 Co

https://rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home...

14:09 17/12/2025



Sana_dammak

Meg Galgano

or replenishment. So each rule category, you can define if it will use a lifecycle phase for

8. 00:05:09

The screenshot displays the Oracle Inventory Optimization web application. The browser's address bar shows the URL: `rap.retailus-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/tojr-Home%2Fjraf-main-content-tab-3`. The application interface includes a sidebar on the left with a 'Rules Category' list and a 'Rule Builder' section. The main area shows the 'Replenishment Rules' table.

Rules Category

- Summary (7/54)
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock (1)
 - Holdback Stock (0)
 - Initial Allocation (11)
 - Store Priority Groups (0)
 - Replenishment (1)
 - Simple Pack Rounding Threshold (0)
- Life Cycle Calendar
 - Life Cycle Calendar (15)

Rule Builder

Replenishment Rules

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Location
1816	IQ_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast

The bottom of the screen shows a Windows taskbar with the date and time: 14:09, 17/12/2025.

its rules. Just like for example here, we can use a rule parameter for custom date using lifecycle phase. So you can define this in the system configuration. So the next cycle calendar setup here is not mandatory and like a lot.

9. 00:05:33

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Invent x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio... x

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock 1
 - Holdback Stock 0
 - Initial Allocation 11
 - Store Priority Groups 0
 - Replenishment 1
 - Simple Pack Rounding Threshold 0
 - Life Cycle Calendar
 - Life Cycle Calendar 15

Rule Builder

Rule Criteria

Replenishment Rules

Actions View + Edit X Refresh Undo Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Loca
1816	IO_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast

14:10 17/12/2023



Kalp Shah



Merin Maynes

Sana_dammak

Meg Galgano

And it is not sure. And I don't necessarily have a lifecycle active to be replenished.

10. 00:05:48

The screenshot displays a web application interface for managing inventory optimization. A modal window titled "Create Replenishment Rules" is open, allowing users to define new rules. The modal is divided into three main sections: "Rule Criteria", "Rule Value", and "Rule Parameters".

- Rule Criteria:** Contains a "Description" field and a "+ Criteria: No Criteria Exists" button.
- Rule Value:** Includes a text input field for the rule's value.
- Rule Parameters:** Contains options for how the rule is applied and its effective dates.
 - Rule will be applied:** Radio buttons for "Always" (selected) and "Custom date".
 - Based on Effective dates:** Radio button for "Effective Start Date" and "Effective End Date", each with a date picker.
 - No End Date:** A toggle switch.
 - Based on Life Cycle phase of the product/location:** Radio button with a dropdown menu showing options: "Initial Allocation", "Inactive", "Maturity", and "End of Life".

At the bottom right of the modal are "Cancel" and "Save" buttons, along with a red "X" button. The background shows a sidebar with "Rules Category" and "Rule Builder" sections, and a Windows taskbar at the bottom with the date 17/12/2025 and time 14:10.

Yes. Define start and end date when you want to replenish it.
Yes. So this one it just depends on your if it is eligible or if it is asserted. So there is unlike large where you have where you need the specific range or identification needs to be asserted first. And also lifecycle active. So here there is no lifecycle active concept. It is just what is what is the range, what is the asserted item location at the moment.
So the lifecycle there is optional. Actually when you receive the provision environment, this will be by default, this will be the activated. You need to enable it in the system configuration. So you need to enable the custom dates. If not it will be just like let's say for example,

11. 00:06:54

Management Inventory Optimization x SQL Commands x Order Overview : Home : Invent x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/fojr=Home%2fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio... x

Rules Category <

Summary 75:4

Post-processing v

Supply Chain Network v

Allocation and Replenishment ^

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 0

Life Cycle Calendar ^

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Replenishment Rules

Actions v View v + x [Refresh] [Filter] [Detach] [Update & Copy Rule] [Build Rule]

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Loca
1816	IO_WIH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast

https://rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/fojr=Home%2fjraf-main-content-tab-3*

14:11 17/12/2025



Kalp Shah



Mervin Maynes

Sana_dammak

Meg Galgano

this one in this way it is not enabled. So you will not see the custom date or the lifecycle active. So you need to enable it first. Now once you define all the rules, so the workflow is you

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Inven | +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseul/?qjr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory C

Create Replenishment Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Rule Parameters

Rule will be applied

☒ Always

☐ Custom date

☐ Based on Effective dates :

Effective Start Date

Effective End Date

No End Date ☐

☐ Based on Life Cycle phase of the product/location

Initial Allocation	Inactive	Maturity	End of Life
--------------------	----------	----------	-------------

Cancel Save

Kalp Shah

Mervin Maynes

Sana dammak

Meg Galgano

14:11
17/12/2025

will define all the possible rules first in the room management.

Okay. Once you know the rules of for example here, I have I have one auto approved by define there three defined cross dot came. Okay. There are eight different initial location rules. Okay. And there are 19 or 10. So these are just possible rules at the moment. But at this point, we don't know if this rules are being used in the batch or in what if or different strategies, custom strategies to be used for what if runs. So to use. Yep. Marin. So for the lifecycle phases, say we create a lifecycle phase. Similar to large can we use that lifecycle phase to write rules to save something is an initial allocation phase just making a like phase one. I want to use X number of weeks of supply for replenishment. And what's the cost? Okay. So you can create different rules for that one. So I thought like there were limitations to what comes in as an attribute. So I was wondering if it if lifecycle would work as an attribute. Yeah, it is not an attribute, but it is a different rule parameter. So it is a rule parameter, not an attribute. So from here, let's say I want to create

13. 00:08:51

13. 00:08:51

Manage Inventory Optimization | SQL Commands | Order Overview: Home: Invent | +

rap.retailus-phoenix-1.ocsc-test.com/iglu-rap-cte-prd999-rsp/oraseui?ojs=Home%2Fraf-main-content-tab-6

Create Replenishment Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

The maximum value used in Min/Max method *

The increment percentage to adjust Min and Max in Min/Max method *

100%

Rule Parameters

Rule will be applied

☒ Always

☐ Custom date

☐ Based on Effective dates:

Effective Start Date

Effective End Date

No End Date

Cancel Save

...

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock 1
 - Holdback Stock 0
 - Initial Allocation 11
 - Store Priority Groups 0
 - Replenishment 1
 - Simple Pack Rounding Threshold 0
- Life Cycle Calendar

Rule Builder

- Rule Criteria
- Rule Value

Kalp Shah

Mervin Maynes

Sana_dammak

Meg Galgano

14:13 17/12/2025

a specific let's say my time. Let's say for initial allocation.
Because we are having a separate initial allocation. Right. Let's say for maturity, I will use time supply.