

1. 00:00:30

The screenshot displays a web application interface for managing inventory optimization. The main window is titled "Create Life Cycle Classification Rules". It features a "Description" input field, a "Rule Criteria" section, and a "Rule Value" section. The background shows a sidebar with "Rules Category" and "Rule Builder" sections. On the right, there is a video call interface with participants Kalp Shah, Mervin Maynes, Sana_dammak, and Meg Galgano.

per specific criteria that you want.

Let's say for specific subclass and let's say region, you can have a lifecycle of just two per cycle of phase three five. So you can have different lifecycle phase.

Now this lifecycle phase that you can see from here, these are all loaded. So these are preloaded.

You can load it through this table. So there is a table. There's a staging table that will hold all of this

2. 00:01:00

C:\Oracle\V24\PO\PDF_LAR_Measures.txt - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window

```

1826 LFPmLfcAchE:"Lifecycle Calendar Anchor Method";::int:0:$LP_RLG_LST$:ambig_pop::repl:write:write:PmLfcAchE::true:false:picklist:0(Act. Start),1(Default Anchor Date)::::::::::
1827 LFPmTotInTrU:"Total In Transit Units";::real:$LP_POS_LOL_DY$:total::prop::PmTotInTrU::true:false::Null::::::::::LFUnits::::::::::PERSISTENT:LIP:LPPm TotInTr U::::
1828 LFPmTotPhaAvlWd:"Total Physical Available Duration (Weeks)";::real:$LP_POS_LOL$max::repl::true:false::LPDmW::PERSISTENT:LIP:LPPm TotPhaAvl Wd::::
1829 LFPmMltOrdQ:"Multiple Order Qty Units";::real:$LP_POS_LOL$:ambig_pop::repl:write:write:PmMltOrdQ::true:false:0:1000::Null::::::::::LFUnits::::::::::PERSISTENT:LIP:LPPm MltOrdQ U::
1830 totadjslabatchovr0:"Baseline Demand Override";::real:$LP_POS_LOL$:ambig_pop::repl:write:write:PmMltOrdQ::true:false:0:1000::Null::::::::::LFUnits::::::::::PERSISTENT:LIP:LPPm MltOrdQ U::
1831 LPExpPropPoReprocessU:"Export Proposed Orders Reprocess Units";::real:$LP_POS_LOL$:total::prop::data/ADM::false:true::Null::::::::::LFUnits::::::::::LIP:LPExp PropPoReproce
1832 LPPmS2SlnkPriOr:"Link Priority";::real:$LP_LOL_SLOL$:ambig::repl:write:write:LPPmS2SlnkPriOr::true:false::Null::::::::::LIP:LPPm S2SlnkPri R::::
1833 LPPmSlsSpanWd:"Sales Span Duration (Weeks)";::real:$LP_POS_LOL$:average_pop::repl::PmSlsSpanWd::true:false::LPDmW::PERSISTENT:LIP:LPPm SlsSpan Wd::::
1834 rulenavibuckets01:"Navigation Buckets at Rule";::int:ruld:ambig::repl:write:write:data/rulenavibuckets01::true:false:picklist:1(1. Urgent),2(2. Required),3(3. Optional),4(4. Inf
1835 prdatnum01:"Product Attribute Number";::Weekly Forecast::real:0:prdat01$::data/prdatnum01::true:false::Null::::::::::RDF:prdatnum 01::::
1836 calpeakfctovr01:"Alert - Causal Peak Factor at Final";::Weekly Forecast::real:-1:$llc_fcstTS01$:ambig::repl:write:write:data/calpeakfctovr01::true:false::Null::::::::::
1837 LPTmRprCL:"Temp Copy";::string:$LP_RUL$:ambig_pop::repl::false:true::PERSISTENT:LIP:LPTm RprC L::::
1838 LPPmTrsfOHU:"Transfers On Hand Units";::real:$LP_POS_LOL$:total::prop::false:true::Null::::::::::LFUnits::::::::::PERSISTENT:LIP:LPPm TrsfOH U::::
1839 hideaprv01:"Hide_RGT_aprv01";::boolean:or::repl:read::false:true::Null::::::::::RDF:hideaprv01::::
1840 LPPmRplMaxTSDd:"Maximum Target Stock Duration (Days)";::real:$LP_RLG_LST$:average_pop::repl:write:write:PmRplMaxTSDd::true:false:0:10000000::LPDmD::PERSISTENT:L
1841 LPExpTrsfPinOutU:"Export Transfer Plan Out Units";::real:$LP_POS_LOL$:total::prop::ExpTrsfPinOutU::true:false::Null::::::::::LFUnits::::::::::PERSISTENT:LIP:LPExp TrsfPinOut U::
1842 LPPmPLALts:"Product-Location Alerts";::string:$LP_POS_LOL$:ambig_pop::repl::true:false::Null::::::::::PERSISTENT:LIP:LPPm PLALts S::::
1843 LPPmAllocNNeededI:"Allocation Numbers Needed";::int:0:$Stocks:total::repl::data/ADM::false:true::LPCount::LIP:LPTm AllocNNeeded I::::
1844 altcalclenovr01:"Alert - Calculation Periods at Final";::Weekly Forecast::int:-1:$llc_fcstTS01$:ambig::repl:write:write:data/altcalclenovr01::true:false::Null::::::::::RE
1845 LPExpTrsfF:"Export Transfers";::boolean:and::repl:write:write:data/ADM::true:false::Null::::::::::LIP:LPExp Trsf F::::
1846 avgsls01:"Average sales";::Weekly Forecast::real:$llc_fcstTS01$:average::prop:pop:read::false:true::Null::::::::::RDF:avgsls 01::::
1847 offenddt:"Offer End Date - Offer";::date:offdmax::repl:read::offenddt::offerhead:offd:22.8::rdfs:offenddt:offenddt:offd::
1848 adjpeak01:"Adjusted Peak";::Weekly Forecast::real:0:$llc_fcst01$:total::prop:write:write:data/adjpeak01::true:false::false::RDF:adjpeak 01::::
1849 LPTmTdyRcpCalWKF:"Temp Receipt Calendar (Week) @ Today";::boolean:$LP_POS_LOL_WK$:or::repl::false:true::Null::::::::::LIP:LPTm TdyRcpCalWk F::::
1850 impinvdata:"Import Inventory Data";::boolean:and::repl:write:write:data/impinvdata::true:false::Null::::::::::RDF:impinvdata::::
1851 LPPQRPrIvpFltF:"Position Query Inventory Filter";::boolean:$LP_RLG_LST$:or::repl::false:true::Null::::::::::PERSISTENT:LIP:LPPQ RprIvpFlt F::::
1852 lrpactiveactb:"Lifecycle Active Attributes";::boolean:and:or::repl:write:write:data/lrpactiveactb::true:false::Null::::::::::RDF:lrpactiveactb::::
1853 locsprod01:"Locations carrying Product";::Weekly Forecast::real:$llc_fcstprod01$:total::even:read::data/locsprod01::false:true::Null::::::::::RDF:locsprod 01::::
1854 LPTmRuleEligFLF:"Temp 1 Rule Eligible";::boolean:$LP_RUL_POS_LOL$:or::repl::data/ADM::false:true::Null::::::::::LIP:LPTm RuleEligFL F::::
1855 LPPCtTdyTSSnFctP:"Target Stock Season Forecast @ Today";::real:$LP_POS_LOL$:average::prop::data/ADM::false:true::Null::::::::::LIP:LPPCt TdyTSSnFct P::::
1856 adjerr01:"Adjust Absolute Error";::Weekly Forecast::real:0:$llc_fcstTS01$:total::prop:pop:read::data/adjerr01::false:true::Null::::::::::RDF:adjerr 01::::
1857 wtfcopyflag01:"Copy to Adjusted Baseline";::Weekly Forecast::boolean:$llc_fcstTS01$:or::repl:write:write:data/wtfcopyflag01::true:false::Null::::::::::RDF:wtfcopyflag 01::::
1858 LPPmRprPLIvpxI:"Product-Location Inventory Plan Index";::int:-1:$LP_POS_LOL$max::repl::false:true::Null::::::::::LIP:LPPm RprPLIvpx Ix::::
1859 LPPmSurPLPLicAppF:"Planning Calendar Product-Location Applied";::boolean:$LP_RUL_POS_LOL$:or::repl::PmSurPLPLicAppF::false:true::PERSISTENT:LIP:LPPm SurPLPLicApp
1860 LPDfIvpxMaxFixU:"Maximum Fixed Units";::real:$LP_POG_LOG$:total::prop:write:write:data/ADM::true:false::Null::::::::::LFUnits::::::::::LIP:LPDf IvpxMaxFix U::::
1861 LPPmCapTrsfS:"Approve Transfers";::string:Transfers have been Approved:Sales:ambig_pop::repl::PmCapTrsfS::false:true::PERSISTENT:LIP:LPPm CapTrsf S::::
1862 LPPmAstPLExtE:"Ext. Assortment Prod-Loc";::int:$LP_POS_LOL$:ambig::repl::false:true:picklist:0(Default),1(On),2(Off)::::::::::PERSISTENT:LIP:LPPm AstPLExt E::::
1863 LPTmRprPLRpllxI:"Temp Product-Location Replenishment Index";::int:-1:$LP_POS_LOL$max::repl::false:true::Null::::::::::LIP:LPTm RprPLRpl Ix::::
1864 LPPmSurPLPLicAppF:"Planning Calendar Product-Location Applied";::real:$LP_RUL$:average::prop::true:false::Null::::::::::LIP:LPPercentage::::::::::PERSISTENT:LIP:LPPm SurPLPLicApp F
1865 LPPmRprPLOvrRplId:"Override Replenishment ID";::int:-1:$LP_POS_LOL$max::repl::false:true::Null::::::::::LIP:LPPm RprPLOvrRpl Id::::
1866 LPDfRplTgtDsdDd:"Target Days of Stock Duration (Days)";::real:$LP_POG_LOG$:average_pop::repl:write:write:data/ADM::true:false:0:10000000::LPDmD::LIP:LPDf RplTgtD
1867 LPPmAstPLExStrC:"Assortment Item-Location Exception Start Count";::real:$LP_POS_LOL$:total::repl::true:false::Null::::::::::LPCount::::::::::PERSISTENT:LIP:LPPm AstPLExStr C::

```

Normal text file

length:498,689 lines:2,830

Ln:1,852 Col:14 Sel:13|1

Windows(CRLF) UTF-8

INS

Sana_dammak

Meg Galgano

Kalp Shah

Mervin Maynes

1405
17/12/2025

3. 00:01:06

Manage Inventory Optimization | Order Overview : Home : Invent | +

rap.retailus-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/?ojr=Home%2Fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory C

Rules Category < Life

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 1

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Rule Value

Create Life Cycle Classification Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Life Cycle Calendar

LONG LIFE - 2 PHASE | 3 PHASE - DATED | **5 PHASE** | 4 PHASE - ASSORT.

Start date type: Assort start
End date type: Assort end

Phase 1 Type: Initial Allocation
Phase 2 Type: Inactive
Phase 3 Type: Maturity
Phase 4 Type: Inactive
Phase 5 Type: End of Life

	Between 0 and 10	Between 11 and 12	Between 13 and 26
Phase 1 start	0 day(s) from assortment Start	0 day(s) from assortment Start	0 day(s) from assortr
Phase 2 start	1 day(s) from assortment Start	2 day(s) from assortment Start	4 day(s) from assortr
Phase 3 start	2 day(s) from assortment Start	4 day(s) from assortment Start	10 day(s) from assortr
Phase 4 start	8 day(s) from assortment Start	7 day(s) from assortment Start	21 day(s) from assortr
Phase 5 start	2 day(s) from assortment End	9 day(s) from assortment Start	23 day(s) from assortr



Kalp Shah



Mervin Maynes

Sana_dammak

Meg Galgano

Manage Inventory Optimization x Order Overview : Home : Inven x +

rap.retail.us-phoenix-1-ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseul/?qjr=Home%2Fraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory C

Create Life Cycle Classification Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Life Cycle Calendar

LONG LIFE - 2 PHASE 3 PHASE - DATED 5 PHASE 4 PHASE - ASSORT.

Start date type: Assort start
End date type: Assort end

Phase 1 Type: Initial Allocation
Phase 2 Type: Inactive
Phase 3 Type: Maturity
Phase 4 Type: Inactive
Phase 5 Type: End of Life

	Between 0 and 10	Between 11 and 12	Between 13 and 26
Phase 1 start	0 day(s) from assortment Start	0 day(s) from assortment Start	0 day(s) from assortment Start
Phase 2 start	1 day(s) from assortment Start	2 day(s) from assortment Start	4 day(s) from assortment Start
Phase 3 start	2 day(s) from assortment Start	4 day(s) from assortment Start	10 day(s) from assortment Start
Phase 4 start	8 day(s) from assortment Start	7 day(s) from assortment Start	21 day(s) from assortment Start
Phase 5 start	2 day(s) from assortment End	9 day(s) from assortment Start	23 day(s) from assortment Start

Windows taskbar: 14:05 17/12/2025

Kalp Shah

Mervin Maynes

Sana_dammak

Meg Galgano

lifecycle phases. So there is no UI at the moment where you can set up all these lifecycle phases. These are just loaded through the staging table. So, but the idea is you can have different lifecycle phase setup for a specific criteria.

5. 00:01:30

Manage Inventory Optimization x Order Overview : Home : Invent x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/fojr=Home%2Fral-main-content-tab-3

Create Life Cycle Classification Rules

Rules Management Manage Inventory

Create Rule Criteria

Select criteria filter: ALL except Cross-docking and Initial Allocation

Select a Sub Class to specify criteria below Sub Class level: None

Filter Column Names

Selected Columns

Clear Selections

Add columns from the list to build your query.

Column Name	Add All
Location 1 - Company	Add
Location 2 - Chain	Add
Location 3 - Area	Add
Location 4 - Region	Add
Location 5 - District	Add
Location 6 - Location	Add
Location Group	Add

OK Cancel

Rules Category

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 0

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Rule Value

Initial Allocation

Inactive

Maturity

Inactive

End of Life

Between 13 and 26

0 day(s) from assortment Start

4 day(s) from assortment Start

10 day(s) from assortment Start

21 day(s) from assortment Start

23 day(s) from assortment Start

Kalp Shah

Merrin Maynes

Sana_dammak

Meg Galgano

14:06 17/12/2023

Like in this example, we have four different lifecycle phases.

6. 00:01:37

Manage Inventory Optimization | Order Overview : Home : Invent...

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr+Home%2Fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory Optimization...

Rules Category

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock

Holdback Stock

Initial Allocation

Store Priority Groups

Replenishment

Simple Pack Rounding Threshold

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Rule Value

Life Cycle Calendar Rules

Actions View + X [Icons] Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Lo
2016	Allocation_001_CD	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	99 Co
2015	Allocation_001	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	20-
1810	CrossDock_Rule_1	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 112701-Scoop Neck Crop T-Shirt Forest: Small	Style Color Size	112701-Scoop Neck Crop T-Shirt Forest: Small	Yes	Location	99 Co
1809	CD_excess	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451255-Espressione - Espresso	Style Color Size	23451255-Espressione - Espresso Maker/Coffeemaker - Black	Yes	Location	99 Co
1808	CrossDockRep1	Location 6 - Location = 99001-US Virtual WH - West Coast DC B&M AND Merchandise 9 - Style Color Size = 70063172-Wide Leg Pocket Jogger Red Medium	Style Color Size	70063172-Wide Leg Pocket Jogger Red Medium	Yes	Location	99 Co
1807	Womens Activewear Top - 8 weeks	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	1-L Mc
1806	Womens Activewear Tops - 30% of Season - Ecom	Location 3 - Area = 71-United States Direct / Online AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	71-
1805	16 wk demand, fixed date	Location 1 - Company = 1-Retailer Ltd AND Merchandise 4 - Department = 125-Men's Activewear	Department	125-Men's Activewear	Yes	Company	1-F
1804	16 wk demand, fixed date	Location 6 - Location = 2038-US - Walla Walla AND Merchandise 9 - Style Color Size = 112801-Scoop Neck T-Shirt	Style Color Size	112801-Scoop Neck T-Shirt	Yes	Location	99 Co



Sana_dammak

Meg Galgano

If you want to look at the date or whatever the setup that we have, so you can go to the manage workbook. In the innovation workbench, you can do a query from here.

7. 00:01:48

Manage Workbench : Home : A x Loading... x Order Overview : Home : Inven! x +

rgbu.gbua.ocs.oc-test.com/hijvnjismcx6j97dtrzh/ords

1406 17/12/2025



Kalp Shah



Mervin Mayries

Sana_dammak

Meg Galgano

8. 00:02:03

```
C:\Oracle\ProdMngmnt\Documents\IPO_Tables.txt - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
IPO_Tables.txt x3 x34 notes.txt x3 Replenishment.txt x3 sql.txt x3 IO_Conversation.txt x3 IO_FAQ_Troubleshoot_Slack.txt x3 IO_Testing.txt x3 one-on-one_topics.txt x3 Pack_Testing_SQL_Scratch.txt x3

1 Foundation Data:
2 rse_prod_hier
3 rse_loc_hier
4 rse_cal_hier
5 rse_prod_hier_dh
6
7 pack:
8 rse_pack_comp
9
10 Inventory:
11 rse_inv_pr_lo_dy
12
13 Require input:
14 io_repl_param
15 io_repl_attr_prod_loc_exp
16 io_lead_time_prod_loc
17 io_lead_time_prod_supp
18 io_review_schedule_prod_loc
19 io_supp_chain_nw_prod_loc
20 io_supp_chain_nw_prod_supp
21
22 Run Rules:
23 io_final_rule
24
25 Manual Allocation Rules:
26 io_manual_alloc_final_rule
27
28 Run Info and Logs:
29 io_run_hdr
30
31 Approved Forecast:
32 rse_rdf_appr_fcst
33
34 Life Cycle Phase:
35 RSE_LIFE_CYCLE_CALENDAR_STG
36
37 Output:
38 IO_RUN_OUTPUT
39 io_run_prod_inv_prod_loc
40

Normal text file length: 587 lines: 40 Ln: 35 Col: 28 Sel: 27 | 1 Windows (CR LF) UTF-8 INS 14:06 17/12/2023
```


Kalp Shah


Mervin Maynes

Sana_dammak

Meg Galgano

So from here, let's say I just want to see what lifecycle phase has been loaded in this environment.

9. 00:02:06

Manage Inventory Optimization x Oracle APEX Home x Order Overview: Home: Invent x +

rgbu.gbua.ocs.oc-test.com/hijynjmcxc6j97drczh/ords/f/apex/workspace/home?session=705857955812612

APEX App Builder SQL Workshop Team Development Gallery

Search

oracleintuser_preprod

About

Oracle APEX is a low-code development platform that enables you to build scalable, secure enterprise apps, with world-class features, that can be deployed anywhere.

Learn More

APEX Website

Blog

Tutorials

Videos

Educational Resources

Ideas & Feature Requests

apex.world

Social

X LinkedIn Facebook YouTube

Page events: 1 hours [Edit Reporting Timeframe]

14:06 17/12/2025

There's nothing. Maybe the team loaded directly to the not understanding table, but directly on the internal table. But this is the table that you will use if you're going to load your lifecycle phases. And the details what file we need to use is in the RAP interface document. Right? Yes, I will leave it to you. So you can see we have here the the call and learn name. Those are your call and names. Start in the

10. 00:03:13

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Invent | +

rap.retailus-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/?ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Home

Innovation Workbench

Search for a task

Manage Workbench

Manage Notebook

Life Cycle Calendar Rules

Actions View + Edit Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Lo
2016	Allocation_001_CD	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	99 Co
2015	Allocation_001	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	20
1810	CrossDock_Rule_1	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 112701-Scoop Neck Crop T-Shirt Forest: Small	Style Color Size	112701-Scoop Neck Crop T-Shirt Forest: Small	Yes	Location	99 Co
1809	CD_excess	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 23451255-Espressione - Espresso	Style Color Size	23451255-Espressione - Espresso Maker/Coffeemaker - Black	Yes	Location	99 Co
1808	CrossDockRep1	Location 6 - Location = 99001-US Virtual WH - West Coast DC B&M AND Merchandise 9 - Style Color Size = 70063172-Wide Leg Pocket Jogger Red Medium	Style Color Size	70063172-Wide Leg Pocket Jogger Red Medium	Yes	Location	99 Co
1807	Womens Activewear Top - 8 weeks	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	1-L Mc
1806	Womens Activewear Tops - 30% of Season - Ecom	Location 3 - Area = 71-United States Direct / Online AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	71-
1805	16 wk demand, fixed date	Location 1 - Company = 1-Retailer Ltd AND Merchandise 4 - Department = 125-Men's Activewear	Department	125-Men's Activewear	Yes	Company	1-R
1804	16 wk demand, fixed date	Location 6 - Location = 2038-US - Walla Walla AND Merchandise 9 - Style Color Size = 112801-Scoop Neck T-Shirt	Style Color Size	112801-Scoop Neck T-Shirt	Yes	Location	99 Co



Sana_dammak

Meg Galgano

14:07
17/12/2025

Manage Inventory Optimization | SQL Commands | Order Overview: Home: Inven... | +

rgbugbua.ocs.oc-test.com/hijynsmcx6j97dctzh/ords//apex/sql-workshop/sqlcommandprocessor?session=705857955812612

APEX App Builder | SQL Workshop | Team Development | Gallery

SQL Commands

Language: SQL | Rows: 10 | Clear Command | Find Tables

1 describe RSE_LIFE_CYCLE_CALENDAR_STG

Results | Explain | Describe | Saved SQL | History

Object Type: TABLE | Object: RSE_LIFE_CYCLE_CALENDAR_STG

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
RSE_LIFE_CYCLE_CALENDAR_STG	CALENDAR_NAME	VARCHAR2	80	-	-	-	✓	-	The Calendar Name.
	START_DATE_TYPE	VARCHAR2	80	-	-	-	✓	-	Start Date Type e.g. Assortment Start, Strategy Start.
	END_DATE_TYPE	VARCHAR2	80	-	-	-	✓	-	End Date Type e.g. Assortment End, Strategy End.
	PHASE1_TYPE	VARCHAR2	80	-	-	-	✓	-	Phase Type for Phase 1 (from Life Cycle Phase) e.g. INITIAL_ALLOCATION, MATURITY, END_OF_LIFE.
	PHASE2_TYPE	VARCHAR2	80	-	-	-	✓	-	Phase Type for Phase 2 (from Life Cycle Phase) e.g. INITIAL_ALLOCATION, MATURITY, END_OF_LIFE.
	PHASE3_TYPE	VARCHAR2	80	-	-	-	✓	-	Phase Type for Phase 3 (from Life Cycle Phase) e.g. INITIAL_ALLOCATION, MATURITY, END_OF_LIFE.
	PHASE4_TYPE	VARCHAR2	80	-	-	-	✓	-	Phase Type for Phase 4 (from Life Cycle Phase) e.g. INITIAL_ALLOCATION, MATURITY, END_OF_LIFE.
	PHASE5_TYPE	VARCHAR2	80	-	-	-	✓	-	Phase Type for Phase 5 (from Life Cycle Phase) e.g. INITIAL_ALLOCATION, MATURITY, END_OF_LIFE.

Copyright © WPP, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

14:07 17/12/2025



Sana_dammak

Meg Galgano

phase type. So let's say for the first phase, it will be your initial location, second is this code already. So you can have an up to six lifecycle phases from here. And then assortment duration. So you can define all the here from here. You can also update this table directly from innovation workbench. And the the encurs for each

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Invent | +

rap.retailus-phoenix-1.ocs.oc-test.com/rgbui/rap-cte-prd999-rsp/oraseui/?ojr=Home%2Fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory C

Create Life Cycle Classification Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Life Cycle Calendar

LONG LIFE - 2 PHASE | 3 PHASE - DATED | 5 PHASE | 4 PHASE - ASSORT.

Start date type: Assort start | Phase 1 Type: Initial Allocation
End date type: Assort end | Phase 2 Type: Maturity

	≥ 0
Phase 1 start	0 day(s) from assortment Start
Phase 2 start	2 day(s) from assortment End

Note: The columns represent the Assortment Duration

Cancel | Save



Kalp Shah



Mervin Mayries

Sana_dammak

Meg Galgano

13. 00:04:01

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Inven | +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseul/7ojr=Home%2Fral-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory Optimization...

Rules Category

- Summary (754)
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock (1)
 - Holdback Stock (0)
 - Initial Allocation (11)
 - Store Priority Groups (0)
 - Replenishment (1)
 - Simple Pack Rounding Threshold (0)
- Life Cycle Calendar
 - Life Cycle Calendar (15)
- Rule Builder
- Rule Criteria

Life Cycle Calendar Rules

Actions View + Edit X Refresh Undo Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Lo
2016	Allocation_001_CD	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	99 Co
2015	Allocation_001	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	20
1810	CrossDock_Rule_1	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 112701-Scoop Neck Crop T-Shirt Forest: Small	Style Color Size	112701-Scoop Neck Crop T-Shirt Forest: Small	Yes	Location	99 Co
1809	CD_excess	Coast DC B&M AND Merchandise 9 - Style Color Size = 23451255-Espressione - Espresso	Style Color Size	23451255-Espressione - Espresso Maker/Coffeemaker - Black	Yes	Location	99 Co
1808	CrossDockRep1	Location 6 - Location = 99001-US Virtual WH - West Coast DC B&M AND Merchandise 9 - Style Color Size = 70063172-Wide Leg Pocket Jogger Red Medium	Style Color Size	70063172-Wide Leg Pocket Jogger Red Medium	Yes	Location	99 Co
1807	Womens Activewear Top - 8 weeks	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	1-L Mc
1806	Womens Activewear Tops - 30% of Season - Ecom	Location 3 - Area = 71-United States Direct / Online AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	71-
1805	16 wk demand, fixed date	Location 1 - Company = 1-Retailer Ltd AND Merchandise 4 - Department = 125-Men's Activewear	Department	125-Men's Activewear	Yes	Company	1-R
1804	16 wk demand, fixed date	Location 6 - Location = 2038-US - Walla Walla AND Merchandise 9 - Style Color Size = 112801-Scoop Neck T-Shirt	Style Color Size	112801-Scoop Neck T-Shirt	Yes	Location	99 Co

https://rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseul/7ojr=Home...

14:08 17/12/2025



Sana_dammak

Meg Galgano

like what do you use to have in there? Like how to define when the phase will start? Is it like

based on the certain start and end date? Yeah. So it is only based on the assertion start date. And so you can use either from start humming this from start or how many days before end. So you can define up to six lifecycle phases. And then so this example here

Manage Inventory Optimization

SQL Commands

Order Overview: Home: Inventory

rgbu.gbua.ocs.oc-test.com/hijnyjmcxc6j97dtczh/ords/r/apex/sql-workshop/sqlcommandprocessor?session=705857955812612

SQL Workshop

Team Development

Gallery

SQL Commands

Schema: RTLWSP01

Save Run

Language: SQL Rows: 10

Clear Command Find Tables

1 describe RSL_LIFE_CYCLE_CALENDAR_STG

Results Explain Describe

Results	Explain	Describe	Saved SQL	History
			PHASE1_FROM VARCHAR2(80)	- - - - - ✓ - Phase 1 From e.g. Start
			PHASE2_START NUMBER	- 10 0 - - ✓ - Phase 2 Start (n days)
			PHASE2_FROM VARCHAR2(80)	- - - - - ✓ - Phase 2 From e.g. Start
			PHASE3_START NUMBER	- 10 0 - - ✓ - Phase 3 Start (n days)
			PHASE3_FROM VARCHAR2(80)	- - - - - ✓ - Phase 3 From e.g. Start
			PHASE4_START NUMBER	- 10 0 - - ✓ - Phase 4 Start (n days)
			PHASE4_FROM VARCHAR2(80)	- - - - - ✓ - Phase 4 From e.g. Start
			PHASE5_START NUMBER	- 10 0 - - ✓ - Phase 5 Start (n days)
			PHASE5_FROM VARCHAR2(80)	- - - - - ✓ - Phase 5 From e.g. Start
			PHASE6_START NUMBER	- 10 0 - - ✓ - Phase 6 Start (n days)
			PHASE6_FROM VARCHAR2(80)	- - - - - ✓ - Phase 6 From e.g. Start

workspace_preprod relationalworkspace en

Copyright © 1999, 2024, Oracle and/or its affiliates.

Oracle APEX 24.2.0

Kalp Shah

Merrin Maynes

Sana dammak

Meg Galgano

1408 17/12/2025

15. 00:04:50

C:\Oracle\ProdMngmnt\Documents\IPO_Tables.txt - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window

IP0_Tables.txt C34_notes.txt Explenshment.txt sql.txt IO_Conversation.txt IO_RAQ-Troubleshoot_Black.txt IO_Testing.txt one-on-one_topics.txt Pack_Testing_SQL_Scratch.txt Dat

```

1 Foundation Data:
2 rse_prod_hier
3 rse_loc_hier
4 rse_cal_hier
5 rse_prod_hier_dh
6
7 pack:
8 rse_pack_comp
9
10 Inventory:
11 rse_inv_pr_lc_dy
12
13 Require input:
14 io_repl_param
15 io_repl_attr_prod_loc_exp
16 io_lead_time_prod_loc
17 io_lead_time_prod_supp
18 io_review_schedule_prod_loc
19 io_supp_chain_nw_prod_loc
20 io_supp_chain_nw_prod_supp
21
22 Run Rules:
23 io_final_rule
24
25 Manual Allocation Rules:
26 io_manual_alloc_final_rule
27
28 Run Info and Logs:
29 io_run_hdr
30
31 Approved Forecast:
32 rse_rdf_appr_fcst
33
34 Life Cycle Phase:
35 RSE_LIFE_CYCLE_CALENDAR_STG
36
37 Output:
38 IO_RUN_OUTPUT
39 io_run_proj_inv_prod_loc
40

```

Normal text file length: 587 lines: 40 Ln: 35 Col: 28 Sel: 27 | 1 Windows (CR LF) UTF-8 INS

	
Kalp Shah	Mervin Maynes
Sana dammak	
Meg Galgano	

16. 00:04:53

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Invent x +

rap.retail-us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseul?ojr=Home%2Fjfr-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimization...

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock 1
- Holdback Stock 0
- Initial Allocation 11
- Store Priority Groups 0
- Replenishment 1
- Simple Pack Rounding Threshold 0
- Life Cycle Calendar
- Life Cycle Calendar 15**
- Rule Builder
- Rule Criteria
- Rule Value

Life Cycle Calendar Rules

Actions View + Edit X Refresh Undo Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Lo
2016	Allocation_001_CD	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	99 Co
2015	Allocation_001	Location 6 - Location = 2045-US - Fort Collins AND Merchandise 9 - Style Color Size = 23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Style Color Size	23451006-Mr. Coffee - Single-Cup Coffeemaker - Black	Yes	Location	20
1810	CrossDock_Rule_1	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 112701-Scoop Neck Crop T-Shirt Forest: Small	Style Color Size	112701-Scoop Neck Crop T-Shirt Forest: Small	Yes	Location	99 Co
1809	CD_excess	Location 6 - Location = 99002-US Virtual WH - East Coast DC B&M AND Merchandise 9 - Style Color Size = 23451255-Espressione - Espresso	Style Color Size	23451255-Espressione - Espresso Maker/Coffeemaker - Black	Yes	Location	99 Co
1808	CrossDockRep1	Location 6 - Location = 99001-US Virtual WH - West Coast DC B&M AND Merchandise 9 - Style Color Size = 70063172-Wide Leg Pocket Jogger Red Medium	Style Color Size	70063172-Wide Leg Pocket Jogger Red Medium	Yes	Location	99 Co
1807	Womens Activewear Top - 8 weeks	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	1-L Mc
1806	Womens Activewear Tops - 30% of Season - Ecom	Location 3 - Area = 71-United States Direct / Online AND Merchandise 5 - Class = 1-Women's Activewear Tops	Class	1-Women's Activewear Tops	Yes	Area	71-
1805	16 wk demand, fixed date	Location 1 - Company = 1-Retailer Ltd AND Merchandise 4 - Department = 125-Men's Activewear	Department	125-Men's Activewear	Yes	Company	1-R
1804	16 wk demand, fixed date	Location 6 - Location = 2038-US - Walla Walla AND Merchandise 9 - Style Color Size = 112801-Scoop Neck T-Shirt	Style Color Size	112801-Scoop Neck T-Shirt	Yes	Location	99 Co



Sana_dammak

Meg Galgano

14:09
17/12/2025

17. 00:04:57

The screenshot displays a web application interface for managing inventory optimization. A modal window titled "Create Replenishment Rules" is open, featuring a "Description" input field, a "Rule Criteria" section, and a "Rule Value" section. The background shows a sidebar with "Rules Category" and "Rule Builder" sections. The bottom of the screen shows a Windows taskbar with various icons and a system clock.

Rules Category

- Summary (754)
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock (1)
 - Holdback Stock (0)
 - Initial Allocation (11)
 - Store Priority Groups (0)
- Replenishment (1)**
 - Simple Pack Rounding Threshold (0)
- Life Cycle Calendar
 - Life Cycle Calendar (15)

Rule Builder

- Rule Criteria
- Rule Value

Create Replenishment Rules

Description Required

Rule Criteria

Rule Value

Cancel Save

14:09 17/12/2025

or replenishment. So each rule category, you can define if it will use a lifecycle phase for

18. 00:05:08

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Inven x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio...

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock 1
 - Holdback Stock 0
 - Initial Allocation 11
 - Store Priority Groups 0
 - Replenishment 1
 - Simple Pack Rounding Threshold 0
- Life Cycle Calendar
 - Life Cycle Calendar 15

Rule Builder

Rule Criteria

Replenishment Rules

Actions View + Edit Delete Refresh Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Loca
1816	IO_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast

https://rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home...



Kalp Shah



Mervin Maynes

Sana_dammak

Meg Galgano

its rules. Just like for example here, we can use a rule parameter for

Create Replenishment Rules

Description Required

Rule Criteria

Rule Value

Replenishment method

Min/Max	Time Supply	Dynamic	Optimal - forecast based	Optimal - history based	No replenishment
---------	-------------	---------	--------------------------	-------------------------	------------------

The minimum value used in Min/Max method *

The maximum value used in Min/Max method *

The increment percentage to adjust Min and Max in Min/Max method *

100%

Rule Parameters

Rule will be applied

☒ Always

☐ Custom date

☐ Based on Effective dates :

Effective Start Date Effective End Date

Cancel Save

custom date using lifecycle phase. So you can define this in the system configuration. So the next cycle calendar setup here is not mandatory and like a lot.

20. 00:05:33

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Inven x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/7ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio... x

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock 1
 - Holdback Stock 0
 - Initial Allocation 11
 - Store Priority Groups 0
 - Replenishment 1
 - Simple Pack Rounding Threshold 0
 - Life Cycle Calendar
 - Life Cycle Calendar 15
- Rule Builder
- Rule Criteria

Replenishment Rules

Actions View + Edit Delete Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Loca
1816	IO_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast

14:10 17/12/2023



Kalp Shah



Merin Maynes

Sana_dammak

Meg Galgano

And it is not sure. And I don't necessarily have a lifecycle active to be replenished.

Manage Inventory Optimization | **SQL Commands** | **Order Overview: Home: Inven...** | **+**

rap.retail.us-phoenix-1.ocs.oc-test.com/iglu-rap-cte-prd999-rsp/oraseul/?ojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management | **Manage Inventory Optimizatio...**

Rules Category < **Replenishment Rules**

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 0

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Rule Value

Create Replenishment Rules

Description Required

Rule Criteria

Rule Value

Rule Parameters

Rule will be applied

☒ Always

☐ Custom date

☐ Based on Effective dates :

Effective Start Date **Effective End Date**

No End Date

☐

☐ Based on Life Cycle phase of the product/location

14:10 17/12/2023



Sana dammak

Meg Calgano

Yes. Define start and end date when you want to replenish it.

Yes. So this one it just depends on your if it is eligible or if it is asserted. So there is unlike large where you have where you need the specific range or identification needs to be asserted first. And also lifecycle active. So here there is no lifecycle active concept. It is just what is what is the range, what is the asserted item location at the moment.

So the lifecycle there is optional. Actually when you receive the provision environment, this will be by default, this will be the activated. You need to enable it in the system configuration.

So you need to enable the custom dates. If not it will be just like let's say for example,

22. 00:06:52

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Invent x +

rap.retail.us-phoenix-1.ocs-test.com/rgbu-rap-cte-prd999-rsp/oraseui/tojr=Home%2Fjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio... x

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
 - Display Stock 1
 - Holdback Stock 0
 - Initial Allocation 11
 - Store Priority Groups 0
 - Replenishment 1**
 - Simple Pack Rounding Threshold 0
- Life Cycle Calendar
 - Life Cycle Calendar 15

Rule Builder

- Rule Criteria
- Rule Value

Replenishment Rules

Actions View + Edit Delete Refresh Filter Detach Update & Copy Rule Build Rule

Rule Id	Description	Criteria	Merchandise Level	Merchandise	Merchandise Active Flag	Location Level	Loca
1816	IO_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company	Yes	Location	99301-Coast



Sana_dammak

Meg Galgano

this one in this way it is not enabled. So you will not see the custom date or the lifecycle

23. 00:06:56

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Inven | +

rap.retailus-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/?ojr=Home%2Fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory C

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock 1
- Holdback Stock 0
- Initial Allocation 11
- Store Priority Groups 0
- Replenishment 1
- Simple Pack Rounding Threshold 0
- Life Cycle Calendar
- Life Cycle Calendar 15

Rule Builder

- Rule Criteria
- Rule Value

Create Display Stock Rules

Description Required

Rule Criteria

Rule Value

Cancel Save

14:11 17/12/2025

Kalp Shah

Mervin Maynes

Sana dammak

Meg Galgano

24. 00:07:03

Manage Inventory Optimization x SQL Commands x Order Overview : Home : Inven x +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/fojr=Home%2Ffjral-main-content-tab-3

AI Foundation Cloud Services

Rules Management Manage Inventory Optimizatio...

Rules Category

Summary 754

Post-processing

Supply Chain Network

Allocation and Replenishment

Display Stock 1

Holdback Stock 0

Initial Allocation 11

Store Priority Groups 0

Replenishment 1

Simple Pack Rounding Threshold 0

Life Cycle Calendar

Life Cycle Calendar 15

Rule Builder

Rule Criteria

Rule Value

Create Display Stock Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Id	Description	Criteria	Merchandise Level
1856	Override DS to 0 US Brick and Mortar	Location 3 - Area = 1-United States Brick and Mortar AND Merchandise 1 - Company = 1-Company	Company

14:11 17/12/2023

active. So you need to enable it first. Now once you define all the rules, so the workflow is you

25. 00:07:06

Manage Inventory Optimization | SQL Commands | Order Overview : Home : Invent | +

rap.retail.us-phoenix-1.ocs.oc-test.com/rgbu-rap-cte-prd999-rsp/oraseui/?ojr=Home%2Fjraf-main-content-tab-3

AI Foundation Cloud Services

Rules Management | Manage Inventory Optimization...

Rules Category

- Summary 754
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock 1
- Holdback Stock 0
- Initial Allocation 11
- Store Priority Groups 0
- Replenishment 1
- Simple Pack Rounding Threshold 0
- Life Cycle Calendar
- Life Cycle Calendar 15

Replenishment Rules

Actions View + Edit X Refresh Undo Filter Detach Update & Copy Rule

Rule Id	Description	Criteria	Merchandise
1816	ID_WH_ReplnRule_99301	Location 6 - Location = 99301-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company

Create Replenishment Rules

Description Required

Rule Criteria

14:11 17/12/2025



Kalp Shah



Mervin Mayries

Sana_dammak

Meg Galgano

The screenshot shows a web application interface for 'Manage Inventory Optimization'. The main content area displays 'Replenishment Rules' with a table of rules. A modal titled 'Create Replenishment Rules' is open on the right, showing a 'Description' field and 'Rule Criteria' section.

Replenishment Rules Table:

Rule Id	Description	Criteria	Merchandise Level	Merchandise
1816	IQ_WH_ReplnRule_99501	Location 6 - Location = 99501-US Virtual WH - West Coast DC Distributional AND Merchandise 1 - Company = 1-Company	Company	1-Company

Create Replenishment Rules Modal:

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rules Category:

- Summary
- Post-processing
- Supply Chain Network
- Allocation and Replenishment
- Display Stock
- Holdback Stock
- Initial Allocation
- Store Priority Groups
- Replenishment
- Simple Pack Rounding Threshold
- Life Cycle Calendar

Rule Builder:

- Rule Criteria
- Rule Value

System Tray:

14:11 17/12/2025

will define all the possible rules first in the room management.

Okay. Once you know the rules of for example here, I have I have one auto approved by define there three defined cross dot came. Okay. There are eight different initial location rules. Okay. And there are 19 or 10. So these are just possible rules at the moment. But at this point, we don't know if this rules are being used in the batch or in what if or different strategies, custom strategies to be used for what if runs. So to use. Yep. Marin. So for the lifecycle phases, say we create a lifecycle phase. Similar to large can we use that lifecycle phase to write rules to save something is an initial allocation phase just making a like phase one. I want to use X number of weeks of supply for replenishment. And what's the cost? Okay. So you can create different rules for that one. So I thought like there were limitations to what comes in as an attribute. So I was wondering if it if lifecycle would work as an attribute. Yeah, it is not an attribute, but it is a different

27. 00:08:50

Manage Inventory Optimization x SQL Commands x Order Overview: Home: Inventi x +

rap.retailus-phoenix-1.ocs.oc-test.com/igbu-rap-cte-prd999-rsp/oraseui/tojr=Home%2Fjraf-main-content-tab-6

Create Replenishment Rules

Description Required

Rule Criteria

+ Criteria: No Criteria Exists

Rule Value

Replenishment method

Min/Max	Time Supply	Dynamic	Optimal - forecast based	Optimal - history based	No replenishment
---------	-------------	---------	--------------------------	-------------------------	------------------

The minimum value used in Min/Max method *

The maximum value used in Min/Max method *

The increment percentage to adjust Min and Max in Min/Max method *

100%

Rule Parameters

Rule will be applied

☒ Always

☐ Custom date

☐ Based on Effective dates:

Effective Start Date Effective End Date

Cancel Save

14:13 17/12/2025

rule parameter. So it is a rule parameter, not an attribute. So from here, let's say I want to create a specific let's say my time. Let's say for initial allocation. Because we are having a separate initial allocation. Right. Let's say for maturity, I will use time supply.

AI Instructions for Functional Design Document

RetSci Functional Design Document Generator

You are a senior retail technology consultant creating a client-ready Functional Design Document from a software walkthrough.

You will be given a PDF that contains:

1. Timestamped screenshots from a walkthrough recording
2. Transcript text mapped below the relevant screenshots
3. These instructions on the final page

You may also be given a reference Functional Design Document. If a reference document is provided, match its structure, tone, level of detail, and professional consulting style. Do not copy client-specific content from the reference unless it is relevant to the new walkthrough.

Goal

Create a Word-document-style Functional Design Document that a consultant could send to a client or use as implementation documentation.

If your environment can create files, produce a `.docx`` document. If file creation is not available, produce the complete document content in a clean Word-ready format with headings, numbered sections, tables, and bullets that can be pasted into Microsoft Word.

Required Document Structure

Use this structure unless the walkthrough clearly requires a better organization:

1. Title Page
 - Client or project name if known
 - Functional area or module name
 - Document title
 - Draft / work-in-progress status if appropriate
2. Contents
 - Include a table of contents-style outline with numbered sections.
3. Version Control
 - Include a simple table with Version, Author, Date, and Change Description.
 - Use placeholders where information is not available.
4. Overview
 - Purpose
 - Project scope
 - Scope exclusions, if mentioned
 - Assumptions
 - Roles and responsibilities, if mentioned
 - Environment or system context, if mentioned
5. User / Roles / Versions
 - Define user roles, planning versions, workflow roles, or system versions discussed in the walkthrough.
 - Only include this section if the source material supports it.
6. To-Be Process / Functional Walkthrough
 - Organize the walkthrough into named process sections.
 - For each process or workspace, include:
 - Purpose
 - Workspace or screen creation / navigation
 - Working intersection or dimensionality, if discussed
 - Input data
 - Process logic
 - Step-by-step user actions
 - Outputs / data flow
 - Important business rules
 - Notes, risks, or consultant callouts
7. Application Build / Configuration Notes
 - Capture measures, views, hierarchies, workspaces, rules, actions, automations, integrations, or configuration details if discussed.
8. Open Questions / Risks
 - List unresolved questions, assumptions, risks, or decisions that require follow-up.
9. High-Level Summary
 - End with a short executive summary of what was configured, why it matters, and how the business uses it.

How To Use The Screenshots And Transcript

- Treat the screenshots as visual evidence of the workflow.
- Treat the transcript as explanation and business context.
- Combine both sources. Do not summarize screenshots without considering the transcript around that timestamp.
- Group consecutive screenshots that show the same continuous action.
- Skip blank, loading, duplicate, or low-value screenshots.
- Preserve exact screen names, view names, measure names, action names, menu names, and business terms when visible or spoken.
- Infer a concise section title when the presenter introduces a new screen, module, workspace, or process.

Writing Style

- Write like a consultant documenting an implementation for business users and system owners.
- Be precise, structured, and professional.
- Use plain language, but keep retail planning / implementation terminology when it appears in the source.
- Avoid casual walkthrough phrasing such as "the presenter clicks" unless it is part of a step-by-step instruction.
- Convert spoken explanation into polished documentation.
- Do not invent functionality. If something is unclear, state it as an assumption or open question.

Output Requirements

- The final output should feel like a formal Functional Design Document, not a meeting summary.
- Include tables where useful, especially for version control, roles, inputs/outputs, business rules, and open questions.
- Use numbered headings and subheadings.
- Include step-by-step instructions for how users perform the process.
- Mention screenshots only when helpful; do not create a repetitive screenshot-by-screenshot log.