

<u>Home</u> | <u>Numbers</u> | <u>Algebra</u> | <u>Geometry</u> | <u>Data</u> | <u>Measure</u> | <u>Puzzles</u> | <u>Games</u> | <u>Dictionary</u> | Worksheets


How to Multiply Matrices

A Matrix is an array of numbers:

A Matrix

(This one has 2 Rows and 3 Columns)

To multiply a matrix by a single number is easy:



These are the calculations:

$$2 \times 4 = 8$$
 $2 \times 0 = 0$

$$2 \times 1 = 2 \ 2 \times -9 = -18$$

We call the constant a scalar, so this is called "scalar multiplication".

Multiplying a Matrix by Another Matrix

But to multiply a matrix **by another matrix** you need to do the "dot product" of rows and columns ... what does that mean? Let me show you with an example:

To work out the answer for the **1st row** and **1st column**:

The "Dot Product" is where you **multiply matching members** then sum up:

$$(1, 2, 3) \bullet (7, 9, 11) = 1 \times 7 + 2 \times 9 + 3 \times 11 = 58$$

We match the 1st members (1 and 7), multiply them, likewise for the 2nd members (2 and 9) and the 3rd members (3 and 11), and finally sum them up.

Want to see another example? Here it is for the 1st row and 2nd column:

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \times \begin{bmatrix} 7 & 8 \\ 9 & 10 \\ 11 & 12 \end{bmatrix} = \begin{bmatrix} 58 & 64 \end{bmatrix}$$

$$(1, 2, 3) \bullet (8, 10, 12) = 1 \times 8 + 2 \times 10 + 3 \times 12 = 64$$

We can do the same thing for the **2nd row** and **1st column**:

$$(4, 5, 6) \bullet (7, 9, 11) = 4 \times 7 + 5 \times 9 + 6 \times 11 = 139$$

And for the 2nd row and 2nd column:

$$(4, 5, 6) \bullet (8, 10, 12) = 4 \times 8 + 5 \times 10 + 6 \times 12 = 154$$

And we get:

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \times \begin{bmatrix} 7 & 8 \\ 9 & 10 \\ 11 & 12 \end{bmatrix} = \begin{bmatrix} 58 & 64 \\ 139 & 154 \end{bmatrix} \checkmark$$

DONE!

Why Do It This Way?

This may seem an odd and complicated way of multiplying, but it is necessary!

I can give you a real-life example to illustrate why we multiply matrices in this way.

Example: The local shop sells 3 types of pies.

- Beef pies cost \$3 each
- Chicken pies cost \$4 each
- Vegetable pies cost **\$2** each

And this is how many they sold in 4 days:

	Mon	Tue	Wed	Thu
Beef	13	9	7	15
Chicken	8	7	4	6
Vegetable	6	4	0	3

Now think about this ... the **value of sales** for Monday is calculated this way:

Beef pie value + Chicken pie value + Vegetable pie value

$$$3 \times 13 + $4 \times 8 + $2 \times 6 = $83$$

So it is, in fact, the "dot product" of prices and how many were sold:

$$(\$3, \$4, \$2) \bullet (13, 8, 6) = \$3 \times 13 + \$4 \times 8 + \$2 \times 6 = \$83$$

We **match** the price to how many sold, **multiply** them, then **sum** the result.

Now you know why we use the "dot product".

And here is the full result:

They sold **\$83** worth of pies on Monday, **\$63** on Tuesday, etc.

(You can put those values into the Matrix Calculator to see if they work.)

To show how many rows and columns a matrix has we often write rows xcolumns.

Example: This matrix is 2×3 (2 rows by 3 columns):

When we do multiplication:

- The number of **columns of the 1st matrix** must equal the number of **rows of the 2nd matrix**.
- And the result will have the same number of **rows as the 1st matrix**, and the same number of **columns as the 2nd matrix**.

Example:

In that example we multiplied a 1×3 matrix by a 3×4 matrix (note the 3s are the same), and the result was a 1×4 matrix.

In General:

To multiply an $m \times n$ matrix by an $n \times p$ matrix, the ns must be the same, and the result is an $m \times p$ matrix.

Order of Multiplication

In arithmetic we are used to:

$$3 \times 5 = 5 \times 3$$

(The **Commutative Law** of Multiplication)

But this is **not** generally true for matrices (matrix multiplication is **not commutative**):

When you change the order of multiplication, the answer is (usually) different.

Example:

See how changing the order affects this multiplication:

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \times \begin{bmatrix} 2 & 0 \\ 1 & 2 \end{bmatrix} = \begin{bmatrix} 4 & 4 \\ 10 & 8 \end{bmatrix}$$
$$\begin{bmatrix} 2 & 0 \\ 1 & 2 \end{bmatrix} \times \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} = \begin{bmatrix} 2 & 4 \\ 7 & 10 \end{bmatrix}$$

Identity Matrix

The "Identity Matrix" is the matrix equivalent of the number "1":

$$\mathbf{I} = \begin{bmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{bmatrix}$$
A 3x3 Identity Matrix

- It is "square" (has same number of rows as columns),
- It has **1**s on the diagonal and **0**s everywhere else.
- It's symbol is the capital letter I.

It is a **special matrix**, because when you multiply by it, the original is unchanged:

$$A \times I = A$$
$$I \times A = A$$

Question 1 Question 2 Question 3 Question 4

- Matrices
- Determinant of a Matrix
- Matrix Calculator
- Algebra Index

<u>Search</u> :: <u>Index</u> :: <u>About</u> :: <u>Contact</u> :: <u>Contribute</u> :: <u>Cite This Page</u> :: <u>Privacy</u>

Copyright © 2010 MathsIsFun.com