

 		Company DOC. NO.	10-JKPI-7400005425
		Contractor DOC. NO.	10-JKPI-7400005425
		Contractor JOB CODE	0-8936-2

USGC II Petrochemicals Project
 US Gulf Coast
 Ethylene Unit - 10

CRYOGENIC GENERAL SERVICE VALVES REQUISITION

REV.	DATE	DESCRIPTION	PREPARER	CHECKER	APPROVER
AA	OCT-11-2022	Issued for Inquiry	A.Ray	C.Summers	C. De La Torre
BB	OCT-17-2022	Issued for Inquiry	A.Ray	C.Summers	C. De La Torre
CC	OCT-18-2022	Issued for Inquiry	A.Ray	C.Summers	C. De La Torre
DD	OCT-28-2022	Issued for Inquiry	A.Ray	C.Summers	C. De La Torre
EE	JAN-23-2023	Issued for Inquiry	A.Ray	C.Summers	C. De La Torre

CONFIDENTIAL INFORMATION	
This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.	

REVISION CONTROL

Revision	Section	Change Description
AA	ALL	Initial Issue
BB	Attachment A	Revised Material Take-off
CC	4.1	Added document SS-0000-13606-6002. Removed SS-0000-13A00-0001.
DD	4.1	Added document SS-0000-13A00-0001. Updated revision for specification SS-0000-13A00-0005.
EE	Attachment A	Revised Material Take-off
EE	4.1	Updated Revisions for 10-PIES-06102, 10-PIES-00022, 10-CHES-00001, 10-DMPR-00001

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Table of Contents

1.0	DESCRIPTION	4
2.0	SCOPE OF WORK	4
2.1	PROJECT OVERVIEW	4
2.2	SCOPE OF SUPPLY	4
3.0	GENERAL REQUIREMENTS	4
3.1	SELLER'S DOCUMENTATION	4
3.2	GENERAL REQUIREMENTS AND DATA FOR SELLERS' PROPOSAL	4
3.3	INSPECTION AND TESTING REQUIREMENTS	6
4.0	REQUISITION PACKAGE CONTENT	6
4.1	PROJECT SPECIFICATIONS	7
4.2	REQUISITION ATTACHMENTS	8
	ATTACHMENT A: MATERIAL TAKE OFF	9

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

1.0 DESCRIPTION

The following defines the minimum scope. The Supplier should add features as needed to comply with equipment design as required by entire requisition package, referenced documentation, and required codes and standards. The design and installation shall also be in compliance with all Local, State, and Federal Regulations.

Vendor shall provide engineering, design, drawings, materials, manufacturing, inspection, testing and documentation, for (Cryogenic General Service Valves) in strict accordance with this document and all attachments.

2.0 SCOPE OF WORK

2.1 PROJECT OVERVIEW

The US Gulf Coast II (USGC II) Petrochemicals Project, Ethylene Unit-10 is an ethylene and derivatives complex located in Orange City, Texas with a 2,080 kta polymer grade ethylene unit 10. The Ethylene Unit 10 will use fresh ethane feed from pipeline and recycle crack the ethane to extinction. Unit 10 is also designed to produce by-products, which include Fuel Gas, PP Mix, Mixed C4s and Pygas (Pyrolysis Gasoline).

2.2 SCOPE OF SUPPLY

- 1) This requisition covers the specific purchase conditions related to the Request for Quotation of Equipment and Materials to be used for the USGC II Petrochemicals Project, Ethylene Unit – 10 in Orange, Texas, USA.
- 2) Refer to Attachment A: Material Take-off.

3.0 GENERAL REQUIREMENTS

3.1 SELLER'S DOCUMENTATION

Vendor shall provide a list of documentation in accordance with the JKJV's Seller Deliverable Schedule (SDS). Vendor shall comply with the document submittal procedure listed in document Attachment B attached.

3.2 GENERAL REQUIREMENTS AND DATA FOR SELLERS' PROPOSAL

In case of conflicts in the requirements of this Requisition, the following order of precedence shall govern:

- 1) Local, state, and federal regulatory agencies with jurisdictional authority

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

- 2) Technical Requisition and notes (this document)
- 3) Technical exclusions and deviations on project specifications
- 4) Project specifications
- 5) Other documents contained in this Requisition
- 6) Codes and Industry Standards
- 7) Unit pricing for spare soft kits shall be provided with proposal.
- 8) **ACCEPTABLE SUB-VENDORS**

Vendor shall obtain Purchaser's written Approval, prior to Sub-Order issuance, of any equipment, materials or fabrications (including raw materials of pressure retaining parts such as tubes, pipes, castings and forgings) which are not originating from the following country or regions:

Acceptable Countries of Origin List		
Austria	Belgium	Brazil
Canada	Denmark	Finland
France	Germany	Italy
Japan	Netherlands	Norway
Qatar	South Korea	Spain
Sweden	United Kingdom	United States
China	India	

Material Test Reports are required and shall clearly state the Origin and/or Manufacture location (country) of the Materials. Materials that cannot be traced to their Origin and/or point of Manufacturer will not be accepted for use. MTR's shall be transmitted to purchaser on or before the date that material will leave supplier.

In case the selection of those Sub-Vendors would affect Vendor's specific design standards, experience, and guarantee, Vendor may select other Sub-Vendors provided that compliance with Project Specifications would be ensured. However, Vendor shall obtain Purchaser's written approval of all equipment, materials or fabrications that are from China/India or not from an acceptable Sub-Vendor and/or the country of origin. In this case, Vendor shall clearly specify it in the form with technical justification accompanying Vendor's proposal.

Vendor is fully responsible for the quality management of their Sub-vendor's and/or Sub-Contractor's activities and Purchaser shall request Vendor for submission of Sub-vendor's and/or Sub-Contractor's quality manual in case if it deemed necessary.

Vendor shall submit the list of all Sub-vendors including following data.

(a) *Sub-vendor's name*

(b) *Country of the Sub-vendor*

CONFIDENTIAL INFORMATION		
This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.		

(c) Contact address, including the name of the person in charge, telephone number, e-mail address, etc.

(d) Duration of the relationship with the Sub-vendor (years) and Supply Experience(s) to Vendor

(e) Description and Specifications of the materials or parts to be supplied (When applicable, ranges shall be indicated. For instance, forged pieces from 2" to 24")

If Purchaser inspection reveals a failure to comply with this requirement, Vendor shall be responsible to correct any deficiencies even after the equipment and materials are delivered to the contractual delivery point defined in Purchase Order.

Purchaser reserves the right to conduct QA Audit at Vendor's proposed Sub-Vendor(s)' shop. Purchaser may reject Vendor's proposed Sub-Vendor(s) at Purchaser's sole discretion. Even then, no cost and schedule impact shall be claimed by Vendor.

3.3 INSPECTION AND TESTING REQUIREMENTS

Inspection and Testing Plan shall comply with requirements of specifications, codes, and standards required by the package as prescribed by JKJV's ITP. Refer to Attachment C Attached.

- 3.3.1 Inspection level (HOC to confirm as per 10-QCES-00001/SS-0000-15200-0101 Para 6.1 and ATTACHMENT-2:)
- 3.3.2 Pre-Fabrication Meeting (Pre-Inspection Meeting: PIM)
- 3.3.3 Remote Inspection and Expediting
Vendor shall support Remote Inspection and Expediting technology in which streaming audio and video is utilized to perform in shop expediting and inspection remotely upon request by Purchaser. Vendor shall offer a virtual platform, a smartphone and Wi-Fi connections that can provide excellent remote Inspection and Expediting environment in accordance with 10-QCES-00001/SS-0000-15200-0101 Attachment-12.

4.0 REQUISITION PACKAGE CONTENT

Vendor shall furnish all Cryogenic General Service Valves in accordance with technical documents listed below. The latest industry codes and standards in effect as of 01-Jul-2022.

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

4.1 PROJECT SPECIFICATIONS

CHANGE STATUS	CONTRACTOR DOCUMENT NO.	COMPANY DOCUMENT NO.	REVISION NO. AT			DOCUMENT TITLES
			R.F.Q	P.O.	A.P.O	
TECHNICAL SPECIFICATION / DATASHEET / DRAWING						
EE	SS-0000-13606-6102	10-PIES-06102	0			PURCHASE SPECIFICATION FOR MANUAL VALVES
EE	SS-0000-13606-6002	10-PIES-00022	2			LNG PIPING MATERIAL SPECIFICATIONS FOR CYROGENIC AND LOW TEMPERATURE SYSTEMS
EE	SS-0000-13A00-0001	10-CHES-00001	4			SPECIFICATION FOR EXTERNAL COATING
QUALITY CONTROL						
	SP-0000-15200-0102	10-QCPR-00002	2			NONCONFORMITY CONTROL PROCEDURE FOR PURCHASED EQUIPMENT AND MATERIALS
	SS-0000-15200-0101	10-QCES-00001	3			QUALITY CONTROL REQUIREMENTS TO VENDOR (PROCUREMENT PHASE)
	SS-0000-15200-0103	10-QCES-00002	2			MATERIAL CERTIFICATION AND TRACEABILITY REQUIREMENTS
	SS-0000-15200-0104	10-QCES-00003	2			SPECIFICATION FOR MANUFACTURING RECORD BOOK
	SS-0000-15200-0202	10-CEES-00002	2			WELDING REQUIREMENTS (AMENDMENTS/SUPPLEMENTS TO API RP 582)
	SS-0000-15200-0203	10-CEES-00003	2			GENERAL REQUIREMENTS OFCASTING FOR PURCHASED EQUIPMENT AND MATERIALS
		USGCII-CEES-00004	BB			MATERIAL VERIFICATION PROGRAM FOR ALLOY MATERIALS
GENERAL PROJECT SPECIFICATION						
	SP-0000-11360-0001	10-DMPR-00001	3			DOCUMENT NUMBERING PROCEDURE
EE	SP-0000-11360-0003	10-DMPR-00003	3			DOCUMENT CONTROL PROCEDURE
		10-DMPR-70002	0			INSTRUCTION FOR VENDOR DOCUMENTATION
	SP-0000-14500-0001	10-LOPR-00001	2			PROJECT SHIPPING INSTRUCTIONS TO VENDORS
	SP-0000-14500-0002	10-LOPR-00002	1			PROJECT PACKING INSTRUCTIONS TO VENDORS
	SP-0000-14700-0001	10-PUPL-00006	BB			SPARE PARTS LIST AND SPECIAL TOOLS PROCUREMENT PLAN
	SP-0000-14700-0002	10-PMLS-00003	BB			SPARE PARTS AND INTERCHANGEABILITY LIST (SPIL) FORM
		USGCII-CEES-00005	BB			PRESERVATION OF NEW EQUIPMENT DURING TRANSPORTATION AND STORAGE
DD	SS-0000-13A00-0005	10-CEES-00005	0			SUPPLEMENTARY SPECIFICATION TO USGCII-CEES-00005 PRESERVATION TO NEW EQUIPMENT DURING TRANSPORTATION & STORAGE
		USGCII-PMES-00001	DD			UNITS OF MEASURE
PURCHASER'S STANDARD SPECIFICATION AND FORM						
	JGS499-999-5-02E		5			CONTROL OF MONITORING AND MEASURING DEVICES, PRODUCT STATUS AND NONCONFORMING PRODUCTS
	FORM 2742		5			INSTRUCTIONS FOR EXPORT LICENSE REQUIREMENT

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

4.2 REQUISITION ATTACHMENTS

Deliverable Number	REVISION NO. AT			DOCUMENT TITLES
	R.F.Q	P.O.	A.P.O	
Attachment A	A			MATERIAL TAKE OFF (Δ EE)
Attachment B	A			SUPPLIER DATA REQUIREMENTS
Attachment C	A			INSPECTION AND TESTING REQUIREMENTS
Attachment D	0			SPARE PARTS AND INTERCHANGEABILITY LIST (SPIL) FORM
Attachment E	A			TECHNICAL EXCEPTION/DEVIATION TEMPLATE

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

ATTACHMENT A: MATERIAL TAKE OFF (ΔEE)

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
1	P83K-002KC	- Check valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Low temperature service Licensor-1	2	1	0	0	1	ea
2	P83K-002JX	- Check valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Cryogenic service	2	12	4	0	16	ea
3	P83K-002K7	- Check valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Cryogenic service	2	0	1	0	1	ea
4	P81K-002YT	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1	0	4	0	4	ea
5	P81L-007MB	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	20	1	4	0	5	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
6	P81L-007MS	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	10	0	1	0	1	ea
7	P81L-007MT	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	8	1	3	0	4	ea
8	P82L-004LN	- Globe valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	6	0	2	0	2	ea
9	P82L-004LT	- Globe valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	3	1	0	0	1	ea
10	P82L-004LW	- Globe valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	8	0	4	0	4	ea
11	P81K-0041G	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service Licensor-1	2	4	0	0	4	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
12	P82L-001N3	- Globe valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Cryogenic service	3	0	1	0	1	ea
13	P81L-007SG	- Gate valve A351-CF8M CL300 ASME B16.34 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel-op Ext-bnnt Flexible wedge-w-cvty-vent Low temp-srvc	4	4	0	0	4	ea
14	P81K-0044M	- Gate valve A182-F316/F316L-DG CL300 API 602 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel op Ext-bnnt Flexible wedge-w-cvty vent Cryo-srvc	2	23	88	2	111	ea
15	P81K-0045E	- Gate valve A182-F316/F316LDG CL600 API 602 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel-op Ext-bnnt Flexible wedge-w-cvty-vent Cry-srvc	2	5	7	0	12	ea
16	P83K-002K2	- Check valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Low temperature service	2	1	0	0	1	ea
17	P88L-003VR	- Dual plate check valve ASTM A351 Grade CF8M Class 300 API 594 Type A Double flanged ASME B16.47-A RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	42	0	1	0	1	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
18	P81K-002YU	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1.5	24	1	0	25	ea
19	P81K-0040Y	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	2	17	19	0	36	ea
20	P81K-0041B	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	2	2	19	2	21	ea
21	P81K-0040R	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1	4	0	4	4	ea
22	P81K-00414	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service	2	8	20	0	28	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
23	P81K-002Z0	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.8	56	83	1	139	ea
24	P81L-0050C	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	16	8	0	0	8	ea
25	P81L-007M9	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	16	7	6	0	13	ea
26	P81L-007M2	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service	3	2	0	0	2	ea
27	P81L-007MR	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.47-A RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	36	0	2	0	2	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
28	P81L-007MK	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	18	0	6	0	6	ea
29	P82L-004LL	- Globe valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	14	0	1	0	1	ea
30	P82L-004LV	- Globe valve A351-CF8M CL300 ASME B16.34 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Gear-op Ext-bnnt Low temp-srv	6	0	1	0	1	ea
31	P83K-002JS	- Check valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Low temperature service	2	0	2	0	2	ea
32	P83L-004F7	- Check valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 Swing-type Bolted cover Low temperature service	8	0	1	0	1	ea
33	P83L-004FA	- Check valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 Swing-type Bolted cover Low temperature service	4	1	0	0	1	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
34	P81K-0040X	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	1.5	4	0	0	4	ea
35	P81K-00418	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	0.8	4	9	3	13	ea
36	P81L-0050D	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	18	21	0	0	21	ea
37	P81L-0050F	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	24	1	1	0	2	ea
38	P81L-007MA	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	18	2	2	0	4	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
39	P81L-00509	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	6	21	8	0	29	ea
40	P81L-0050A	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	8	6	0	0	6	ea
41	P81L-007MF	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	10	0	6	0	6	ea
42	P81L-007MH	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	14	1	7	0	8	ea
43	P81L-007MN	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	8	1	3	0	4	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
44	P81L-0053H	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	6	0	1	0	1	ea
45	P82L-001N4	- Globe valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Cryogenic service	4	0	1	0	1	ea
46	P81L-007SH	- Gate valve A351-CF8M CL300 ASME B16.34 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel-op Ext-bnnt Flexible wedge-w-cvty-vent Low temp-srv	6	0	3	0	3	ea
47	P83L-004FE	- Check valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 Swing-type Bolted cover Cryogenic service	8	0	1	0	1	ea
48	P88L-003V5	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.5 RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	18	1	0	0	1	ea
49	P81K-0040V	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	0.8	106	62	0	168	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
50	P81K-0040P	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.8	19	13	11	32	ea
51	P81K-0040S	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1.5	24	6	0	30	ea
52	P81K-002Z2	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1.5	33	0	0	33	ea
53	P81K-00410	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	0.5	0	16	0	16	ea
54	P81K-00413	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	1.5	5	2	0	7	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
55	P81L-007M6	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	10	13	4	0	17	ea
56	P81L-00507	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	3	8	4	0	12	ea
57	P81L-0053M	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	16	3	3	0	6	ea
58	P81L-0053N	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	18	0	2	0	2	ea
59	P82K-0026R	- Globe valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Cryogenic service	1.5	0	1	0	1	ea
60	P82K-0010P	- Globe valve A182-F316/F316L-DG CL150 API 602 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel-op Ext-bnnt Cryo-srv	2	0	2	0	2	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
61	P81K-0040W	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	1	1	2	0	3	ea
62	P81K-0041A	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	1.5	9	6	6	15	ea
63	P81K-0040T	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 1500 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	2	3	32	3	35	ea
64	P81K-002YZ	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.5	0	6	0	6	ea
65	P81K-002Z1	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1	4	5	0	9	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
66	P81L-0050E	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	20	7	0	0	7	ea
67	P81L-007MD	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	10	4	2	0	6	ea
68	P83K-002JV	- Check valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Cryogenic service	1	0	1	0	1	ea
69	P81K-0041D	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service Licensor-1	0.8	2	0	0	2	ea
70	P83K-002JR	- Check valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 Piston-lift-type with spring Bolted cover Low temperature service	1.5	0	1	0	1	ea
71	P83L-004F5	- Check valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 Swing-type Bolted cover Low temperature service	4	0	1	0	1	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
72	P88L-003VA	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.47-A RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	42	0	1	0	1	ea
73	P81K-002YR	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.5	2	2	0	4	ea
74	P81K-0040Z	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	2	34	61	2	95	ea
75	P81K-00412	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	1	1	6	0	7	ea
76	P81L-00508	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	4	18	10	0	28	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
77	P81L-007M4	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service	6	0	1	0	1	ea
78	P81L-007M5	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service	8	0	2	0	2	ea
79	P81L-007MJ	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	16	0	10	0	10	ea
80	P81L-0053F	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	3	5	5	0	10	ea
81	P81L-0053G	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	4	6	11	0	17	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
82	P82L-004LS	- Globe valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	12	0	2	0	2	ea
83	P83L-004FZ	- Check valve A351-CF8M CL150 ASME B16.34 Flange ASME B16.5 RF Trim No.12 Swing-type Bolted cover Low temp-srv	16	0	1	0	1	ea
84	P81K-002ZE	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 600 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	1.5	4	0	0	4	ea
85	P88L-003V8	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.47-A RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	30	2	0	0	2	ea
86	P88L-003V6	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.5 RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	20	1	2	0	3	ea
87	P81K-002YS	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.8	181	68	1	249	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
88	P81K-0040U	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 150 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	0.5	6	12	0	18	ea
89	P81L-007ME	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Cryogenic service	12	28	2	0	30	ea
90	P81L-007M8	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	14	3	6	0	9	ea
91	P81L-007MG	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	12	0	5	0	5	ea
92	P88L-003VJ	- D-Plate check valve A351-CF8M CL300 API 594 Type A Double flanged ASME B16.5 RF Trim No.12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temp-srv	16	0	3	0	3	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
93	P81L-007SF	- Gate valve A351-CF8M CL300 ASME B16.34 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Handwheel-op Ext-bnnt Flexible wedge-w-cvty-vent Low temp-srvc	3	3	12	0	15	ea
94	P81L-007MM	- Gate valve A351-CF8M CL300 ASME B16.34 Flange ASME B16.5 RF Trim No.12 BB-BG-OS&Y Gear-op Ext-bnnt Flexible wedge-w-cvty-vent Low temp-srvc	24	0	2	0	2	ea
95	P88L-003V4	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.5 RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	16	1	0	0	1	ea
96	P88L-003V7	- Dual plate check valve ASTM A351 Grade CF8M Class 150 API 594 Type A Double flanged ASME B16.5 RF Trim number 12 Internal wetted parts SS316 Spring Inconel Retainerless-type Low temperature service	24	1	0	0	1	ea
97	P81K-00411	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 300 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Low temperature service	0.8	27	95	0	122	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
98	P81K-002ZC	- Gate valve ASTM A182 Grade F316/F316L dual grade Class 600 API 602 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Solid wedge with cavity vent Cryogenic service	0.8	6	3	0	9	ea
99	P81L-007M7	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	12	13	2	0	15	ea
100	P81L-007ML	- Gate valve ASTM A351 Grade CF8M Class 300 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Flexible wedge with cavity vent Low temperature service	20	1	2	0	3	ea
101	P82L-001MT	- Globe valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Cryogenic service	4	1	0	0	1	ea
102	P82L-004LJ	- Globe valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	10	0	2	0	2	ea
103	P82L-004LP	- Globe valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Gear operated Extended bonnet Low temperature service	8	0	1	0	1	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Line Item	Tag Number	Short Description	Size (in)	MFY Q'ty (EA)	Site Q'ty (EA)	Need by Date 10-16-23	Total Q'ty	Unit
104	P81L-007M3	- Gate valve ASTM A351 Grade CF8M Class 150 ASME B16.34 Flange ASME B16.5 RF Trim number 12 BB-BG-OS&Y Handwheel operated Extended bonnet Flexible wedge with cavity vent Low temperature service	4	0	2	0	2	ea

CONFIDENTIAL INFORMATION

This document contains proprietary and confidential information of Chevron Phillips Chemical Company LP. The information is for the sole use of the intended addressee(s) only and used specifically and exclusively for the furtherance of the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project. Please be aware that any disclosure, re-print, copy, distribution or use of the content of this document, other than for the Chevron Phillips Chemical Company LP USGC II Petrochemicals Project, is strictly prohibited.

Project Name:		USGC II Petrochemicals Project US Gulf Coast Ethylene Unit - 10			SELLER'S DELIVERABLE SCHEDULE(SDS) - CRYOGENIC GENERAL SERVICE VALVES					Document No.:		10-JKPI- 7400005425	
Project No.:		105186								Revision No.:		A	
					Requisition No.: 10-JKPI- 7400005425					Revision Date:		23-Sep-22	
Deliverable Category	Sequence	Deliverable	Document Code	Full Engineering Submittals (Weeks ARO)	Submitted with Proposal	Submitted for Review	Native Format	Final / As-Built	Included in MDB	Liquidated Damages Apply	Remarks		
D01	1	Valve General Arrangement	GAD	4	X	X		X	X	X			
D02	2	Manufacturer's Record Books (MRB) - Index	IDX	*		X			X		* At Job Completion		
D03	3	Manufacturer's Record Books (MRB)	MRB	*		X					* At Job Completion(CD requested)		
G01	1	Exceptions and Clarifications	LST	W/Q	X								
G02	2	Vendor Document List (VDL)	LST	2		X	X						
G03	3	Procedure for Preservation, Packing, Shipping, Receiving, Handling, Unloading, Short/Long Term Storage, and Installation	PRO	4		X			X				
G04	4	Inspection and Testing Plan (ITP)	ITP	2	X	X			X	X	Approval required prior to fabrication		
G05	5	Nameplate Format Drawings/Rubbings	GAD	4		X			X				
G06	6	Installation, Operation, and Maintenance Manuals	MNL	ATS		X				X			
G07	7	Notification for Deviation/Non-Conformance	NCR	To be submitted per Kiewit template if required		X			X				
G08	8	Catalog Cut Sheets	GAD	W/Q	X				X				
G09	9	Spare Parts List	LST	ATS		X	X		X				
G10	10	Packing/Shipping Lists	LST	2 weeks before shipping					X				
Q01	1	Weld Procedures (WPS/PQR/WPQR/Weld Maps)	PRO	4		X							
Q02	2	Heat Treatment & PWHT Procedures	PRO	4		X			X		Heat Treatment Procedures shall be submitted 6 weeks prior to test date for JKIV approval. (If Applicable)		
Q02	2	Heat Treatment & PWHT Report	RPT	With Data Book (See Remarks)		X			X		Heat Treatment Procedures shall be submitted 6 weeks prior to test date for JKIV approval. (If Applicable)		
Q03	3	Surface Preparation and Coating Application Procedure	PRO	4		X					(If Applicable)		
Q04	4	Material Test Reports / C of C (MTR)	RPT/CRT	PTS		X			X				
Q05	5	Non-Destructive Examination Procedure	PRO	4		X							
Q06	6	Non-Destructive Examination Report	RPT	PTS		X			X				
Q07	7	PMI Procedure	PRO	4		X			X				
Q08	8	PMI Record Documents	RPT	PTS		X			X				
Q09	9	Test Procedure for Cryogenic Valves	PRO	4		X			X				
Q10	10	Test Report for Cryogenic Valves	RPT	4		X			X				
Q11	11	Casting Inspection Procedure	PRO	4		X			X		*Including Weld Repair Procedure		
		Bill of Materials	RPT	30 days prior to Shipment					X				
		Vendor Monthly Report	RPT	Monthly									
		NOTES "ATS" indicates At Time of Shipment. Estimated at 2 weeks prior to Needed by Date. "PTS" indicates Prior to Shipment. Estimated at 4 weeks prior to Needed by Date. "W/Q" indicates WITH QUOTE											

Instructions for Completing Spare Parts Interchangeability List (SPIL) Form

Material Data for BOM Fields

Introductions:

Chevron Phillips Chemical Company (CPChem) has a centralized Material Master management team at its Headquarters, located in The Woodlands, Texas. CPChem's Material Master management team employs a standardized cataloging system to create and maintain each and every SAP MRO (maintenance, repair, and operation) Material Master record. CPChem's Global Procurement Policy requires that each and every MRO material purchase requisition and purchase order utilize an SAP Material Master record. To correctly catalog a SAP Material Master record, CPChem requires actual manufacturer data for each item.

Actual manufacturer data includes the actual manufacturer's name and that manufacturer's part number where available (United States part number is required if such part number exists), exceptions being items such as generic gaskets, O-Rings, pipe, etc. As much descriptive data (attributes) as possible should also be provided, in order to accurately catalog the item and prevent the cataloging of duplicates. Once cataloged, the manufacturer name and part number, along with the attributes, are used in a custom search tool for CPChem's end users to locate and request from Procurement the correct MRO material. The standardized description is passed to vendors, via the material master record number contained in a purchase order, ensuring vendors provide the correct MRO material every time it's ordered.

Without the required actual manufacturer data, CPChem's Material Master management team will not catalog a MRO material and create a SAP Material Master record number. Without the record number, the item cannot be purchased. CPChem buyers cannot process a MRO material purchase requisition that does not utilize a SAP material master record number. The actual manufacturer data received by the catalog team is for cataloging purposes only. The MRO material is purchased by CPChem's Global Procurement Buyers from a specific vendor using SAP Outline Agreements, SAP Purchasing Info Records and SAP Source List functions, which are also dependent upon creation of the SAP material master record.

Important Notes:

This document is provided as a guide to creating the PARTS DESCRIPTION and facilitating consistent and uniform formats.

The underlying goal is to ensure an Object (material) is described by what it is instead of its function or parent equipment association. The format should be mutually exclusive and provide sufficient detail to differentiate one item from another similar item in the Material Master based on the characteristic specifications of each item.

Matching a material object's attributes to the allowed characteristic values in the Material Class will, by design eliminate creation of duplicate entries for identical materials.

All questions can be addressed to Company's Project Procurement Manager/Lead.

The recommended structure and convention is as follows:

1. Provide a complete list of parts, recommended and non-recommended (for stocking purposes) listing the manufacturer (not provider) of the items. Please list a zero quantity for non-recommended parts.
2. All text should be in UPPER case - including units of measure (this aligns with SAP R/3 external UOM table)
3. Sequence: **Primary Noun** (comma) example: VALVE, may also be a compound word example: *CIRCUIT BREAKER, AIR CONDITIONER* , **Qualifier** The primary noun should be followed by a one or two word qualifier or compound word example: *VALVE,GATE or CHART,STRIP,FOLDED or GLOVES,PVC,FULLY LINED*
4. A minimum spacing of one (1) character after Qualifying word(s) and between subsequent words or symbols is recommended.
5. The balance of the description should be filled from at least 6 key characteristic values for the Material Class and have a logical sequence
- 5.1 e.g., for Pipe, Fittings and Process Valves the description should be formatted using values from the following characteristics - Size, Bore, Rating, Connection, Characteristic Material, Material Specification.
For example: VALVE,GATE 150mm Full Bore 600# Raised Face, Carbon Steel ASTM A216 Grade WCB BODY - For Instruments, full decoded text
6. Description for manufacturer (OEM) spare parts should follow the same structure of Noun, Qualifier, Manufacturer number (P/N) and Manufacturer example: *PROBE, TEMPERATURE 918742C1 SOLAR*.
7. Vendor to submit SPIL list in native format (Excel format) only.

	BOM's Fields	SPIL List Reference	Description	Data Type	Length	Decimals	Inputs by	Remarks
1	Equipment Tag Number	1	Unique alphanumeric identifier for the equipment	Char	25		Vendor	This tag number is assigned by contractor, but populated on this SPIL by vendor. This field should reference only 1 piece of equipment or tag number with spared equipment (A/B/etc.) being listed individually. The tag should be in the following format: P-111A, P-111B, XV-1111A, etc.
2	Vendor Name and Address	1A	Vendor Name and Address	Free Text	Free Text		Vendor	
3	Contractor PO Number	1B	Contractor Original Equipment PO Number	Free Text	Free Text		Vendor	GCP PO # for purchase of main Equipment spares are applicable(between Contractor & Supplier)
4	Serial Number	2	Manufacturer Equipment Serial Number	Char	28		Vendor	
5	Model	3	Equipment Model Number	Char	28		Vendor	
6	Number of pieces per Equipment	4	Number of equipment with same model	Numeric	2		Vendor	
7	Total Quantity of parts installed per Equipment	5	Quantity of parts installed in one equipment	Numeric	3		Vendor	e.g. 2 Gaskets in one equipment

	BOM's Fields	SPIL List Reference	Description	Data Type	Length	Decimals	Inputs by	Remarks
8	Unit of Measure	6	Unit of Measure	Char	3		Vendor	Use "Dropdown" to select the Unit of Measure. See job aid tab to add other unit of measure
9	Number of identical parts on SPIL	7	Total No of a part installed from the various equipment identified in the SPIL List	Numeric	Free Numeric		Vendor	Formulated in the spreadsheet, for total installed operational parts/pieces (all Tag Number)
10	Description of Part	8	Full Part Description (Size, rating, etc...)	Char	Free Text		Vendor	Refer to General notes #3 - 6 above
11	Manufacturer Name	9	Manufacturer of the Spare Part	Char	30		Vendor	May differ with Vendor. Must be the manufacturer of the part.
12	Manufacturer Part Number	10	Manufacturer Part Number from the Original Equipment Order	Char	30		Vendor	Must be true Original Equipment Manufacturer's part number
13	Manufacturer Part Number	11	True Manufacturer's Part Number (United States Part Number Required when available)	Char	30		Vendor	United States reorder number from the Manufacturer
14	Vendor DWG / Catalog No	12	Material Drawing Reference No	Char	Free Text		Vendor	Attached to SPIL as needed
15	Material check ASTM JIS DIN	13	Material of construction (Material per Characteristic specification of part. (Example- Carbon steel Body, 316 stainless steel trim) (Do not use common abbreviations= AFM34, SMO254)	Char	Free Text		Vendor	Example : AFM34, SIGRAFL.HD etc. (Include actual material) 316SS = Stainless Steel Grade 316
16	Capital spares (Category I)	14A	Number of suggested capital spares	Numeric	Free Numeric		Vendor	Suggested / recommended quantity for capital spares only
17	Commissioning spares (Category III)	14B	Number of suggested commissioning spares	Numeric	Free Numeric		Vendor	Suggested / recommended quantity for commissioning spares only
18	Operating spares (Category IV)	14C	Number of suggested operating spares recommended	Numeric	Free Numeric		Vendor / Manufacturer	Suggested / recommended quantity for operational spares only
19	Contractor Review	15A	Sum of Vendor Recommended Quantities	Numeric	Free Numeric		N/A	Formulated in the spreadsheet - Sum of all three spare parts fields
20	Contractor Review	15B	Contractor Review - Total Contractor Recommended Quantity to Purchase	Numeric	Free Numeric		Contractor	Contractor to review vendor recommendation and enter their own recommendation for total quantity to be ordered.
21	CPChem Approved Quantity	15C	CPChem Approved Quantity	Numeric	Free Text		CPChem	CPChem to input quantity to be purchased.
22	Leadtime	16	Leadtime for ready to ship after receipt of order (ARO) in days	Numeric	Free Numeric		Vendor	Leadtime for shipment. (i.e. 21 days)
23	Unit Price (USD)	17A	Price of Part	Numeric	11	2	Vendor	Unit price of spare (USD)
24	Total Price (USD)	17B	Total Price of Material purchased - Not by vendor	Numeric	11	2	N/A	Formulated in the spreadsheet
25	CPChem Warehouse No. (CPChem Part No)	18	CPChem Inputs - Not by vendor	Numeric	8		CPChem	Material Master No to be tagged during delivery
26	CPChem Warehouse No. (CPChem SAP No)	19	CPChem Inputs - Not by vendor	Numeric	8		CPChem	SAP Material Master No to be tagged during delivery
27	Spare Parts PO Number	20A	Spares Purchase Order Number	Free Text	Free Text		Contractor	Contractor's spare parts PO Number
28	Spare Parts PO Date	20B	Spares Purchase Order Date	Free Text	Free Text		Contractor	Contractor's spare parts PO Date
29	Vendor	21	Name of the vendor filling out the form	Free Text	Free Text		Vendor	Vendor's complete name
30	Spare parts for Equipment	22	Equipment or Package Description	Char	40		Vendor	(Material description as per Material Requisition (MR) document) Example : Pump, Compressor, Control Valve, etc.
31	Quotation Number	23	Spare Parts Quotation Number from Vendor	Free Text	Free Text		Vendor	Vendor's quotation number for spare parts ordering
32	Quotation Date	24	Date on Vendor's quotation for spare parts ordering	Free Text	Free Text		Vendor	Date on Vendor's quotation for spare parts ordering
33	Prepared By	25A	Quotation author (full name)	Free Text	Free Text		Vendor	Contact at vendor for quotation information
34	Email	25B	Email address for quotation information	Free Text	Free Text		Vendor	Email contact at vendor for quotation information
35	Phone Number	26	Phone Number for quotation questions	Free Text	Free Text		Vendor	Phone number at vendor for quotation information
36	Notes	27	General Notes - Pertain to data required NOT included in other areas of the SPIL Form	Free Text	Free Text		Vendor	General Notes - for specific notes for material please reference line on SPIL.
37	Sub-Total This Page	28	Sum of all line items	Numeric	11	2	N/A	Formulated in the spreadsheet
38	Sub-Total Previous Page(s)	29	Sub-Total from all other sheets added to the workbook	Numeric	11	2	CPChem	CPChem to add formulas if multiple sheets used
39	Grand Total	30	Grand total for all sheets	Numeric	11	2	N/A	Formulated in the spreadsheet
40	Vendor Signature	31	Parts Vendor's signature	Free Text	Free Text		Vendor	Signature blocks
41	Contractor Signature	32	Contractor's signature	Free Text	Free Text		Contractor	Signature blocks
42	CPChem Signature	33	CPChem's signature	Free Text	Free Text		CPChem	Signature blocks
43	BID Validity Date	34	Validity period of spare parts BID	Free Text	Free Text		Vendor	Example: 24 Months from SPIL quotation
44	Authorized Local (United States) Parts Vendor	35	Authorized Local (United States) Parts Representative if applicable	Free Text	Free Text		Vendor	Provide your recommended local (United States) authorized parts representative or distributor near the CPChem plant location. Include the contact information for the vendor sales rep if available.
45	Authorized Local (United States) On-Site Maintenance, and / or Service Provider	36	On-site (United States) maintenance, or service provider. Can be primary vendor.	Free Text	Free Text		Vendor	Provide your recommended local (United States) authorized on-site maintenance and service provider near the CPChem plant location. If warranty work provider is different, advise contact details.

ATTACHMENT E - TECHNICAL EXCEPTION/DEVIATION TEMPLATE

 		United States Gulf Coast II Petrochemicals Project Purchase Order Technical Exception/Deviation Request										
Technical Exception/Deviation Number:		Revision Number: A		Date:								
Req. Number:		Inquiry Number:		Company (Vendor):				E-mail:				
Purchase Order Number:		Other:		Vendor Contact:				Phone:				
Purchase Order Description:												
Item	Equipment Number	Equipment Description	Specification number	Paragraph Number	EX/CL/NA	Comments or Explanation of Exception (Note 1)	Cost/schedule Impact	Purchaser Response	Supplier Final Response	Line Item Final Resolution	Project/Package Engineer	Revision
1												
2												
3												
4												
5												
6												
7												
8												
List all attached supporting documents (Minutes of Meetings, Drawings, etc.):												
Notes: 1. In detail describe the differences in the requested alternative specifications or standard to the Project Specifications and standards listed on the original Data Sheet/ Purchase Order. List all safeguards being taken to ensure that the intent of the original specifications are being met.												
APPROVALS												
Approver		Signature		Date		N/A		Approve		Disapprove		
Vendor/Supplier Engineering Mgr:												
Contractor Responsible Engineer:												
Contractor Procurement Manager:												
Contractor QA/QC Manager:												
Contractor Engineering Manager:												
CPChem QA/QC Manager:												
CPChem Responsible Engineer:												
CPChem Engineering Manager:												
CPChem Chief Engineer:												
Approval or Disapproval Comments:												
Does this exception need to be communicated to other depts.?:												
Communication Plan:												
Distribution:		Equipment File:		Purchase Order:		QA/QC Mgr.:		Other:				