

NAME

wak — an implementation of the awk programming language

SYNOPSIS

wak [**-F** sepstring] [**-v** assignment]... program [argument...]

or

wak [**-F** sepstring] **-f** progfile [**-f** progfile]...
[**-v** assignment]... [argument...]

also:

[**-V**, **--version**] [**-h**, **--help**] [**-b**] [**-c**]

DESCRIPTION

wak is an implementation of the awk programming language, primarily as described by POSIX.1-2024 (also known as IEEE Std 1003.1™-2024 Edition and The Open Group Standard Base Specifications, Issue 8), with a few omissions and additions.

This document does not attempt to describe the awk language. The POSIX specification may be seen at <https://pubs.opengroup.org/onlinepubs/9799919799/utilities/awk.html> . Please consult that document for a complete description.

OPTIONS

-F sepstring	Input field separator; may be a regular expression
-v assignment	An assignment expression of the form var=string_value; the assignment precedes the start of execution of the program. The right-hand side is taken as a string.
-f progfile	Pathname of an awk program file. More than one program file may be specified, treated as if concatenated.
-V , --version	Display the program version and exit successfully.
-h , --help	Display a brief help screen and exit successfully.
-b	Treat input files as bytes rather than UTF-8 characters. (This option is experimental.)
-c	Compile the program to internal format but do not execute. Can be used to check for syntax errors without running the program.
program	If no -f options are supplied, the first non-option argument is taken to be a string that contains an entire awk program, usually used for short awk programs that can be entered in a single line. Only one such program may be used in this command format.
argument	Remaining arguments are taken as input files to the awk program, or as assignments of the form var=string_value.

DIFFERENCES FROM POSIX AWK

wak is intended to conform to the POSIX awk specification with some omissions and additions. The major omission is locale support. The program attempts to set its locale's LC_CTYPE to a UTF-8 locale if it is not already set as such, and uses the native numeric locale, but otherwise does not use the LC_* locale settings.

The major addition is the use of (extended) regular expressions as values of RS, the record separator special variable. This is an extension common to nearly all awk implementations, including gawk, mawk, and the original (Unix) "One True Awk" (current version).

BUGS

This is a recent implementation, and as such, there are probably quite a few bugs. Please report any bugs you find to raygard at gmail dot com.

AUTHORS

Written by Ray Gardner, with contributions from Oliver K. Webb.

COPYRIGHT

Copyright 2024 Ray Gardner

Released under the 0BSD license:

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MISCELLANEOUS

Feel free to rename **wak** to **awk** if that does not conflict with your current installation environment.

wak is not as fast as **mawk** and not as full-featured as **gawk**, and is not intended as a replacement or competitor to either, or to any other implementation.