ICPSR 3760

Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2001

United States Department of Justice. Federal Bureau of Investigation

Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Table of Contents

| Study | y Description | 3 |
|-------|------------------------------|----|
| | Citation | |
| | Study Scope | 4 |
| | Subject Information | 4 |
| | Keyword(s) | 4 |
| | Topic Classification(s) | 4 |
| | Abstract | |
| | Summary Data Description | 4 |
| | Time Period | 4 |
| | Date(s) of Collection | 4 |
| | Country | 4 |
| | Geographic Coverage | 4 |
| | Geographic Unit | 4 |
| | Unit of Analysis | 4 |
| | Universe | 4 |
| | Kind of Data | 4 |
| | Methodology and Processing | |
| | Data Collection Methodology | 5 |
| | Time Method | 5 |
| | Data Collector | |
| | Frequency of Data Collection | 5 |
| | Data Access | |
| | Dataset Availability | 5 |
| | Location | |
| | Extent of Collection | |
| | Data Use Statement | |
| | Citation Requirement | 5 |
| | Deposit Requirement | 5 |
| File | Description | 7 |
| | 03760-0001-Data.txt | 7 |
| | Contents of File(s) | 7 |
| Varia | able Description | |
| | Variable Groups | 9 |
| | Codebook | 12 |

Study Description

Citation

Title Statement

Title: Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2001

Alternative Title: ASR, 2001

Identification No.: 03760

Responsibility Statement

Authoring Entity: United States Department of Justice. Federal Bureau of Investigation

Production Statement

Producer: Inter-university Consortium for Political and Social Research

Copyright: Copyright(c) ICPSR 2006

Place of Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Funding Agency: United States Department of Justice. Bureau of Justice Statistics

Grant Number: F013114

Distribution Statement

Distributor: Inter-university Consortium for Political and Social Research

Series Statement

Series Name: Uniform Crime Reporting Program Data [United States] Series

Series Information: Since 1930, the Federal Bureau of Investigation (FBI) has compiled the Uniform Crime Reports

(UCR) to serve as periodic nationwide assessments of reported crimes not available elsewhere in the criminal justice system. With the 1977 data, the title was expanded to Uniform Crime Reporting Program Data. Each year, participating law enforcement agencies contribute reports to the FBI either directly or through their state reporting programs. ICPSR archives the UCR data as five separate components: (1) summary data, (2) county-level data, (3) incident-level data (National Incident-Based Reporting System [NIBRS]), (4) hate crime data, and (5) various, mostly nonrecurring, data collections. Summary data are reported in four types of files: (a) Offenses Known and Clearances by Arrest, (b) Property Stolen and Recovered, (c) Supplementary Homicide Reports (SHR), and (d) Police Employee (LEOKA) Data (Law Enforcement Officers Killed or Assaulted). The county-level data provide counts of arrests and offenses aggregated to the county level. County populations are also reported. In the late 1970s, new ways to look at crime were studied. The UCR program was subsequently expanded to capture incident-level data with the implementation of the National Incident-Based Reporting System. The NIBRS data focus on various aspects of a crime incident. The gathering of hate crime data by the UCR program was begun in 1990. Hate crimes are defined as crimes that manifest evidence of prejudice based on race, religion, sexual orientation, or ethnicity. In September 1994, disabilities, both physical and mental, were added to the list. The fifth component of ICPSR's UCR holdings is comprised of various collections, many of which are nonrecurring and prepared by individual researchers. These collections go beyond the scope of the standard UCR collections provided by the FBI, either by including data for a range of years or by focusing on other aspects of analysis.

Version Statement

Version: Second ICPSR Version

Version Responsibility: Inter-university Consortium for Political and Social Research

Bibliographic Citation

U.S. Dept. of Justice, Federal Bureau of Investigation. Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2001 [Computer file]. ICPSR03760-v2. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2006.

Study Scope

Subject Information

Keyword(s): arrests, arson, assault, auto theft, burglary, counties, crime reporting, drug abuse, fraud,

illegal gambling, larceny, law enforcement, murder, offenses, rape, robbery, sex offenses, Uniform

Crime Reports, vandalism, weapons

Topic Classification(s): Social Institutions and Behavior, Crime and the Criminal Justice System

Abstract

These data provide information on the number of arrests reported to the Federal Bureau of Investigation's (FBI) Uniform Crime Reporting (UCR) Program each month by police agencies in the United States. Although not as well known as the "Crimes Known to the Police" data drawn from the Uniform Crime Report's Return A form, the arrest reports by age, sex, and race provide valuable data on 43 offenses including violent, drug, gambling, and larceny crimes.

Summary Data Description

Time Period: 2001

Date(s) of Collection: 2001

Country: United States

Geographic Coverage: United States

Geographic Unit: US states, counties, cities

Unit of Analysis: Arrest counts

Universe: Arrests reported by law enforcement agencies

Kind of Data: Aggregate data

Notes

The data received by ICPSR were originally structured as a hierarchical file containing, per reporting police agency, an agency header record, 1 to 12 monthly header records, and 1 to 43 detail offense records. The detail offense records contained the counts of arrests by age, sex, and race for a particular offense.

ICPSR restructured the original data to a rectangular format. In the rectangular format, a record's contents depends on the types of records that were originally present. If an agency had detail arrest records, then the variables from the agency and monthly header records were copied onto the detail records. If an agency had monthly header records and no detail records, then the variables from the agency header record were copied onto the monthly header records, and the detail arrest variables

were coded "Not applicable". Lastly, if an agency only had an agency header record, then it constitutes the record and the variables for the monthly header and detail arrests were coded "Not applicable".

The UCR program is voluntary on the part of police agencies across the country. On occasion, therefore, some agencies may not report arrest data.

Methodology and Processing

Data Collection Methodology

Time Method: Cross-section

Data Collector: United States Department of Commerce. Federal Bureau of Investigation

Frequency of Data Collection: Monthly

Mode of Data Collection: Mail-in forms

Characteristics of Data Collection

Situation:

The data for the Uniform Crime Reports are submitted voluntarily by city, county, and state law enforcement agencies. Some agencies receive forms directly from the FBI and return them directly to the FBI. Many others receive forms from state collecting programs and return the reports to those programs. The state programs, in turn, forward the reports to the FBI. Reports are sent out and

collected on a monthly basis.

Control Operations: Once received, the FBI checks the agencies' reports for completeness and arithmetical accuracy. If

an unusual fluctuation is detected in an agency's crime count, the FBI compares those counts with counts from previous reports or compares the frequencies to those of agencies similar to the agency in question. When necessary, law enforcement agencies are contacted to correct or explain the

figures.

Data Access

Dataset Availability

Location: Inter-university Consortium for Political and Social Research

Extent of Collection: 1 data files + machine-readable documentation (PDF) + SAS setup file(s) + SPSS setup file(s) +

Stata setup file(s) + SAS transport + SPSS portable + Stata system

Data Use Statement:

Restrictions: In preparing data for public release, ICPSR performs a number of procedures to ensure that the

identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree: 1) To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR. 2) To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery. 3) To produce no links among

ICPSR datasets or among ICPSR data and other datasets that could identify individuals or

organizations.

Citation Requirement: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science

bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

Deposit Requirement: To provide funding agencies with essential information about use of archival resources and to facilitate

the exchange of information about ICPSR participants' research activities, users of ICPSR data are

requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Conditions: ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without

the written agreement of ICPSR.

Disclaimer: The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for

uses of this collection or for interpretations or inferences based upon such uses.

Other Study Description Materials

Related Publication(s)

Federal Bureau of Investigation. Crime in the United States, 2001: Uniform Crime Reports. Washington, D.C.: U.S. Government Printing Office, annual [2002].

Federal Bureau of Investigation. Uniform Crime Reporting Handbook. Washington, D.C.: U.S. Government Printing Office, 1984.

Data Files Description

File-by-File Description

File Name: 03760-0001-Data.txt

Contents of Files: The records in the data file contain information regarding aggregate counts of arrests by age-sex

and race for a specific agency-month-offense combination. For example, if an agency reports arrests for three separate offenses, murder, rape, and robbery, in each of 12 months, there will be 36 records in the data for that agency. The first record will list arrests for murder in January. The second record will list arrests for rape in January. The third record will list arrests for robbery in January. Correspondingly, the 34th, 35th, and 36th records will list arrests for murder, rape, and robbery

respectively in December.

Each record details the number of persons arrested by age-sex category and race category by that agency in a month for a specific offense. The race variables are arrest counts by race only. They

are not detailed by age or sex.

Agencies do not necessarily report arrests in every month, nor do they report all offenses.

Consequently, agencies will have different numbers of records in the file.

File Dimensions:

• No. of Cases: 1,265,778

No. of Variables: 89Record Length: 414

Records per Case: 1

Overall No. of Records: 1,265,778

Type of File: ASCII data file

Data Format: Logical record length

Place of File Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Extent of Processing Checks: The data collection was processed according to standard ICPSR processing procedures. The data

were checked for illegal or inconsistent code values which, when found, were resolved or recoded

to missing data. No consistency checks were performed.

Missing Data: Users should note that blanks and missing data may have a substantive meaning under the FBI

coding scheme. Users should refer to the documentation for explanation of individual variables.

Version Statement

Version: Second ICPSR Version

Version Responsibility: Inter-university Consortium for Political and Social Research

Notes

ADJUSTMENTS

In tabulating arrest counts, an agency may find that totals for past months require adjustment due to developments in the investigation or other handling of the matter. By adjusting counts from one

month to another it is possible to create a negative count for a given month.

DETERMINING ARREST COUNTS

The number of records listed in the data file is NOT the number of arrests reported for that year. Each record lists counts of arrests for a particular agency, month, and offense. Determining total arrests is a two step process. First, it is necessary to sum across the detail categories of age, sex, and or race for each record. This gives total arrests for that agency-month- offense. Then, the aggregate total across all records must be calculated. This gives total arrests.

Below is an example of SPSS code that will compute total homicide arrests by state. Note that arrest totals may differ depending on whether they are calculated using age-sex or race. The differences should be small, and they are due to incomplete information on some records.

Published arrest numbers will not necessarily agree with those calculated directly from the data. Published numbers are often prepared before the most complete arrest information has been made available by reporting agencies. Consequently, they may be based on estimated or incomplete data.

* READ THE ARRESTS DATA FILE SAVED AS AN SPSS SYSTEM FILE. get file = "arrests.sav". * SELECT ARRESTS FOR HOMICIDE. select if (offense eq '01A'). * COMPUTE THE SUMS ACROSS VARIABLES FOR EACH RECORD. * PREFIX rt MEANS RECORD TOTAL. * COMPUTE RECORD TOTAL FOR ALL MALES AND FEMALES. compute rtsex=sum(m0_9 to f65). * COMPUTE RECORD TOTALS FOR RACE. compute rtrace=sum(aw to in). * COMPUTE STATE TOTALS (SUMS ACROSS RECORDS). aggregate outfile = * /presorted /break=state /gtsex = sum(rtsex) /gtrace = sum(rtrace) . * LIST THE RESULTS. list vars=all.

Variable Description

Variable Groups

Variable Groups Containing Variables

| Variable Group Name | Variable Group Label | Page |
|---------------------|--|------|
| VG1 | ADMINISTRATIVE AND GEOGRAPHIC VARIABLES | 9 |
| VG2 | JUVENILE DISPOSITION VARIABLES | 10 |
| VG3 | OFFENSE AND CATEGORY COUNT VARIABLES | 10 |
| VG4 | ARREST COUNTS BY AGE AND SEX - MALES | 10 |
| VG5 | ARREST COUNTS BY AGE AND SEX - FEMALES | 11 |
| VG6 | ARREST COUNTS BY RACE - ADULTS | 11 |
| VG7 | ARREST COUNTS BY RACE - JUVENILES | 11 |
| VG8 | ARREST COUNTS BY ETHNIC ORIGIN - ADULTS | 12 |
| VG9 | ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES | 12 |

VG1 ADMINISTRATIVE AND GEOGRAPHIC VARIABLES

| Variables within this Variable Group | | |
|--------------------------------------|--|------|
| Variable | Variable Label | Page |
| ASR ID | IDENTIFIER CODE FOR THE ASR MASTER FILE | 12 |
| CONTENTS | RECORD CONTENTS | 12 |
| STATE | NUMERIC STATE CODE (FBI CODE) | 12 |
| <u>ORI</u> | ORIGINATING AGENCY IDENTIFIER CODE | 14 |
| <u>GROUP</u> | GROUP | 14 |
| DIV | GEOGRAPHIC DIVISION OF STATE | 15 |
| <u>AGHEADER</u> | AGENCY HEADER DESIGNATION | 15 |
| YEAR | YEAR | 16 |
| MSA | METROPOLITAN STATISTICAL AREA (FBI CODE) | 16 |
| COUNTY | NUMERIC COUNTY CODE (FBI CODES) | 16 |
| <u>SEQNO</u> | CITY'S ALPHABETICAL SEQUENCE NUMBER | 16 |
| <u>SUB</u> | SUBURBAN AGENCY | 17 |
| CORE | CORE CITY | 17 |
| COVBY | COVERED BY ANOTHER AGENCY | 17 |
| POP | POPULATION | 17 |
| <u>AGENCY</u> | AGENCY NAME | 18 |
| <u>STNAME</u> | STATE NAME | 18 |
| <u>MONTH</u> | MONTH | 19 |
| MOHEADER | MONTHLY HEADER DESIGNATION | 20 |
| BREAK | BREAKDOWN INDICATOR | 20 |
| AREO | AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR | 20 |
| <u>ZERO</u> | ZERO DATA INDICATOR | 21 |
| DTLASTUP | DATE OF LAST UPDATE (MMDDYY) | 21 |
| DTPRUP1 | DATE OF 1ST PREVIOUS UPDATE (MMDDYY) | 21 |

| Variables within this Variable Group | | | |
|--------------------------------------|--------------------------------------|------|--|
| Variable | Variable Label | Page | |
| DTPRUP2 | DATE OF 2ND PREVIOUS UPDATE (MMDDYY) | 21 | |

VG2 JUVENILE DISPOSITION VARIABLES

| Variables within this Variable Group | | |
|--------------------------------------|---|------|
| Variable | Variable Label | Page |
| <u>JUVDISP</u> | JUVENILE DISPOSITION (JD) INDICATOR | 22 |
| <u>JDHANDDP</u> | JD HANDLED WITHIN DEPARTMENT AND RELEASED | 22 |
| <u>JDREFJC</u> | JD REFERRED TO JUVENILE COURT | 22 |
| <u>JDREFWA</u> | JD REFERRED TO WELFARE AGENCY | 22 |
| <u>JDREFOPA</u> | JD REFERRED TO OTHER POLICE AGENCY | 23 |
| JDREFCC | JD REFERRED TO CRIMINAL OR ADULT COURT | 23 |

VG3 OFFENSE AND CATEGORY COUNT VARIABLES

| Variables within this Variable Group | | |
|--------------------------------------|--|------|
| Variable | Variable Label | Page |
| <u>OFFENSE</u> | OFFENSE CODE | 23 |
| <u>OCCUR</u> | NON-ZERO OCCURRENCES FOR CODE AND COUNTS | 24 |

VG4 ARREST COUNTS BY AGE AND SEX - MALES

| Variables within this Variable Group | | | |
|--------------------------------------|----------------|------|--|
| Variable | Variable Label | Page | |
| <u>M0 9</u> | MALE UNDER 10 | 25 | |
| M10 12 | MALE 10-12 | 25 | |
| M13_14 | MALE 13-14 | 25 | |
| <u>M15</u> | MALE 15 | 26 | |
| <u>M16</u> | MALE 16 | 26 | |
| <u>M17</u> | MALE 17 | 26 | |
| <u>M18</u> | MALE 18 | 26 | |
| <u>M19</u> | MALE 19 | 27 | |
| <u>M20</u> | MALE 20 | 27 | |
| <u>M21</u> | MALE 21 | 27 | |
| <u>M22</u> | MALE 22 | 28 | |
| <u>M23</u> | MALE 23 | 28 | |
| <u>M24</u> | MALE 24 | 28 | |
| M25 29 | MALE 25-29 | 28 | |
| M30_34 | MALE 30-34 | 29 | |
| M35 39 | MALE 35-39 | 29 | |
| M40 44 | MALE 40-44 | 29 | |
| M45_49 | MALE 45-49 | 30 | |
| M50 54 | MALE 50-54 | 30 | |
| M55 59 | MALE 55-59 | 30 | |
| M60_64 | MALE 60-64 | 30 | |

| Variables within this Variable Group | | | |
|--------------------------------------|----------------|------|--|
| Variable | Variable Label | Page | |
| <u>M65</u> | MALE OVER 64 | 31 | |

VG5 ARREST COUNTS BY AGE AND SEX - FEMALES

| Variables within this Variable Group | | |
|--------------------------------------|-----------------|------|
| Variable | Variable Label | Page |
| F0 9 | FEMALE UNDER 10 | 31 |
| F10_12 | FEMALE 10-12 | 31 |
| F13_14 | FEMALE 13-14 | 32 |
| F1 <u>5</u> | FEMALE 15 | 32 |
| F16 | FEMALE 16 | 32 |
| F17 | FEMALE 17 | 32 |
| F18 | FEMALE 18 | 33 |
| F19 | FEMALE 19 | 33 |
| F20 | FEMALE 20 | 33 |
| F21 | FEMALE 21 | 34 |
| F22 | FEMALE 22 | 34 |
| F23 | FEMALE 23 | 34 |
| F <u>24</u> | FEMALE 24 | 34 |
| F25 29 | FEMALE 25-29 | 35 |
| F30_34 | FEMALE 30-34 | 35 |
| F35 39 | FEMALE 35-39 | 35 |
| F40_44 | FEMALE 40-44 | 36 |
| F45_49 | FEMALE 45-49 | 36 |
| F50 54 | FEMALE 50-54 | 36 |
| F <u>55_59</u> | FEMALE 55-59 | 36 |
| F60_64 | FEMALE 60-64 | 37 |
| F <u>65</u> | FEMALE OVER 64 | 37 |

VG6 ARREST COUNTS BY RACE - ADULTS

| Variables within this Variable Group | | |
|--------------------------------------|----------------|------|
| Variable | Variable Label | Page |
| <u>AW</u> | ADULT-WHITE | 37 |
| <u>AB</u> | ADULT-BLACK | 38 |
| <u>Al</u> | ADULT-INDIAN | 38 |
| AA | ADULT-ASIAN | 38 |

VG7 ARREST COUNTS BY RACE - JUVENILES

| Variables within this Variable Group | | | |
|--------------------------------------|-----------------|------|--|
| Variable | Variable Label | Page | |
| <u>JW</u> | JUVENILE-WHITE | 38 | |
| <u>JB</u> | JUVENILE-BLACK | 39 | |
| <u>JI</u> | JUVENILE-INDIAN | 39 | |

| Variables within this Variable Group | | |
|--------------------------------------|----------------|------|
| Variable | Variable Label | Page |
| <u>JA</u> | JUVENILE ASIAN | 39 |

VG8 ARREST COUNTS BY ETHNIC ORIGIN - ADULTS

Variables within this Variable GroupPageVariableVariable LabelPageAHADULT-HISPANIC40ANADULT-NON-HISPANIC40

VG9 ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES

| Variables within this Variable Group | | | | |
|--------------------------------------|-----------------------|------|--|--|
| Variable | Variable Label | Page | | |
| <u>JH</u> | JUVENILE-HISPANIC | 40 | | |
| <u>JN</u> | JUVENILE-NON-HISPANIC | 40 | | |

ASR_ID IDENTIFIER CODE FOR THE ASR MASTER FILE

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|---------|---------|
| 3 | ASR Master File | 1265778 | 100.0 % | 100.0% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1265778 | 0 | 3.00 | 3.00 | 3.00 | 3.00 | 0.00 |

CONTENTS RECORD CONTENTS

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|--------------------------|-----------|--------|---------|
| 1 | Agency header only | 7504 | 0.6 % | 0.6% |
| 2 | Agency+month header only | 19482 | 1.5 % | 1.5% |
| 3 | Detail record | 1238792 | 97.9 % | 97.9% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1265778 | 0 | 1.00 | 3.00 | 2.97 | 3.00 | 0.20 |

STATE NUMERIC STATE CODE (FBI CODE)

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: Range is 01-62. Data records are in order by ORI code within numeric state code.

| Value | Label | Frequency | % | Valid % |
|-------|----------------------|-----------|--------|---------|
| 1 | Alabama | 8293 | 0.7 % | 0.7% |
| 2 | Arizona | 16945 | 1.3 % | 1.3% |
| 3 | Arkansas | 23267 | 1.8 % | 1.8% |
| 4 | California | 128083 | 10.1 % | 10.1% |
| 5 | Colorado | 17909 | 1.4 % | 1.4% |
| 6 | Connecticut | 15766 | 1.2 % | 1.2% |
| 7 | Delaware | 4665 | 0.4 % | 0.4% |
| 8 | District of Columbia | 216 | 0.0 % | 0.0% |
| 9 | Florida | 1055 | 0.1 % | 0.1% |
| 10 | Georgia | 44248 | 3.5 % | 3.5% |
| 11 | Idaho | 12394 | 1.0 % | 1.0% |
| 12 | Illinois | 1003 | 0.1 % | 0.1% |
| 13 | Indiana | 23288 | 1.8 % | 1.8% |
| 14 | Iowa | 19301 | 1.5 % | 1.5% |
| 15 | Kansas | 19502 | 1.5 % | 1.5% |
| 16 | Kentucky | 4241 | 0.3 % | 0.3% |
| 17 | Louisiana | 25192 | 2.0 % | 2.0% |
| 18 | Maine | 14827 | 1.2 % | 1.2% |
| 19 | Maryland | 17290 | 1.4 % | 1.4% |
| 20 | Massachusetts | 30076 | 2.4 % | 2.4% |
| 21 | Michigan | 58861 | 4.7 % | 4.7% |
| 22 | Minnesota | 34749 | 2.7 % | 2.7% |
| 23 | Mississippi | 16033 | 1.3 % | 1.3% |
| 24 | Missouri | 35501 | 2.8 % | 2.8% |
| 25 | Montana | 4018 | 0.3 % | 0.3% |
| 26 | Nebraska | 14435 | 1.1 % | 1.1% |
| 27 | Nevada | 5833 | 0.5 % | 0.5% |
| 28 | New Hampshire | 10007 | 0.8 % | 0.8% |
| 29 | New Jersey | 62369 | 4.9 % | 4.9% |
| 30 | New Mexico | 7878 | 0.6 % | 0.6% |
| 31 | New York | 53314 | 4.2 % | 4.2% |
| 32 | North Carolina | 54806 | 4.3 % | 4.3% |
| 33 | North Dakota | 4747 | 0.4 % | 0.4% |
| 34 | Ohio | 43491 | 3.4 % | 3.4% |
| 35 | Oklahoma | 30629 | 2.4 % | 2.4% |
| 36 | Oregon | 21737 | 1.7 % | 1.7% |
| 37 | Pennsylvania | 77036 | 6.1 % | 6.1% |
| 38 | Rhode Island | 4013 | 0.3 % | 0.3% |
| 39 | South Carolina | 25771 | 2.0 % | 2.0% |
| 40 | South Dakota | 5061 | 0.4 % | 0.4% |
| 41 | Tennessee | 43543 | 3.4 % | 3.4% |

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|-------|---------|
| 42 | Texas | 110068 | 8.7 % | 8.7% |
| 43 | Utah | 15362 | 1.2 % | 1.2% |
| 44 | Vermont | 4630 | 0.4 % | 0.4% |
| 45 | Virginia | 37670 | 3.0 % | 3.0% |
| 46 | Washington | 29675 | 2.3 % | 2.3% |
| 47 | West Virginia | 14465 | 1.1 % | 1.1% |
| 48 | Wisconsin | 1489 | 0.1 % | 0.1% |
| 49 | Wyoming | 6258 | 0.5 % | 0.5% |
| 50 | Alaska | 3400 | 0.3 % | 0.3% |
| 51 | Hawaii | 1365 | 0.1 % | 0.1% |
| 52 | Canal Zone | 1 | 0.0 % | 0.0% |
| 53 | Puerto Rico | 1 | 0.0 % | 0.0% |
| 54 | American Samoa | 0 | 0.0 % | - |
| 55 | Guam | 1 | 0.0 % | 0.0% |
| 62 | Virgin Islands | 0 | 0.0 % | - |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|-------|-------|--------|-------|
| 1265778 | 0 | 1.00 | 55.00 | 26.01 | 29.00 | 13.94 |

ORI ORIGINATING AGENCY IDENTIFIER CODE

Location: 5-11 (width: 7; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Summary statistics not available for this variable.

GROUP GROUP

Location: 12-13 (width: 2; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Group 0 is possessions(Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa); 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are

inclusive.

| Value | Label | Frequency | % | Valid % |
|-------|--------------------------|-----------|--------|---------|
| 0 | Possessions | 3 | 0.0 % | - |
| 1 | Cities 250,000 or over: | 0 | 0.0 % | - |
| 1A | Cities 1,000,000 or over | 3805 | 0.3 % | - |
| 1B | Cities 500,000-999,999 | 7572 | 0.6 % | - |
| 1C | Cities 250,000-499,999 | 10529 | 0.8 % | - |
| 2 | Cities 100,000-249,999 | 45898 | 3.6 % | - |
| 3 | Cities 50,000-99,999 | 88011 | 7.0 % | - |
| 4 | Cities 25,000-49,999 | 131944 | 10.4 % | - |
| 5 | Cities 10,000-24,999 | 222060 | 17.5 % | - |

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|--------|---------|
| 6 | Cities 2,500-9,999 | 273332 | 21.6 % | - |
| 7 | Cities under 2,500 | 117763 | 9.3 % | - |
| 8 | Non-MSA Cnty: | 0 | 0.0 % | - |
| 8A | Non-MSA Cnty 100,000 or over | 1831 | 0.1 % | - |
| 8B | Non-MSA Cnty 25,000-99,999 | 48220 | 3.8 % | - |
| 8C | Non-MSA Cnty 10,000-24,999 | 73998 | 5.8 % | - |
| 8D | Non-MSA Cnty under 10,000 | 86837 | 6.9 % | - |
| 8E | Non-MSA State Police | 92 | 0.0 % | - |
| 9 | MSA Cnty: | 0 | 0.0 % | - |
| 9A | MSA Cnty 100,000 or over | 30393 | 2.4 % | - |
| 9B | MSA Cnty 25,000-99,999 | 66297 | 5.2 % | - |
| 9C | MSA Cnty 10,000-24,999 | 17488 | 1.4 % | - |
| 9D | MSA Cnty under 10,000 | 39618 | 3.1 % | - |
| 9E | MSA State Police | 87 | 0.0 % | - |

Summary statistics not available for this variable.

DIV GEOGRAPHIC DIVISION OF STATE

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Text: Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0".

| Value | Label | Frequency | % | Valid % |
|-------|--------------------|-----------|--------|---------|
| 0 | Possessions | 3 | 0.0 % | 0.0% |
| 1 | New England | 79319 | 6.3 % | 6.3% |
| 2 | Middle Atlantic | 192719 | 15.2 % | 15.2% |
| 3 | East North Central | 128132 | 10.1 % | 10.1% |
| 4 | West North Central | 133296 | 10.5 % | 10.5% |
| 5 | South Atlantic | 200186 | 15.8 % | 15.8% |
| 6 | East South Central | 72110 | 5.7 % | 5.7% |
| 7 | West South Central | 189156 | 14.9 % | 14.9% |
| 8 | Mountain | 86597 | 6.8 % | 6.8% |
| 9 | Pacific | 184260 | 14.6 % | 14.6% |

| ١ | /alid | Invalid | Min | Max | Mean | Median | Stdev |
|---|---------|---------|------|------|------|--------|-------|
| 1 | 1265778 | 0 | 0.00 | 9.00 | 5.13 | 5.00 | 2.54 |

AGHEADER AGENCY HEADER DESIGNATION

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text:

Agency Header Designation. The HEADER record is identified with "00" in this field's position. It is also used to show the Month for the MONTHLY and DETAIL records when value is 01 through 12.

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------|-----------|---------|---------|
| 0 | Agency header present | 1265778 | 100.0 % | 100.0% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1265778 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

YEAR YEAR

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: The year the data reflect.

| Value | Frequency | % | Valid % |
|-------|-----------|---------|---------|
| 2001 | 1265778 | 100.0 % | 100.0% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|---------|---------|---------|---------|-------|
| 1265778 | 0 | 2001.00 | 2001.00 | 2001.00 | 2001.00 | 0.00 |

MSA METROPOLITAN STATISTICAL AREA (FBI CODE)

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|---------|---------------|
| 998 (M) | Not appicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|------|--------|--------|--------|--------|
| 781863 | 483915 | 4.00 | 992.00 | 484.10 | - | 273.57 |

COUNTY NUMERIC COUNTY CODE (FBI CODES)

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Valid | Invalid | Min | Max | Mean | Median | Stdev | |
|---------|---------|------|--------|-------|--------|-------|--|
| 1265778 | 0 | 0.00 | 999.00 | 41.41 | - | 42.50 | |

SEQNO CITY'S ALPHABETICAL SEQUENCE NUMBER

Location: 27-31 (width: 5; decimal: 0)

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|----------|----------|--------|----------|
| 1265776 | 2 | 0.00 | 99916.00 | 48781.52 | - | 26828.37 |

SUB SUBURBAN AGENCY

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|--------------|-----------|--------|---------|
| 0 | Non-Suburban | 624942 | 49.4 % | 49.4% |
| 1 | Suburban | 640836 | 50.6 % | 50.6% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1265778 | 0 | 0.00 | 1.00 | 0.51 | 1.00 | 0.50 |

CORE CITY

Location: 33-33 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|----------------------|-----------|--------|---------|
| N | Not core city of MSA | 1143559 | 90.3 % | - |
| Υ | Core city of MSA | 122219 | 9.7 % | - |

Summary statistics not available for this variable.

COVBY COVERED BY ANOTHER AGENCY

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|--------|---------|
| 0 | Not covered by | 1261516 | 99.7 % | 99.7% |
| 1 | Covered by | 4262 | 0.3 % | 0.3% |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1265778 | 0 | 0.00 | 1.00 | 0.00 | 0.00 | 0.06 |

POP POPULATION

Location: 35-43 (width: 9; decimal: 0)

Text:

Total population for the agency for the year reported.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------------|----------|--------|-----------|
| 1265778 | 0 | 0.00 | 8023018.00 | 45002.53 | - | 199333.12 |

AGENCY AGENCY NAME

Location: 44-67 (width: 24; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Summary statistics not available for this variable.

STNAME STATE NAME

Location: 68-73 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

| Value | Frequency | % | Valid % |
|--------|-----------|--------|---------|
| ALA | 8293 | 0.7 % | - |
| ALASKA | 3400 | 0.3 % | - |
| ARIZ | 16945 | 1.3 % | - |
| ARK | 23267 | 1.8 % | - |
| CZ | 1 | 0.0 % | - |
| CALIF | 128083 | 10.1 % | - |
| COLO | 17909 | 1.4 % | - |
| CONN | 15766 | 1.2 % | - |
| D C | 216 | 0.0 % | - |
| DEL | 4665 | 0.4 % | - |
| FLA | 1055 | 0.1 % | - |
| GA | 44248 | 3.5 % | - |
| GUAM | 1 | 0.0 % | - |
| HAWAII | 1365 | 0.1 % | - |
| IDAHO | 12394 | 1.0 % | - |
| ILL | 1003 | 0.1 % | - |
| IND | 23288 | 1.8 % | - |
| IOWA | 19301 | 1.5 % | - |
| KANS | 19502 | 1.5 % | - |
| KY | 4241 | 0.3 % | - |
| LA | 25192 | 2.0 % | - |
| MAINE | 14827 | 1.2 % | - |
| MASS | 30076 | 2.4 % | - |
| MD | 17290 | 1.4 % | - |
| MICH | 58861 | 4.7 % | - |
| MINN | 34749 | 2.7 % | - |
| MISS | 16033 | 1.3 % | - |

- Study 03760 -

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| MO | 35501 | 2.8 % | - |
| MONT | 4018 | 0.3 % | - |
| N C | 54806 | 4.3 % | - |
| N DAK | 4747 | 0.4 % | - |
| NH | 10007 | 0.8 % | - |
| N J | 62369 | 4.9 % | - |
| N MEX | 7878 | 0.6 % | - |
| NY | 53314 | 4.2 % | - |
| NEBR | 14435 | 1.1 % | - |
| NEV | 5833 | 0.5 % | - |
| OHIO | 43491 | 3.4 % | - |
| OKLA | 30629 | 2.4 % | - |
| OREG | 21737 | 1.7 % | - |
| PA | 77036 | 6.1 % | - |
| PR | 1 | 0.0 % | - |
| RI | 4013 | 0.3 % | - |
| SC | 25771 | 2.0 % | - |
| S DAK | 5061 | 0.4 % | - |
| TENN | 43543 | 3.4 % | - |
| TEXAS | 110068 | 8.7 % | - |
| UTAH | 15362 | 1.2 % | - |
| VA | 37670 | 3.0 % | - |
| VT | 4630 | 0.4 % | - |
| W VA | 14465 | 1.1 % | - |
| WASH | 29675 | 2.3 % | - |
| WIS | 1489 | 0.1 % | - |
| WYO | 6258 | 0.5 % | - |

Summary statistics not available for this variable.

MONTH MONTH

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: This is the two-digit numeric month of 01 through 12. When "00," it is the AGENCY HEADER record.

| Value | Label |
|--------|----------------|
| 98 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|-------|------|--------|-------|
| 1258274 | 7504 | 1.00 | 12.00 | 6.49 | 6.00 | 3.44 |

MOHEADER MONTHLY HEADER DESIGNATION

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: When it is "000," this identifies record as the MONTHLY HEADER, else it is the OFFENSE DETAIL

record. See "Month" field for additional information.

| Value | Label | Frequency | % | Valid % |
|---------|----------------------|-----------|--------|---------|
| 0 | Month header present | 1258274 | 99.4 % | 100.0% |
| 998 (M) | Not applicable | 7504 | 0.6 % | - |

| Valid | Invalid | Min | Max | Mean | Median | Stdev | |
|---------|---------|------|------|------|--------|-------|--|
| 1258274 | 7504 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |

BREAK BREAKDOWN INDICATOR

Location: 79-79 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank =Totals and breakdowns for both offenses of 18 and 19.

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------|-----------|--------|---------|
| | Tot+brk for off 18,19 | 241512 | 19.1 % | - |
| 1 | Tot for off 18,19 | 3234 | 0.3 % | - |
| 2 | Tot for off 18 | 549 | 0.0 % | - |
| 3 | Tot for off 19 | 1012979 | 80.0 % | - |
| 8 (M) | Not applicable | 7504 | 0.6 % | - |

Summary statistics not available for this variable.

AREO AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR

Location: 80-80 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank = Data for age, race and EO.

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| | Age, Race, Ethnic origin Reported | 5798 | 0.5 % | - |
| 1 | No Age Reported | 0 | 0.0 % | - |
| 2 | No Race Reported | 0 | 0.0 % | - |
| 3 | No Ethnic origin Reported | 1251917 | 98.9 % | - |
| 4 | No Race or Ethnic origin Reported | 559 | 0.0 % | - |
| 5 | No Age or Ethnic origin Reported | 0 | 0.0 % | - |
| 6 | No Age or Race Reported | 0 | 0.0 % | - |
| 8 (M) | Not applicable | 7504 | 0.6 % | - |

Summary statistics not available for this variable.

ZERO ZERO DATA INDICATOR

81-81 (width: 1; decimal: 0) Location:

Variable Type: numeric (ISO) Interval:

discrete

| Value | Label | Frequency | % | Valid % |
|-------|------------------|-----------|--------|---------|
| 0 | Not used | 1240030 | 98.0 % | 98.6% |
| 1 | Reported no data | 18244 | 1.4 % | 1.4% |
| 8 (M) | Not applicable | 7504 | 0.6 % | - |

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|------|------|--------|-------|
| 1258274 | 7504 | 0.00 | 1.00 | 0.01 | 0.00 | 0.12 |

DTLASTUP DATE OF LAST UPDATE (MMDDYY)

82-88 (width: 7; decimal: 0) Location:

Variable Type: numeric (ISO) Interval: continuous

> Value Label 999998 (M) Not applicable

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|----------|-----------|----------|----------|----------|
| 1258274 | 7504 | 10202.00 | 122001.00 | 48533.78 | 40802.00 | 31945.18 |

DTPRUP1 DATE OF 1ST PREVIOUS UPDATE (MMDDYY)

Location: 89-95 (width: 7; decimal: 0)

Variable Type: numeric (ISO) Interval: continuous

> Value Label 999998 (M) Not applicable

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|-----------|----------|--------|----------|
| 1258274 | 7504 | 0.00 | 122001.00 | 12282.56 | 0.00 | 30683.47 |

DTPRUP2 DATE OF 2ND PREVIOUS UPDATE (MMDDYY)

Location: 96-102 (width: 7; decimal: 0)

Variable Type: numeric (ISO) Interval: continuous

> Value Label 999998 (M) Not applicable

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|-----------|---------|--------|----------|
| 1258274 | 7504 | 0.00 | 122001.00 | 6712.36 | 0.00 | 23682.38 |

JUVDISP JUVENILE DISPOSITION (JD) INDICATOR

Location: 103-103 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank= Update Juvenile Disposition data

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|--------|---------|
| | Update JD data | 458261 | 36.2 % | - |
| 1 | No JD data | 424771 | 33.6 % | - |
| 2 | Delete JD data | 0 | 0.0 % | - |
| 3 | Adjust JD data | 375242 | 29.6 % | - |
| 8 (M) | Not applicable | 7504 | 0.6 % | - |

Summary statistics not available for this variable.

JDHANDDP JD HANDLED WITHIN DEPARTMENT AND RELEASED

Location: 104-108 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|---------|------|--------|-------|
| 1258274 | 7504 | 0.00 | 2355.00 | 3.35 | 0.00 | 37.77 |

JDREFJC JD REFERRED TO JUVENILE COURT

Location: 109-113 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|---------|-------|--------|-------|
| 1258274 | 7504 | 0.00 | 2843.00 | 11.69 | - | 54.74 |

JDREFWA JD REFERRED TO WELFARE AGENCY

Location: 114-118 (width: 5; decimal: 0)

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|--------|------|--------|-------|
| 1258274 | 7504 | 0.00 | 148.00 | 0.11 | 0.00 | 1.94 |

JDREFOPA JD REFERRED TO OTHER POLICE AGENCY

Location: 119-123 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|--------|------|--------|-------|
| 1258274 | 7504 | 0.00 | 215.00 | 0.25 | 0.00 | 4.05 |

JDREFCC JD REFERRED TO CRIMINAL OR ADULT COURT

Location: 124-128 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|----------------|
| 99998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|--------|------|--------|-------|
| 1258274 | 7504 | 0.00 | 378.00 | 0.86 | 0.00 | 6.27 |

OFFENSE CODE

Location: 129-131 (width: 3; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------------|-----------|-------|---------|
| 01A | Murder and non-negligent manslaughter | 4636 | 0.4 % | - |
| 01B | Manslaughter by negligence | 957 | 0.1 % | - |
| 02 | Forcible rape | 10601 | 0.8 % | - |
| 03 | Robbery | 16862 | 1.3 % | - |
| 04 | Aggravated assault | 49328 | 3.9 % | - |
| 05 | Burglary-breaking or entering | 41014 | 3.2 % | - |
| 06 | Larceny-theft (not motor vehicles | 67143 | 5.3 % | - |
| 07 | Motor vehicle theft | 24274 | 1.9 % | - |

| Value | Label | Frequency | % | Valid % |
|---------|---|-----------|-------|---------|
| 08 | Other assaults | 78029 | 6.2 % | - |
| 09 | Arson | 6330 | 0.5 % | - |
| 10 | Forgery and counterfeiting | 26627 | 2.1 % | - |
| 11 | Fraud | 37322 | 2.9 % | - |
| 12 | Embezzlement | 6729 | 0.5 % | - |
| 13 | Stolen property-buy, receive, poss. | 23762 | 1.9 % | - |
| 14 | Vandalism | 41301 | 3.3 % | - |
| 15 | Weapons-carry, posses, etc. | 31680 | 2.5 % | - |
| 16 | Prostitution and commercialized vice | 4304 | 0.3 % | - |
| 17 | Sex offenses (not rape or prostitution) | 22442 | 1.8 % | - |
| 18 | Total drug abuse violations | 79052 | 6.2 % | - |
| 180 | Sale/manufacture (subtotal) | 32020 | 2.5 % | - |
| 185 | Possession (subtotal) | 73757 | 5.8 % | - |
| 18A | Opium, coke, and their derivatives | 13692 | 1.1 % | - |
| 18B | Marijuana | 19020 | 1.5 % | - |
| 18C | Truly addicting synthetic narcotics | 4711 | 0.4 % | - |
| 18D | Other dangerous non-narc drugs | 9743 | 0.8 % | - |
| 18E | Opium, coke, and their derivatives | 28002 | 2.2 % | - |
| 18F | Marijuana | 64432 | 5.1 % | - |
| 18G | Truly addicting synthetic narcotics | 9930 | 0.8 % | - |
| 18H | Other dangerous non-narc drugs | 22631 | 1.8 % | _ |
| 19 | Gambling (total) | 1371 | 0.1 % | - |
| 19A | Bookmaking (horse and sports) | 228 | 0.0 % | _ |
| 19B | Number and lottery | 125 | 0.0 % | - |
| 19C | All other gambling | 918 | 0.1 % | - |
| 20 | Offenses against family and children | 21304 | 1.7 % | _ |
| 21 | Driving under the influence | 91149 | 7.2 % | - |
| 22 | Liquor laws | 53411 | 4.2 % | - |
| 23 | Drunkenness | 39568 | 3.1 % | - |
| 24 | Disorderly conduct | 54392 | 4.3 % | - |
| 25 | Vagrancy | 3494 | 0.3 % | - |
| 26 | All other non-traffic offenses | 92836 | 7.3 % | _ |
| 27 | Suspicion | 673 | 0.1 % | - |
| 28 | Curfew and loitering violations | 10733 | 0.8 % | _ |
| 29 | Runaways | 18259 | 1.4 % | - |
| 998 (M) | Not applicable | 26986 | 2.1 % | - |

Summary statistics not available for this variable.

OCCUR NON-ZERO OCCURRENCES FOR CODE AND COUNTS

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval:

continuous

Text:

Indicates how many arrest and counter groups contain non-zero data. May be used as loop control to exit search when no more identifiable data exists on record.

| Value | Label |
|---------|----------------|
| 998 (M) | Not applicable |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|------|-------|------|--------|-------|
| 1238792 | 26986 | 1.00 | 52.00 | 6.29 | 4.00 | 6.38 |

M0_9 MALE UNDER 10

Location: 135-139 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|-------|------|--------|-------|
| 14280 | 1251498 | -1.00 | 53.00 | 1.51 | 1.00 | 1.57 |

M10_12 MALE 10-12

Location: 140-144 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 55783 | 1209995 | -1.00 | 340.00 | 1.92 | 1.00 | 3.97 |

M13_14 MALE 13-14

Location: 145-149 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|--------|------|--------|-------|
| 133297 | 1132481 | -1.00 | 708.00 | 2.30 | 1.00 | 6.57 |

M15 MALE 15

Location: 150-154 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|--------|------|--------|-------|
| 135772 | 1130006 | -3.00 | 905.00 | 2.06 | 1.00 | 6.52 |

M16 MALE 16

Location: 155-159 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 177133 | 1088645 | -1.00 | 1493.00 | 2.14 | 1.00 | 8.37 |

M17 MALE 17

Location: 160-164 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 209533 | 1056245 | -1.00 | 1702.00 | 2.17 | 1.00 | 9.52 |

M18 MALE 18

Location: 165-169 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 256646 | 1009132 | -1.00 | 1632.00 | 2.24 | 1.00 | 9.38 |

M19 MALE 19

Location: 170-174 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 255303 | 1010475 | -1.00 | 1569.00 | 2.30 | 1.00 | 10.04 |

M20 MALE 20

Location: 175-179 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 241496 | 1024282 | -1.00 | 1407.00 | 2.29 | 1.00 | 10.51 |

M21 MALE 21

Location: 180-184 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 221079 | 1044699 | -1.00 | 1289.00 | 2.29 | 1.00 | 11.58 |

M22 MALE 22

Location: 185-189 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 197050 | 1068728 | -1.00 | 1250.00 | 2.25 | 1.00 | 11.69 |

M23 MALE 23

Location: 190-194 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 179981 | 1085797 | -1.00 | 1309.00 | 2.19 | 1.00 | 11.94 |

M24 MALE 24

Location: 195-199 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 164795 | 1100983 | -1.00 | 1683.00 | 2.18 | 1.00 | 12.91 |

M25_29 MALE 25-29

Location: 200-204 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 392952 | 872826 | -2.00 | 4439.00 | 3.46 | - | 25.90 |

M30_34 MALE 30-34

Location: 205-209 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 359082 | 906696 | -2.00 | 4664.00 | 3.32 | - | 26.27 |

M35_39 MALE 35-39

Location: 210-214 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 347662 | 918116 | -1.00 | 4628.00 | 3.29 | - | 26.63 |

M40_44 MALE 40-44

Location: 215-219 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 303450 | 962328 | -2.00 | 3979.00 | 3.13 | - | 24.76 |

M45_49 MALE 45-49

Location: 220-224 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 215024 | 1050754 | -1.00 | 3059.00 | 2.71 | 1.00 | 20.76 |

M50_54 MALE 50-54

Location: 225-229 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 136628 | 1129150 | -1.00 | 1969.00 | 2.30 | 1.00 | 16.36 |

M55_59 MALE 55-59

Location: 230-234 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|---------|------|--------|-------|
| 74019 | 1191759 | 1.00 | 1208.00 | 1.94 | 1.00 | 12.72 |

M60_64 MALE 60-64

Location: 235-239 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 40821 | 1224957 | 1.00 | 538.00 | 1.70 | 1.00 | 8.68 |

M65 MALE OVER 64

Location: 240-244 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label | |
|-----------|-------------------|--|
| 99998 (M) | Not applicable | |
| 99999 (M) | None/not reported | |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 39920 | 1225858 | 1.00 | 388.00 | 1.60 | 1.00 | 6.59 |

F0_9 FEMALE UNDER 10

Location: 245-249 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|-------|------|--------|-------|
| 3394 | 1262384 | 1.00 | 29.00 | 1.38 | 1.00 | 1.38 |

F10_12 FEMALE 10-12

Location: 250-254 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|-------|------|--------|-------|
| 22318 | 1243460 | -1.00 | 98.00 | 1.70 | 1.00 | 2.18 |

F13_14 FEMALE 13-14

Location: 255-259 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 67068 | 1198710 | 1.00 | 315.00 | 2.16 | 1.00 | 4.22 |

F15 FEMALE 15

Location: 260-264 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 62284 | 1203494 | -1.00 | 247.00 | 1.87 | 1.00 | 3.57 |

F16 FEMALE 16

Location: 265-269 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 70895 | 1194883 | -1.00 | 254.00 | 1.80 | 1.00 | 3.37 |

F17 FEMALE 17

Location: 270-274 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 71375 | 1194403 | -1.00 | 207.00 | 1.67 | 1.00 | 2.98 |

F18 FEMALE 18

Location: 275-279 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 79522 | 1186256 | 1.00 | 149.00 | 1.60 | 1.00 | 2.47 |

F19 FEMALE 19

Location: 280-284 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 80470 | 1185308 | -1.00 | 159.00 | 1.62 | 1.00 | 2.67 |

F20 FEMALE 20

Location: 285-289 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 76130 | 1189648 | -1.00 | 217.00 | 1.61 | 1.00 | 2.84 |

F21 FEMALE 21

Location: 290-294 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 69480 | 1196298 | 1.00 | 181.00 | 1.57 | 1.00 | 2.83 |

F22 FEMALE 22

Location: 295-299 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 62859 | 1202919 | -1.00 | 173.00 | 1.55 | 1.00 | 2.81 |

F23 FEMALE 23

Location: 300-304 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 58024 | 1207754 | 1.00 | 203.00 | 1.53 | 1.00 | 2.76 |

F24 FEMALE 24

Location: 305-309 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 53776 | 1212002 | -2.00 | 344.00 | 1.53 | 1.00 | 3.26 |

F25_29 FEMALE 25-29

Location: 310-314 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|--------|------|--------|-------|
| 159127 | 1106651 | -1.00 | 529.00 | 2.16 | 1.00 | 6.28 |

F30_34 FEMALE 30-34

Location: 315-319 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|------|--------|------|--------|-------|
| 162181 | 1103597 | 1.00 | 778.00 | 2.20 | 1.00 | 7.37 |

F35_39 FEMALE 35-39

Location: 320-324 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|--------|------|--------|-------|
| 164486 | 1101292 | -1.00 | 892.00 | 2.20 | 1.00 | 7.73 |

F40_44 FEMALE 40-44

Location: 325-329 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|------|--------|------|--------|-------|
| 134336 | 1131442 | 1.00 | 700.00 | 2.03 | 1.00 | 6.54 |

F45_49 FEMALE 45-49

Location: 330-334 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| ١ | /alue | Label |
|---|----------|-------------------|
| 9 | 9998 (M) | Not applicable |
| Ĝ | 9999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 80785 | 1184993 | 1.00 | 350.00 | 1.75 | 1.00 | 4.69 |

F50_54 FEMALE 50-54

Location: 335-339 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 40925 | 1224853 | -1.00 | 214.00 | 1.53 | 1.00 | 3.48 |

F55_59 FEMALE 55-59

Location: 340-344 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 19085 | 1246693 | 1.00 | 105.00 | 1.32 | 1.00 | 2.38 |

F60_64 FEMALE 60-64

Location: 345-349 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|-------|------|--------|-------|
| 8988 | 1256790 | -1.00 | 66.00 | 1.24 | 1.00 | 1.83 |

F65 FEMALE OVER 64

Location: 350-354 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|-------|------|--------|-------|
| 9078 | 1256700 | 1.00 | 74.00 | 1.27 | 1.00 | 2.17 |

AW ADULT-WHITE

Location: 355-359 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|---------|---------|-------|----------|------|--------|-------|
| 1005297 | 260481 | -7.00 | 17935.00 | 7.61 | - | 63.03 |

AB ADULT-BLACK

Location: 360-364 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|----------|------|--------|--------|
| 412967 | 852811 | -3.00 | 20212.00 | 8.89 | - | 114.20 |

AI ADULT-INDIAN

Location: 365-369 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|--------|------|--------|-------|
| 45148 | 1220630 | -1.00 | 174.00 | 2.76 | 1.00 | 6.75 |

AA ADULT-ASIAN

Location: 370-374 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|-------|---------|------|--------|-------|
| 41302 | 1224476 | -1.00 | 1177.00 | 2.72 | 1.00 | 18.64 |

JW JUVENILE-WHITE

Location: 375-379 (width: 5; decimal: 0)

Variable Type: numeric (ISO)

Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 414371 | 851407 | -1.00 | 1151.00 | 3.54 | - | 11.43 |

JB JUVENILE-BLACK

Location: 380-384 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|--------|---------|-------|---------|------|--------|-------|
| 134354 | 1131424 | -3.00 | 4110.00 | 4.29 | _ | 27.38 |

JI JUVENILE-INDIAN

Location: 385-389 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|-------|------|--------|-------|
| 12877 | 1252901 | 1.00 | 67.00 | 1.87 | 1.00 | 2.19 |

JA JUVENILE ASIAN

Location: 390-394 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

| Valid | Invalid | Min | Max | Mean | Median | Stdev |
|-------|---------|------|--------|------|--------|-------|
| 13140 | 1252638 | 1.00 | 278.00 | 2.32 | 1.00 | 8.67 |

AH ADULT-HISPANIC

Location: 395-399 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label | |
|-----------|-------------------|--|
| 99998 (M) | Not applicable | |
| 99999 (M) | None/not reported | |

^{*} Frequencies not available for this variable.

Summary statistics not available for this variable.

AN ADULT-NON-HISPANIC

Location: 400-404 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label | |
|-----------|-------------------|--|
| 99998 (M) | Not applicable | |
| 99999 (M) | None/not reported | |

^{*} Frequencies not available for this variable.

Summary statistics not available for this variable.

JH JUVENILE-HISPANIC

Location: 405-409 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

Summary statistics not available for this variable.

JN JUVENILE-NON-HISPANIC

Location: 410-414 (width: 5; decimal: 0)

| Value | Label |
|-----------|-------------------|
| 99998 (M) | Not applicable |
| 99999 (M) | None/not reported |

^{*} Frequencies not available for this variable.

Summary statistics not available for this variable.