

ICPSR 35017

**Uniform Crime Reporting Program  
Data: Arrests by Age, Sex, and  
Race, 2012**

*United States Department of Justice.  
Federal Bureau of Investigation*

Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/35017/terms>

## Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## Table of Contents

|                                  |    |
|----------------------------------|----|
| Study Description.....           | 4  |
| Citation.....                    | 4  |
| Study Scope.....                 | 4  |
| Subject Information.....         | 4  |
| Abstract.....                    | 4  |
| Summary Data Description.....    | 5  |
| Methodology and Processing.....  | 5  |
| Data Collection Methodology..... | 5  |
| Data Access.....                 | 6  |
| Dataset Availability.....        | 6  |
| Data Use Statement.....          | 6  |
| File Description.....            | 7  |
| da35017-0001.txt.....            | 7  |
| Variable Description.....        | 9  |
| da35017-0001.txt.....            | 10 |

## Study Description

### Citation

#### Title Statement

*Title:* Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2012

*Alternative Title:* ASR, 2012

*Identification No.:* 35017

#### Responsibility Statement

*Authoring Entity:* United States Department of Justice. Federal Bureau of Investigation

#### Production Statement

*Producer:* Inter-university Consortium for Political and Social Research

*Place of Production:* Ann Arbor, MI: Inter-university Consortium for Political and Social Research

*Funding Agency:* United States Department of Justice. Bureau of Justice Statistics

#### Distribution Statement

*Distributor:* Inter-university Consortium for Political and Social Research

#### Series Statement

*Series Name:* Uniform Crime Reporting Program Data Series

*Series Information:* Since 1930, the Federal Bureau of Investigation (FBI) has compiled the Uniform Crime Reports (UCR) to serve as periodic nationwide assessments of reported crimes not available elsewhere in the criminal justice system. With the 1977 data, the title was expanded to Uniform Crime Reporting Program Data. Each year, participating law enforcement agencies contribute reports to the FBI either directly or through their state reporting programs. ICPSR archives the UCR data as five separate components: (1) summary data, (2) county-level data, (3) incident-level data (National Incident-Based Reporting System [NIBRS]), (4) hate crime data, and (5) various, mostly nonrecurring, data collections. Summary data are reported in four types of files: (a) Offenses Known and Clearances by Arrest, (b) Property Stolen and Recovered, (c) Supplementary Homicide Reports (SHR), and (d) Police Employee (LEOKA) Data (Law Enforcement Officers Killed or Assaulted). The county-level data provide counts of arrests and offenses aggregated to the county level. County populations are also reported. In the late 1970s, new ways to look at crime were studied. The UCR program was subsequently expanded to capture incident-level data with the implementation of the National Incident-Based Reporting System. The NIBRS data focus on various aspects of a crime incident. The gathering of hate crime data by the UCR program was begun in 1990. Hate crimes are defined as crimes that manifest evidence of prejudice based on race, religion, sexual orientation, or ethnicity. In September 1994, disabilities, both physical and mental, were added to the list. The fifth component of ICPSR's UCR holdings is comprised of various collections, many of which are nonrecurring and prepared by individual researchers. These collections go beyond the scope of the standard UCR collections provided by the FBI, either by including data for a range of years or by focusing on other aspects of analysis.

### Study Scope

#### Subject Information

*Keyword(s):* arrests, arson, assault, auto theft, burglary, counties, crime rates, crime reporting, crime statistics, drug abuse, fraud, illegal gambling, larceny, law enforcement, murder, offenses, rape, robbery, sex offenses, Uniform Crime Reports, vandalism, weapons

*Topic Classification(s):* Social Institutions and Behavior, Crime and the Criminal Justice System, Official Statistics

#### Abstract

## - Study 35017 -

These data provide information on the number of arrests reported to the Federal Bureau of Investigation's (FBI) Uniform Crime Reporting (UCR) Program each month by police agencies in the United States. Although not as well known as the "Crimes Known to the Police" data drawn from the Uniform Crime Report's Return A form, the arrest reports by age, sex, and race provide valuable data on 43 offenses including violent, drug, gambling, and larceny crimes.

### Summary Data Description

*Time Period:* 2012

*Date(s) of Collection:* 2012

*Country:* United States

*Geographic Coverage:* United States

*Geographic Unit:* US states, counties, cities

*Unit of Analysis:* Arrest counts

*Universe:* Arrests reported by law enforcement agencies to the Federal Bureau of Investigation's Uniform Crime Reporting Program.

*Kind of Data:* Aggregate data

### Notes

The data received by ICPSR were originally structured as a hierarchical file containing, per reporting police agency, an agency header record, 1 to 12 monthly header records, and 1 to 43 detail offense records. The detail offense records contained the counts of arrests by age, sex, and race for a particular offense.

ICPSR restructured the original data to a rectangular format. In the rectangular format, a record's contents depends on the types of records that were originally present. If an agency had detail arrest records, then the variables from the agency and monthly header records were copied onto the detail records. If an agency had monthly header records and no detail records, then the variables from the agency header record were copied onto the monthly header records, and the detail arrest variables were coded "Not applicable". Lastly, if an agency only had an agency header record, then it constitutes the record and the variables for the monthly header and detail arrests were coded "Not applicable".

The UCR program is voluntary on the part of police agencies across the country. On occasion, therefore, some agencies may not report arrest data.

### Methodology and Processing

#### Data Collection Methodology

*Time Method:* Cross-section

*Data Collector:* United States Department of Commerce. Federal Bureau of Investigation

*Frequency of Data Collection:* Monthly

*Mode of Data Collection:* Self-enumerated questionnaire

*Characteristics of Data Collection Situation:* The data for the Uniform Crime Reports are submitted voluntarily by city, county, and state law enforcement agencies. Some agencies receive forms directly from the FBI and return them directly to the FBI. Many others receive forms from state collecting programs and return the reports to those programs. The state programs, in turn, forward the reports to the FBI. Reports are sent out and collected on a monthly basis.

*Control Operations:* Once received, the FBI checks the agencies' reports for completeness and arithmetical accuracy. If an unusual fluctuation is detected in an agency's crime count, the FBI compares those counts with counts from previous reports or compares the frequencies to those of agencies similar to the agency in question. When necessary, law enforcement agencies are contacted to correct or explain the figures.

## Data Access

### Dataset Availability

*Location:* Inter-university Consortium for Political and Social Research

### Data Use Statement:

*Citation Requirement:* Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

*Deposit Requirement:* To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

## Other Study Description Materials

### Related Publication(s)

Federal Bureau of Investigation. Crime in the United States, 2012: Uniform Crime Reports. Washington, D.C.: U.S. Government Printing Office, annual [2012].

## Data Files Description

### File-by-File Description

*File Name:* da35017-0001.txt

*Contents of Files:*

The records in the data file contain information regarding aggregate counts of arrests by age-sex and race for a specific agency-month-offense combination. For example, if an agency reports arrests for three separate offenses, murder, rape, and robbery, in each of 12 months, there will be 36 records in the data for that agency. The first record will list arrests for murder in January. The second record will list arrests for rape in January. The third record will list arrests for robbery in January. Correspondingly, the 34th, 35th, and 36th records will list arrests for murder, rape, and robbery respectively in December.

Each record details the number of persons arrested by age-sex category and race category by that agency in a month for a specific offense. The race variables are arrest counts by race only. They are not detailed by age or sex.

Agencies do not necessarily report arrests in every month, nor do they report all offenses. Consequently, agencies will have different numbers of records in the file.

*File Dimensions:*

- No. of Cases: 1,432,161
- No. of Variables: 89
- Record Length: 414
- Records per Case: 1
- Overall No. of Records: 1,432,161

*Type of File:* ASCII data file

*Data Format:* Logical record length

*Place of File Production:* Ann Arbor, MI: Inter-university Consortium for Political and Social Research

*Extent of Processing Checks:* The data collection was processed according to standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were resolved or recoded to missing data. No consistency checks were performed.

*Missing Data:* Users should note that blanks and missing data may have a substantive meaning under the FBI coding scheme. Users should refer to the documentation for explanation of individual variables.

### Version Statement

*Version Responsibility:* Inter-university Consortium for Political and Social Research

### Notes

#### ADJUSTMENTS

In tabulating arrest counts, an agency may find that totals for past months require adjustment due to developments in the investigation or other handling of the matter. By adjusting counts from one month to another it is possible to create a negative count for a given month.

#### DETERMINING ARREST COUNTS

The number of records listed in the data file is NOT the number of arrests reported for that year. Each record lists counts of arrests for a particular agency, month, and offense. Determining total arrests is a two step process. First, it is necessary to sum across the detail

## - Study 35017 -

categories of age, sex, and or race for each record. This gives total arrests for that agency-month- offense. Then, the aggregate total across all records must be calculated. This gives total arrests.

Below is an example of SPSS code that will compute total homicide arrests by state. Note that arrest totals may differ depending on whether they are calculated using age-sex or race. The differences should be small, and they are due to incomplete information on some records.

Published arrest numbers will not necessarily agree with those calculated directly from the data. Published numbers are often prepared before the most complete arrest information has been made available by reporting agencies. Consequently, they may be based on estimated or incomplete data.

\* READ THE ARRESTS DATA FILE SAVED AS AN SPSS SYSTEM FILE.

get file = "arrests.sav".

\* SELECT ARRESTS FOR HOMICIDE.

select if (offense eq `01A' ).

\* COMPUTE THE SUMS ACROSS VARIABLES FOR EACH RECORD.

\* PREFIX rt MEANS RECORD TOTAL.

\* COMPUTE RECORD TOTAL FOR ALL MALES AND FEMALES.

compute rtsex=sum(m0\_9 to f65).

\* COMPUTE RECORD TOTALS FOR RACE.

compute rtrace=sum(aw to jn).

\* COMPUTE STATE TOTALS (SUMS ACROSS RECORDS).

aggregate outfile = \*

/presorted

/break=state

/gtsex = sum(rtsex) /gtrace = sum(rtrace) .

\* LIST THE RESULTS.

list vars=all.



# **ICPSR 35017**

## **Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2012**

da35017-0001.txt

### **Variable Description**

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

## Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2012

da35017-0001.txt

### Variable Groups

#### Variable Groups Containing Variables

| <i>Variable Group Name</i> | <i>Variable Group Label</i>                | <i>Page</i> |
|----------------------------|--|-------------|
| <a href="#">VG1</a>        | ADMINISTRATIVE AND GEOGRAPHIC VARIABLES    | 10          |
| <a href="#">VG2</a>        | JUVENILE DISPOSITION VARIABLES             | 11          |
| <a href="#">VG3</a>        | OFFENSE AND CATEGORY COUNT VARIABLES       | 11          |
| <a href="#">VG4</a>        | ARREST COUNTS BY AGE AND SEX - MALES       | 11          |
| <a href="#">VG5</a>        | ARREST COUNTS BY AGE AND SEX - FEMALES     | 12          |
| <a href="#">VG6</a>        | ARREST COUNTS BY RACE - ADULTS             | 12          |
| <a href="#">VG7</a>        | ARREST COUNTS BY RACE - JUVENILES          | 12          |
| <a href="#">VG8</a>        | ARREST COUNTS BY ETHNIC ORIGIN - ADULTS    | 13          |
| <a href="#">VG9</a>        | ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES | 13          |

#### VG1 - ADMINISTRATIVE AND GEOGRAPHIC VARIABLES

| <i>Variables within this Variable Group</i> |  |             |
|---|--|-------------|
| <i>Variable</i>                             | <i>Variable Label</i>                    | <i>Page</i> |
| <a href="#">ASR_ID</a>                      | IDENTIFIER CODE FOR THE ASR MASTER FILE  | 13          |
| <a href="#">CONTENTS</a>                    | RECORD CONTENTS                          | 13          |
| <a href="#">STATE</a>                       | NUMERIC STATE CODE (FBI CODE)            | 13          |
| <a href="#">ORI</a>                         | ORIGINATING AGENCY IDENTIFIER CODE       | 15          |
| <a href="#">GROUP</a>                       | GROUP                                    | 15          |
| <a href="#">DIV</a>                         | GEOGRAPHIC DIVISION OF STATE             | 16          |
| <a href="#">AGHEADER</a>                    | AGENCY HEADER DESIGNATION                | 16          |
| <a href="#">YEAR</a>                        | YEAR                                     | 16          |
| <a href="#">MSA</a>                         | METROPOLITAN STATISTICAL AREA (FBI CODE) | 16          |
| <a href="#">COUNTY</a>                      | NUMERIC COUNTY CODE (FBI CODES)          | 17          |
| <a href="#">SEQNO</a>                       | CITY'S ALPHABETICAL SEQUENCE NUMBER      | 17          |
| <a href="#">SUB</a>                         | SUBURBAN AGENCY                          | 17          |
| <a href="#">CORE</a>                        | CORE CITY                                | 17          |
| <a href="#">COVBY</a>                       | COVERED BY ANOTHER AGENCY                | 17          |
| <a href="#">POP</a>                         | POPULATION                               | 18          |
| <a href="#">AGENCY</a>                      | AGENCY NAME                              | 18          |
| <a href="#">STNAME</a>                      | STATE NAME                               | 18          |
| <a href="#">MONTH</a>                       | MONTH                                    | 18          |
| <a href="#">MOHEADER</a>                    | MONTHLY HEADER DESIGNATION               | 18          |
| <a href="#">BREAK</a>                       | BREAKDOWN INDICATOR                      | 18          |
| <a href="#">AREO</a>                        | AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR  | 19          |
| <a href="#">ZERO</a>                        | ZERO DATA INDICATOR                      | 19          |

- Study 35017 -

| <i>Variables within this Variable Group</i> |                                      |             |
|---|--------------------------------------|-------------|
| <i>Variable</i>                             | <i>Variable Label</i>                | <i>Page</i> |
| <a href="#">DTLASTUP</a>                    | DATE OF LAST UPDATE (MMDDYY)         | 19          |
| <a href="#">DTPRUP1</a>                     | DATE OF 1ST PREVIOUS UPDATE (MMDDYY) | 19          |
| <a href="#">DTPRUP2</a>                     | DATE OF 2ND PREVIOUS UPDATE (MMDDYY) | 20          |

## VG2 - JUVENILE DISPOSITION VARIABLES

| <i>Variables within this Variable Group</i> |   |             |
|---|---|-------------|
| <i>Variable</i>                             | <i>Variable Label</i>                     | <i>Page</i> |
| <a href="#">JUVDISP</a>                     | JUVENILE DISPOSITION (JD) INDICATOR       | 20          |
| <a href="#">JDHANDDP</a>                    | JD HANDLED WITHIN DEPARTMENT AND RELEASED | 20          |
| <a href="#">JDREFJC</a>                     | JD REFERRED TO JUVENILE COURT             | 20          |
| <a href="#">JDREFWA</a>                     | JD REFERRED TO WELFARE AGENCY             | 20          |
| <a href="#">JDREFOPA</a>                    | JD REFERRED TO OTHER POLICE AGENCY        | 21          |
| <a href="#">JDREFCC</a>                     | JD REFERRED TO CRIMINAL OR ADULT COURT    | 21          |

## VG3 - OFFENSE AND CATEGORY COUNT VARIABLES

| <i>Variables within this Variable Group</i> |  |             |
|---|--|-------------|
| <i>Variable</i>                             | <i>Variable Label</i>                    | <i>Page</i> |
| <a href="#">OFFENSE</a>                     | OFFENSE CODE                             | 21          |
| <a href="#">OCCUR</a>                       | NON-ZERO OCCURRENCES FOR CODE AND COUNTS | 22          |

## VG4 - ARREST COUNTS BY AGE AND SEX - MALES

| <i>Variables within this Variable Group</i> |                       |             |
|---|-----------------------|-------------|
| <i>Variable</i>                             | <i>Variable Label</i> | <i>Page</i> |
| <a href="#">M0_9</a>                        | MALE UNDER 10         | 22          |
| <a href="#">M10_12</a>                      | MALE 10-12            | 23          |
| <a href="#">M13_14</a>                      | MALE 13-14            | 23          |
| <a href="#">M15</a>                         | MALE 15               | 23          |
| <a href="#">M16</a>                         | MALE 16               | 23          |
| <a href="#">M17</a>                         | MALE 17               | 24          |
| <a href="#">M18</a>                         | MALE 18               | 24          |
| <a href="#">M19</a>                         | MALE 19               | 24          |
| <a href="#">M20</a>                         | MALE 20               | 24          |
| <a href="#">M21</a>                         | MALE 21               | 24          |
| <a href="#">M22</a>                         | MALE 22               | 25          |
| <a href="#">M23</a>                         | MALE 23               | 25          |
| <a href="#">M24</a>                         | MALE 24               | 25          |
| <a href="#">M25_29</a>                      | MALE 25-29            | 25          |
| <a href="#">M30_34</a>                      | MALE 30-34            | 25          |
| <a href="#">M35_39</a>                      | MALE 35-39            | 26          |
| <a href="#">M40_44</a>                      | MALE 40-44            | 26          |

- Study 35017 -

| Variables within this Variable Group |                |      |
|--------------------------------------|----------------|------|
| Variable                             | Variable Label | Page |
| <a href="#">M45_49</a>               | MALE 45-49     | 26   |
| <a href="#">M50_54</a>               | MALE 50-54     | 26   |
| <a href="#">M55_59</a>               | MALE 55-59     | 26   |
| <a href="#">M60_64</a>               | MALE 60-64     | 27   |
| <a href="#">M65</a>                  | MALE OVER 64   | 27   |

**VG5 - ARREST COUNTS BY AGE AND SEX - FEMALES**

| Variables within this Variable Group |                 |      |
|--------------------------------------|-----------------|------|
| Variable                             | Variable Label  | Page |
| <a href="#">F0_9</a>                 | FEMALE UNDER 10 | 27   |
| <a href="#">F10_12</a>               | FEMALE 10-12    | 27   |
| <a href="#">F13_14</a>               | FEMALE 13-14    | 27   |
| <a href="#">F15</a>                  | FEMALE 15       | 28   |
| <a href="#">F16</a>                  | FEMALE 16       | 28   |
| <a href="#">F17</a>                  | FEMALE 17       | 28   |
| <a href="#">F18</a>                  | FEMALE 18       | 28   |
| <a href="#">F19</a>                  | FEMALE 19       | 28   |
| <a href="#">F20</a>                  | FEMALE 20       | 29   |
| <a href="#">F21</a>                  | FEMALE 21       | 29   |
| <a href="#">F22</a>                  | FEMALE 22       | 29   |
| <a href="#">F23</a>                  | FEMALE 23       | 29   |
| <a href="#">F24</a>                  | FEMALE 24       | 30   |
| <a href="#">F25_29</a>               | FEMALE 25-29    | 30   |
| <a href="#">F30_34</a>               | FEMALE 30-34    | 30   |
| <a href="#">F35_39</a>               | FEMALE 35-39    | 30   |
| <a href="#">F40_44</a>               | FEMALE 40-44    | 30   |
| <a href="#">F45_49</a>               | FEMALE 45-49    | 31   |
| <a href="#">F50_54</a>               | FEMALE 50-54    | 31   |
| <a href="#">F55_59</a>               | FEMALE 55-59    | 31   |
| <a href="#">F60_64</a>               | FEMALE 60-64    | 31   |
| <a href="#">F65</a>                  | FEMALE OVER 64  | 31   |

**VG6 - ARREST COUNTS BY RACE - ADULTS**

| Variables within this Variable Group |                |      |
|--------------------------------------|----------------|------|
| Variable                             | Variable Label | Page |
| <a href="#">AW</a>                   | ADULT-WHITE    | 32   |
| <a href="#">AB</a>                   | ADULT-BLACK    | 32   |
| <a href="#">AI</a>                   | ADULT-INDIAN   | 32   |
| <a href="#">AA</a>                   | ADULT-ASIAN    | 32   |

**VG7 - ARREST COUNTS BY RACE - JUVENILES**

- Study 35017 -

| Variables within this Variable Group |                 |      |
|--------------------------------------|-----------------|------|
| Variable                             | Variable Label  | Page |
| <a href="#">JW</a>                   | JUVENILE-WHITE  | 32   |
| <a href="#">JB</a>                   | JUVENILE-BLACK  | 33   |
| <a href="#">JI</a>                   | JUVENILE-INDIAN | 33   |
| <a href="#">JA</a>                   | JUVENILE ASIAN  | 33   |

**VG8 - ARREST COUNTS BY ETHNIC ORIGIN - ADULTS**

| Variables within this Variable Group |                    |      |
|--------------------------------------|--------------------|------|
| Variable                             | Variable Label     | Page |
| <a href="#">AH</a>                   | ADULT-HISPANIC     | 33   |
| <a href="#">AN</a>                   | ADULT-NON-HISPANIC | 33   |

**VG9 - ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES**

| Variables within this Variable Group |                       |      |
|--------------------------------------|-----------------------|------|
| Variable                             | Variable Label        | Page |
| <a href="#">JH</a>                   | JUVENILE-HISPANIC     | 34   |
| <a href="#">JN</a>                   | JUVENILE-NON-HISPANIC | 34   |

**ASR\_ID - IDENTIFIER CODE FOR THE ASR MASTER FILE**

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

| Value | Label           |
|-------|-----------------|
| 3     | ASR Master File |

**CONTENTS - RECORD CONTENTS**

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

| Value | Label                    |
|-------|--------------------------|
| 1     | Agency header only       |
| 2     | Agency+month header only |
| 3     | Detail record            |

**STATE - NUMERIC STATE CODE (FBI CODE)**

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

Text: Range is 01-62. Data records are in order by ORI code within numeric state code.

| Value | Label   |
|-------|---------|
| 1     | Alabama |
| 2     | Arizona |

- Study 35017 -

| <i>Value</i> | <i>Label</i>         |
|--------------|----------------------|
| 3            | Arkansas             |
| 4            | California           |
| 5            | Colorado             |
| 6            | Connecticut          |
| 7            | Delaware             |
| 8            | District of Columbia |
| 9            | Florida              |
| 10           | Georgia              |
| 11           | Idaho                |
| 12           | Illinois             |
| 13           | Indiana              |
| 14           | Iowa                 |
| 15           | Kansas               |
| 16           | Kentucky             |
| 17           | Louisiana            |
| 18           | Maine                |
| 19           | Maryland             |
| 20           | Massachusetts        |
| 21           | Michigan             |
| 22           | Minnesota            |
| 23           | Mississippi          |
| 24           | Missouri             |
| 25           | Montana              |
| 26           | Nebraska             |
| 27           | Nevada               |
| 28           | New Hampshire        |
| 29           | New Jersey           |
| 30           | New Mexico           |
| 31           | New York             |
| 32           | North Carolina       |
| 33           | North Dakota         |
| 34           | Ohio                 |
| 35           | Oklahoma             |
| 36           | Oregon               |
| 37           | Pennsylvania         |
| 38           | Rhode Island         |
| 39           | South Carolina       |
| 40           | South Dakota         |
| 41           | Tennessee            |
| 42           | Texas                |
| 43           | Utah                 |

- Study 35017 -

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 44           | Vermont        |
| 45           | Virginia       |
| 46           | Washington     |
| 47           | West Virginia  |
| 48           | Wisconsin      |
| 49           | Wyoming        |
| 50           | Alaska         |
| 51           | Hawaii         |
| 52           | Canal Zone     |
| 53           | Puerto Rico    |
| 54           | American Samoa |
| 55           | Guam           |
| 62           | Virgin Islands |

**ORI - ORIGINATING AGENCY IDENTIFIER CODE**

*Location:* 5-11 (width: 7; decimal: 0)

*Variable Type:* character

**GROUP - GROUP**

*Location:* 12-13 (width: 2; decimal: 0)

*Variable Type:* character

*Text:* Group 0 is possessions(Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa); 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

| <i>Value</i> | <i>Label</i>                 |
|--------------|------------------------------|
| 0            | Possessions                  |
| 1            | Cities 250,000 or over:      |
| 1A           | Cities 1,000,000 or over     |
| 1B           | Cities 500,000-999,999       |
| 1C           | Cities 250,000-499,999       |
| 2            | Cities 100,000-249,999       |
| 3            | Cities 50,000-99,999         |
| 4            | Cities 25,000-49,999         |
| 5            | Cities 10,000-24,999         |
| 6            | Cities 2,500-9,999           |
| 7            | Cities under 2,500           |
| 8            | Non-MSA Cnty:                |
| 8A           | Non-MSA Cnty 100,000 or over |
| 8B           | Non-MSA Cnty 25,000-99,999   |
| 8C           | Non-MSA Cnty 10,000-24,999   |
| 8D           | Non-MSA Cnty under 10,000    |
| 8E           | Non-MSA State Police         |

- Study 35017 -

| <i>Value</i> | <i>Label</i>             |
|--------------|--------------------------|
| 9            | MSA Cnty:                |
| 9A           | MSA Cnty 100,000 or over |
| 9B           | MSA Cnty 25,000-99,999   |
| 9C           | MSA Cnty 10,000-24,999   |
| 9D           | MSA Cnty under 10,000    |
| 9E           | MSA State Police         |

**DIV - GEOGRAPHIC DIVISION OF STATE**

*Location:* 14-14 (width: 1; decimal: 0)

*Variable Type:* numeric

*Text:* Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0".

| <i>Value</i> | <i>Label</i>       |
|--------------|--------------------|
| 0            | Possessions        |
| 1            | New England        |
| 2            | Middle Atlantic    |
| 3            | East North Central |
| 4            | West North Central |
| 5            | South Atlantic     |
| 6            | East South Central |
| 7            | West South Central |
| 8            | Mountain           |
| 9            | Pacific            |

**AGHEADER - AGENCY HEADER DESIGNATION**

*Location:* 15-16 (width: 2; decimal: 0)

*Variable Type:* numeric

*Text:* Agency Header Designation. The HEADER record is identified with "00" in this field's position. It is also used to show the Month for the MONTHLY and DETAIL records when value is 01 through 12.

| <i>Value</i> | <i>Label</i>          |
|--------------|-----------------------|
| 0            | Agency header present |

**YEAR - YEAR**

*Location:* 17-20 (width: 4; decimal: 0)

*Variable Type:* numeric

*Text:* The year the data reflect.

**MSA - METROPOLITAN STATISTICAL AREA (FBI CODE)**

*Location:* 21-23 (width: 3; decimal: 0)

*Variable Type:* numeric



- Study 35017 -

*Range of Missing Values (M):* 998

*Text:* Metropolitan Statistical Area (MSA) number in which the city is located, if any. Note: MONTHLY and DETAIL records are identified using this field's positions -- see those record descriptions.

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 998 (M)      | Not applicable |

**COUNTY - NUMERIC COUNTY CODE (FBI CODES)**

*Location:* 24-26 (width: 3; decimal: 0)

*Variable Type:* numeric

*Text:* Three-digit numeric code for the county in which the agency is located.

**SEQNO - CITY'S ALPHABETICAL SEQUENCE NUMBER**

*Location:* 27-31 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

*Text:* A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**SUB - SUBURBAN AGENCY**

*Location:* 32-32 (width: 1; decimal: 0)

*Variable Type:* numeric

*Text:* A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

| <i>Value</i> | <i>Label</i> |
|--------------|--------------|
| 0            | Non-Suburban |
| 1            | Suburban     |

**CORE - CORE CITY**

*Location:* 33-33 (width: 1; decimal: 0)

*Variable Type:* character

| <i>Value</i> | <i>Label</i>         |
|--------------|----------------------|
| N            | Not core city of MSA |
| Y            | Core city of MSA     |

**COVBY - COVERED BY ANOTHER AGENCY**

*Location:* 34-34 (width: 1; decimal: 0)

*Variable Type:* numeric

*Text:* Tells if the agency is covered-by another agency.

- Study 35017 -

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 0            | Not covered by |
| 1            | Covered by     |

**POP - POPULATION**

*Location:* 35-43 (width: 9; decimal: 0)

*Variable Type:* numeric

*Text:* Total population for the agency for the year reported.

**AGENCY - AGENCY NAME**

*Location:* 44-67 (width: 24; decimal: 0)

*Variable Type:* character

**STNAME - STATE NAME**

*Location:* 68-73 (width: 6; decimal: 0)

*Variable Type:* character

**MONTH - MONTH**

*Location:* 74-75 (width: 2; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 98

*Text:* This is the two-digit numeric month of 01 through 12. When "00," it is the AGENCY HEADER record.

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 98 (M)       | Not applicable |

**MOHEADER - MONTHLY HEADER DESIGNATION**

*Location:* 76-78 (width: 3; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 998

*Text:* When it is "000", this identifies record as the MONTHLY HEADER, else it is the OFFENSE DETAIL record. See "Month" field for additional information.

| <i>Value</i> | <i>Label</i>         |
|--------------|----------------------|
| 0            | Month header present |
| 998 (M)      | Not applicable       |

**BREAK - BREAKDOWN INDICATOR**

*Location:* 79-79 (width: 1; decimal: 0)

*Variable Type:* character

*Range of Missing Values (M):* 8

*Text:* Blank = Totals and breakdowns for both offenses of 18 and 19.

- Study 35017 -

| <i>Value</i> | <i>Label</i>          |
|--------------|-----------------------|
|              | Tot+brk for off 18,19 |
| 1            | Tot for off 18,19     |
| 2            | Tot for off 18        |
| 3            | Tot for off 19        |
| 8 (M)        | Not applicable        |

**AREO - AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR**

*Location:* 80-80 (width: 1; decimal: 0)

*Variable Type:* character

*Range of Missing Values (M):* 8

*Text:* Blank = Data for age, race and EO.

| <i>Value</i> | <i>Label</i>                      |
|--------------|-----------------------------------|
|              | Age, race, ethnic origin reported |
| 1            | No age reported                   |
| 2            | No race reported                  |
| 3            | No ethnic origin reported         |
| 4            | No race or ethnic origin reported |
| 5            | No age or ethnic origin reported  |
| 6            | No age or race reported           |
| 8 (M)        | Not applicable                    |

**ZERO - ZERO DATA INDICATOR**

*Location:* 81-81 (width: 1; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 8

| <i>Value</i> | <i>Label</i>     |
|--------------|------------------|
| 0            | Not used         |
| 1            | Reported no data |
| 8 (M)        | Not applicable   |

**DTLASTUP - DATE OF LAST UPDATE (MMDDYY)**

*Location:* 82-88 (width: 7; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 999998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 999998 (M)   | Not applicable |

**DTPRUP1 - DATE OF 1ST PREVIOUS UPDATE (MMDDYY)**

*Location:* 89-95 (width: 7; decimal: 0)

- Study 35017 -

*Variable Type:* numeric

*Range of Missing Values (M):* 999998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 999998 (M)   | Not applicable |

**DTPRUP2 - DATE OF 2ND PREVIOUS UPDATE (MMDDYY)**

*Location:* 96-102 (width: 7; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**JUVDISP - JUVENILE DISPOSITION (JD) INDICATOR**

*Location:* 103-103 (width: 1; decimal: 0)

*Variable Type:* character

*Range of Missing Values (M):* 8

*Text:* Blank= Update Juvenile Disposition data

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
|              | Update JD data |
| 1            | No JD data     |
| 2            | Delete JD data |
| 3            | Adjust JD data |
| 8 (M)        | Not applicable |

**JDHANDDP - JD HANDLED WITHIN DEPARTMENT AND RELEASED**

*Location:* 104-108 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**JDREFJC - JD REFERRED TO JUVENILE COURT**

*Location:* 109-113 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**JDREFWA - JD REFERRED TO WELFARE AGENCY**

- Study 35017 -

*Location:* 114-118 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**JDREFOPA - JD REFERRED TO OTHER POLICE AGENCY**

*Location:* 119-123 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**JDREFCC - JD REFERRED TO CRIMINAL OR ADULT COURT**

*Location:* 124-128 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

**OFFENSE - OFFENSE CODE**

*Location:* 129-131 (width: 3; decimal: 0)

*Variable Type:* character

*Range of Missing Values (M):* 998

| <i>Value</i> | <i>Label</i>                          |
|--------------|---------------------------------------|
| 01A          | Murder and non-negligent manslaughter |
| 01B          | Manslaughter by negligence            |
| 02           | Forcible rape                         |
| 03           | Robbery                               |
| 04           | Aggravated assault                    |
| 05           | Burglary-breaking or entering         |
| 06           | Larceny-theft (not motor vehicles)    |
| 07           | Motor vehicle theft                   |
| 08           | Other assaults                        |
| 09           | Arson                                 |
| 10           | Forgery and counterfeiting            |
| 11           | Fraud                                 |
| 12           | Embezzlement                          |
| 13           | Stolen property-buy, receive, poss.   |

- Study 35017 -

| <i>Value</i> | <i>Label</i>                                   |
|--------------|--|
| 14           | Vandalism                                      |
| 15           | Weapons-carry, posses, etc.                    |
| 16           | Prostitution and commercialized vice           |
| 17           | Sex offenses (not rape or prostitution)        |
| 18           | Total drug abuse violations                    |
| 180          | Sale/manufacture (subtotal)                    |
| 185          | Possession (subtotal)                          |
| 18A          | Sale/mfg-Opium, coke, and their derivatives    |
| 18B          | Sale/mfg-Marijuana                             |
| 18C          | Sale/mfg-Truly addicting synthetic narcotics   |
| 18D          | Sale/mfg-Other dangerous non-narc drugs        |
| 18E          | Possession-Opium, coke, and their derivatives  |
| 18F          | Possession-Marijuana                           |
| 18G          | Possession-Truly addicting synthetic narcotics |
| 18H          | Possession-Other dangerous non-narc drugs      |
| 19           | Gambling (total)                               |
| 19A          | Bookmaking (horse and sports)                  |
| 19B          | Number and lottery                             |
| 19C          | All other gambling                             |
| 20           | Offenses against family and children           |
| 21           | Driving under the influence                    |
| 22           | Liquor laws                                    |
| 23           | Drunkenness                                    |
| 24           | Disorderly conduct                             |
| 25           | Vagrancy                                       |
| 26           | All other non-traffic offenses                 |
| 27           | Suspicion                                      |
| 28           | Curfew and loitering violations                |
| 29           | Runaways                                       |
| 998 (M)      | Not applicable                                 |

**OCCUR - NON-ZERO OCCURRENCES FOR CODE AND COUNTS**

*Location:* 132-134 (width: 3; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 998

*Text:* Indicates how many arrest and counter groups contain non-zero data. May be used as loop control to exit search when no more identifiable data exists on record.

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 998 (M)      | Not applicable |

**M0\_9 - MALE UNDER 10**

- Study 35017 -

*Location:* 135-139 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M10\_12 - MALE 10-12**

*Location:* 140-144 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M13\_14 - MALE 13-14**

*Location:* 145-149 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M15 - MALE 15**

*Location:* 150-154 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M16 - MALE 16**

*Location:* 155-159 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **M17 - MALE 17**

*Location:* 160-164 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **M18 - MALE 18**

*Location:* 165-169 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **M19 - MALE 19**

*Location:* 170-174 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **M20 - MALE 20**

*Location:* 175-179 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **M21 - MALE 21**

*Location:* 180-184 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |



- Study 35017 -

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99999 (M)    | None/not reported |

**M22 - MALE 22**

*Location:* 185-189 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M23 - MALE 23**

*Location:* 190-194 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M24 - MALE 24**

*Location:* 195-199 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M25\_29 - MALE 25-29**

*Location:* 200-204 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M30\_34 - MALE 30-34**

*Location:* 205-209 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

- Study 35017 -

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M35\_39 - MALE 35-39**

*Location:* 210-214 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M40\_44 - MALE 40-44**

*Location:* 215-219 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M45\_49 - MALE 45-49**

*Location:* 220-224 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M50\_54 - MALE 50-54**

*Location:* 225-229 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M55\_59 - MALE 55-59**

*Location:* 230-234 (width: 5; decimal: 0)

*Variable Type:* numeric

- Study 35017 -

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M60\_64 - MALE 60-64**

*Location:* 235-239 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**M65 - MALE OVER 64**

*Location:* 240-244 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F0\_9 - FEMALE UNDER 10**

*Location:* 245-249 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F10\_12 - FEMALE 10-12**

*Location:* 250-254 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F13\_14 - FEMALE 13-14**

*Location:* 255-259 (width: 5; decimal: 0)

- Study 35017 -

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F15 - FEMALE 15**

*Location:* 260-264 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F16 - FEMALE 16**

*Location:* 265-269 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F17 - FEMALE 17**

*Location:* 270-274 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F18 - FEMALE 18**

*Location:* 275-279 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F19 - FEMALE 19**

- Study 35017 -

*Location:* 280-284 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F20 - FEMALE 20**

*Location:* 285-289 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F21 - FEMALE 21**

*Location:* 290-294 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F22 - FEMALE 22**

*Location:* 295-299 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F23 - FEMALE 23**

*Location:* 300-304 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **F24 - FEMALE 24**

*Location:* 305-309 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **F25\_29 - FEMALE 25-29**

*Location:* 310-314 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **F30\_34 - FEMALE 30-34**

*Location:* 315-319 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **F35\_39 - FEMALE 35-39**

*Location:* 320-324 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

#### **F40\_44 - FEMALE 40-44**

*Location:* 325-329 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>   |
|--------------|----------------|
| 99998 (M)    | Not applicable |

- Study 35017 -

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99999 (M)    | None/not reported |

**F45\_49 - FEMALE 45-49**

*Location:* 330-334 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F50\_54 - FEMALE 50-54**

*Location:* 335-339 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F55\_59 - FEMALE 55-59**

*Location:* 340-344 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F60\_64 - FEMALE 60-64**

*Location:* 345-349 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**F65 - FEMALE OVER 64**

*Location:* 350-354 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

- Study 35017 -

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AW - ADULT-WHITE**

*Location:* 355-359 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AB - ADULT-BLACK**

*Location:* 360-364 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AI - ADULT-INDIAN**

*Location:* 365-369 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AA - ADULT-ASIAN**

*Location:* 370-374 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JW - JUVENILE-WHITE**

*Location:* 375-379 (width: 5; decimal: 0)

*Variable Type:* numeric



- Study 35017 -

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JB - JUVENILE-BLACK**

*Location:* 380-384 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JI - JUVENILE-INDIAN**

*Location:* 385-389 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JA - JUVENILE ASIAN**

*Location:* 390-394 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AH - ADULT-HISPANIC**

*Location:* 395-399 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**AN - ADULT-NON-HISPANIC**

*Location:* 400-404 (width: 5; decimal: 0)

- Study 35017 -

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JH - JUVENILE-HISPANIC**

*Location:* 405-409 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |

**JN - JUVENILE-NON-HISPANIC**

*Location:* 410-414 (width: 5; decimal: 0)

*Variable Type:* numeric

*Range of Missing Values (M):* 99998, 99999

| <i>Value</i> | <i>Label</i>      |
|--------------|-------------------|
| 99998 (M)    | Not applicable    |
| 99999 (M)    | None/not reported |