ICPSR 4715

Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2005

United States Department of Justice. Federal Bureau of Investigation

Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Table of Contents

Study	/ Description	3
	Citation	
	Study Scope	. 4
	Subject Information	. 4
	Keyword(s)	.4
	Topic Classification(s)	. 4
	Abstract	
	Summary Data Description	.4
	Time Period	. 4
	Date(s) of Collection	. 4
	Country	. 4
	Geographic Coverage	. 4
	Geographic Unit	4
	Unit of Analysis	.4
	Universe	. 4
	Kind of Data	. 4
	Methodology and Processing	
	Data Collection Methodology	5
	Time Method	
	Data Collector	
	Frequency of Data Collection	5
	Data Access	
	Dataset Availability	5
	Location	
	Extent of Collection	
	Data Use Statement	
	Citation Requirement	5
	Deposit Requirement	5
File	Description	7
	da04715-0001.txt	
	Contents of File(s)	7
	ble Description	
	Variable Groups	9
	Codebook	12

Study Description

Citation

Title Statement

Title: Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2005

Alternative Title: ASR, 2005

Identification No.: 04715

Responsibility Statement

Authoring Entity: United States Department of Justice. Federal Bureau of Investigation

Production Statement

Producer: Inter-university Consortium for Political and Social Research

Copyright: Copyright(c) ICPSR 2007

Place of Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Funding Agency: United States Department of Justice. Bureau of Justice Statistics

Distribution Statement

Distributor: Inter-university Consortium for Political and Social Research

Series Statement

Series Name: Uniform Crime Reporting Program Data [United States] Series

Series Information: Since 1930, the Federal Bureau of Investigation (FBI) has compiled the Uniform Crime Reports

(UCR) to serve as periodic nationwide assessments of reported crimes not available elsewhere in the criminal justice system. With the 1977 data, the title was expanded to Uniform Crime Reporting Program Data. Each year, participating law enforcement agencies contribute reports to the FBI either directly or through their state reporting programs. ICPSR archives the UCR data as five separate components: (1) summary data, (2) county-level data, (3) incident-level data (National Incident-Based Reporting System [NIBRS]), (4) hate crime data, and (5) various, mostly nonrecurring, data collections. Summary data are reported in four types of files: (a) Offenses Known and Clearances by Arrest, (b) Property Stolen and Recovered, (c) Supplementary Homicide Reports (SHR), and (d) Police Employee (LEOKA) Data (Law Enforcement Officers Killed or Assaulted). The county-level data provide counts of arrests and offenses aggregated to the county level. County populations are also reported. In the late 1970s, new ways to look at crime were studied. The UCR program was subsequently expanded to capture incident-level data with the implementation of the National Incident-Based Reporting System. The NIBRS data focus on various aspects of a crime incident. The gathering of hate crime data by the UCR program was begun in 1990. Hate crimes are defined as crimes that manifest evidence of prejudice based on race, religion, sexual orientation, or ethnicity. In September 1994, disabilities, both physical and mental, were added to the list. The fifth component of ICPSR's UCR holdings is comprised of various collections, many of which are nonrecurring and prepared by individual researchers. These collections go beyond the scope of the standard UCR collections provided by the FBI, either by including data for a range of years or by focusing on other aspects of analysis.

Version Statement

Version: Second ICPSR Version

Version Responsibility: Inter-university Consortium for Political and Social Research

Bibliographic Citation

U.S. Dept. of Justice, Federal Bureau of Investigation. Uniform Crime Reporting Program Data [United States]: Arrests by Age, Sex, and Race, 2005 [Computer file]. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2007.

Study Scope

Subject Information

Keyword(s): arrests, arson, assault, auto theft, burglary, counties, crime rates, crime reporting, drug abuse, fraud,

illegal gambling, larceny, law enforcement, murder, offenses, rape, robbery, sex offenses, Uniform

Crime Reports, vandalism, weapons

Topic Classification(s): Social Institutions and Behavior, Crime and the Criminal Justice System

Abstract

These data provide information on the number of arrests reported to the Federal Bureau of Investigation's (FBI) Uniform Crime Reporting (UCR) Program each month by police agencies in the United States. Although not as well known as the "Crimes Known to the Police" data drawn from the Uniform Crime Report's Return A form, the arrest reports by age, sex, and race provide valuable data on 43 offenses including violent, drug, gambling, and larceny crimes.

Summary Data Description

Time Period: 2005

Date(s) of Collection: 2005

Country: United States

Geographic Coverage: United States

Geographic Unit: US states, counties, cities

Unit of Analysis: Arrest counts

Universe: Arrests reported by law enforcement agencies

Kind of Data: Aggregate data

Notes

The data received by ICPSR were originally structured as a hierarchical file containing, per reporting police agency, an agency header record, 1 to 12 monthly header records, and 1 to 43 detail offense records. The detail offense records contained the counts of arrests by age, sex, and race for a particular offense.

ICPSR restructured the original data to a rectangular format. In the rectangular format, a record's contents depends on the types of records that were originally present. If an agency had detail arrest records, then the variables from the agency and monthly header records were copied onto the detail records. If an agency had monthly header records and no detail records, then the variables from the agency header record were copied onto the monthly header records, and the detail arrest variables were coded "Not applicable". Lastly, if an agency only had an agency header record, then it constitutes the record and the variables for the monthly header and detail arrests were coded "Not applicable".

The UCR program is voluntary on the part of police agencies across the country. On occasion, therefore, some agencies may not report arrest data.

Methodology and Processing

Data Collection Methodology

Time Method: Cross-section

Data Collector: United States Department of Commerce. Federal Bureau of Investigation

Frequency of Data Collection: Monthly

Mode of Data Collection: Mail-in forms

Characteristics of Data Collection

Situation:

The data for the Uniform Crime Reports are submitted voluntarily by city, county, and state law enforcement agencies. Some agencies receive forms directly from the FBI and return them directly to the FBI. Many others receive forms from state collecting programs and return the reports to those programs. The state programs, in turn, forward the reports to the FBI. Reports are sent out and collected on a monthly basis.

Control Operations: Once received, the FBI checks the agencies' reports for completeness and arithmetical accuracy. If

an unusual fluctuation is detected in an agency's crime count, the FBI compares those counts with counts from previous reports or compares the frequencies to those of agencies similar to the agency in question. When necessary, law enforcement agencies are contacted to correct or explain the

figures.

Data Access

Dataset Availability

Location: Inter-university Consortium for Political and Social Research

Extent of Collection: 1 data files + machine-readable documentation (PDF) + SAS setup file(s) + SPSS setup file(s) +

Stata setup file(s) + SAS transport + SPSS portable + Stata system

Data Use Statement:

Restrictions: In preparing data for public release, ICPSR performs a number of procedures to ensure that the

identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree: 1) To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR. 2) To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery. 3) To produce no links among

ICPSR datasets or among ICPSR data and other datasets that could identify individuals or

organizations.

Citation Requirement: Publications based on ICPSR data collections should acknowledge those sources by means of

bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

Deposit Requirement: To provide funding agencies with essential information about use of archival resources and to facilitate

the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract.

Visit the ICPSR Web site for more information on submitting citations.

Conditions: ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without

the written agreement of ICPSR.

Disclaimer: The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for

uses of this collection or for interpretations or inferences based upon such uses.

Other Study Description Materials

Related Publication(s)

Federal Bureau of Investigation. Crime in the United States, 2005: Uniform Crime Reports. Washington, D.C.: U.S. Government Printing Office, annual [2005].

Federal Bureau of Investigation. Uniform Crime Reporting Handbook. Washington, D.C.: U.S. Government Printing Office, 1984.

Data Files Description

File-by-File Description

File Name: da04715-0001.txt

Contents of Files: The records in the data file contain information regarding aggregate counts of arrests by age-sex

and race for a specific agency-month-offense combination. For example, if an agency reports arrests for three separate offenses, murder, rape, and robbery, in each of 12 months, there will be 36 records in the data for that agency. The first record will list arrests for murder in January. The second record will list arrests for rape in January. The third record will list arrests for robbery in January. Correspondingly, the 34th, 35th, and 36th records will list arrests for murder, rape, and robbery

respectively in December.

Each record details the number of persons arrested by age-sex category and race category by that agency in a month for a specific offense. The race variables are arrest counts by race only. They

are not detailed by age or sex.

Agencies do not necessarily report arrests in every month, nor do they report all offenses.

Consequently, agencies will have different numbers of records in the file.

File Dimensions:

• No. of Cases: 1440940

No. of Variables: 89

Record Length: 414

Records per Case: 1

Overall No. of Records: 1440940

Type of File: ASCII data file

Data Format: Logical record length

Place of File Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Extent of Processing Checks: The data collection was processed according to standard ICPSR processing procedures. The data

were checked for illegal or inconsistent code values which, when found, were resolved or recoded

to missing data. No consistency checks were performed.

Missing Data: Users should note that blanks and missing data may have a substantive meaning under the FBI

coding scheme. Users should refer to the documentation for explanation of individual variables.

Version Statement

Version Responsibility: Inter-university Consortium for Political and Social Research

Notes

ADJUSTMENTS

In tabulating arrest counts, an agency may find that totals for past months require adjustment due to developments in the investigation or other handling of the matter. By adjusting counts from one

month to another it is possible to create a negative count for a given month.

DETERMINING ARREST COUNTS

The number of records listed in the data file is NOT the number of arrests reported for that year. Each record lists counts of arrests for a particular agency, month, and offense. Determining total arrests is a two step process. First, it is necessary to sum across the detail categories of age, sex, and or race for each record. This gives total arrests for that agency-month- offense. Then, the aggregate total across all records must be calculated. This gives total arrests.

Below is an example of SPSS code that will compute total homicide arrests by state. Note that arrest totals may differ depending on whether they are calculated using age-sex or race. The differences should be small, and they are due to incomplete information on some records.

Published arrest numbers will not necessarily agree with those calculated directly from the data. Published numbers are often prepared before the most complete arrest information has been made available by reporting agencies. Consequently, they may be based on estimated or incomplete data.

* READ THE ARRESTS DATA FILE SAVED AS AN SPSS SYSTEM FILE. get file = "arrests.sav". * SELECT ARRESTS FOR HOMICIDE. select if (offense eq '01A'). * COMPUTE THE SUMS ACROSS VARIABLES FOR EACH RECORD. * PREFIX rt MEANS RECORD TOTAL. * COMPUTE RECORD TOTAL FOR ALL MALES AND FEMALES. compute rtsex=sum(m0_9 to f65). * COMPUTE RECORD TOTALS FOR RACE. compute rtrace=sum(aw to jn). * COMPUTE STATE TOTALS (SUMS ACROSS RECORDS). aggregate outfile = * /presorted /break=state /gtsex = sum(rtsex) /gtrace = sum(rtrace) . * LIST THE RESULTS.

list vars=all.

Variable Description

Variable Groups

Variable Groups Containing Variables

Variable Group Name	Variable Group Label	Page
VG1	ADMINISTRATIVE AND GEOGRAPHIC VARIABLES	9
VG2	JUVENILE DISPOSITION VARIABLES	10
VG3	OFFENSE AND CATEGORY COUNT VARIABLES	10
VG4	ARREST COUNTS BY AGE AND SEX - MALES	10
VG5	ARREST COUNTS BY AGE AND SEX - FEMALES	11
VG6	ARREST COUNTS BY RACE - ADULTS	11
VG7	ARREST COUNTS BY RACE - JUVENILES	11
VG8	ARREST COUNTS BY ETHNIC ORIGIN - ADULTS	12
VG9	ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES	12

VG1 ADMINISTRATIVE AND GEOGRAPHIC VARIABLES

Variables within th	nis Variable Group	
Variable	Variable Label	Page
ASR ID	IDENTIFIER CODE FOR THE ASR MASTER FILE	12
<u>CONTENTS</u>	RECORD CONTENTS	12
<u>STATE</u>	NUMERIC STATE CODE (FBI CODE)	12
<u>ORI</u>	ORIGINATING AGENCY IDENTIFIER CODE	14
<u>GROUP</u>	GROUP	14
DIV	GEOGRAPHIC DIVISION OF STATE	15
<u>AGHEADER</u>	AGENCY HEADER DESIGNATION	15
YEAR	YEAR	16
MSA	METROPOLITAN STATISTICAL AREA (FBI CODE)	16
COUNTY	NUMERIC COUNTY CODE (FBI CODES)	16
<u>SEQNO</u>	CITY'S ALPHABETICAL SEQUENCE NUMBER	16
<u>SUB</u>	SUBURBAN AGENCY	16
CORE	CORE CITY	17
COVBY	COVERED BY ANOTHER AGENCY	17
POP	POPULATION	17
<u>AGENCY</u>	AGENCY NAME	17
<u>STNAME</u>	STATE NAME	17
<u>MONTH</u>	MONTH	18
<u>MOHEADER</u>	MONTHLY HEADER DESIGNATION	18
BREAK	BREAKDOWN INDICATOR	18
AREO	AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR	18
<u>ZERO</u>	ZERO DATA INDICATOR	19
DTLASTUP	DATE OF LAST UPDATE (MMDDYY)	19
DTPRUP1	DATE OF 1ST PREVIOUS UPDATE (MMDDYY)	19

Varia	Variables within this Variable Group		
Varia	able	Variable Label	Page
DTP	RUP2	DATE OF 2ND PREVIOUS UPDATE (MMDDYY)	19

VG2 JUVENILE DISPOSITION VARIABLES

Variables within this Variable Group			
Variable	Variable Label	Page	
<u>JUVDISP</u>	JUVENILE DISPOSITION (JD) INDICATOR	20	
<u>JDHANDDP</u>	JD HANDLED WITHIN DEPARTMENT AND RELEASED	20	
<u>JDREFJC</u>	JD REFERRED TO JUVENILE COURT	20	
<u>JDREFWA</u>	JD REFERRED TO WELFARE AGENCY	20	
<u>JDREFOPA</u>	JD REFERRED TO OTHER POLICE AGENCY	21	
JDREFCC	JD REFERRED TO CRIMINAL OR ADULT COURT	21	

VG3 OFFENSE AND CATEGORY COUNT VARIABLES

Variables within this Variable Group		
Variable	Variable Label	Page
<u>OFFENSE</u>	OFFENSE CODE	21
OCCUR	NON-ZERO OCCURRENCES FOR CODE AND COUNTS	22

VG4 ARREST COUNTS BY AGE AND SEX - MALES

Variables within this Variable Group		
Variable	Variable Label	Page
<u>M0_9</u>	MALE UNDER 10	22
M10 12	MALE 10-12	23
M13_14	MALE 13-14	23
<u>M15</u>	MALE 15	23
<u>M16</u>	MALE 16	23
<u>M17</u>	MALE 17	23
<u>M18</u>	MALE 18	24
<u>M19</u>	MALE 19	24
<u>M20</u>	MALE 20	24
<u>M21</u>	MALE 21	24
<u>M22</u>	MALE 22	25
<u>M23</u>	MALE 23	25
<u>M24</u>	MALE 24	25
M25 29	MALE 25-29	25
M30_34	MALE 30-34	25
M35 39	MALE 35-39	26
M40 44	MALE 40-44	26
M45_49	MALE 45-49	26
M50 54	MALE 50-54	26
M55_59	MALE 55-59	27
M60_64	MALE 60-64	27

Variables within this Variable Group			
Variable	Variable Label	Page	
<u>M65</u>	MALE OVER 64	27	

VG5 ARREST COUNTS BY AGE AND SEX - FEMALES

Variables within this Variable Group			
Variable	Variable Label	Page	
<u>F0 9</u>	FEMALE UNDER 10	27	
F10 12	FEMALE 10-12	27	
F13_14	FEMALE 13-14	28	
<u>F15</u>	FEMALE 15	28	
<u>F16</u>	FEMALE 16	28	
<u>F17</u>	FEMALE 17	28	
<u>F18</u>	FEMALE 18	29	
<u>F19</u>	FEMALE 19	29	
<u>F20</u>	FEMALE 20	29	
<u>F21</u>	FEMALE 21	29	
<u>F22</u>	FEMALE 22	29	
<u>F23</u>	FEMALE 23	30	
<u>F24</u>	FEMALE 24	30	
F25 29	FEMALE 25-29	30	
F30_34	FEMALE 30-34	30	
F35 39	FEMALE 35-39	31	
F40 44	FEMALE 40-44	31	
F45_49	FEMALE 45-49	31	
F50 54	FEMALE 50-54	31	
F55_59	FEMALE 55-59	31	
F60_64	FEMALE 60-64	32	
<u>F65</u>	FEMALE OVER 64	32	

VG6 ARREST COUNTS BY RACE - ADULTS

Variables within this Variable Group		
Variable	Variable Label	Page
<u>AW</u>	ADULT-WHITE	32
<u>AB</u>	ADULT-BLACK	32
<u>Al</u>	ADULT-INDIAN	33
AA	ADULT-ASIAN	33

VG7 ARREST COUNTS BY RACE - JUVENILES

Variables within this Variable Group		
Variable	Variable Label	Page
<u>JW</u>	JUVENILE-WHITE	33
<u>JB</u>	JUVENILE-BLACK	33
<u>JI</u>	JUVENILE-INDIAN	33

Variables within this Variable Group		
Variable	Variable Label	Page
<u>JA</u>	JUVENILE ASIAN	34

VG8 ARREST COUNTS BY ETHNIC ORIGIN - ADULTS

Variables within this Variable Group		
Variable	Variable Label	Page
<u>AH</u>	ADULT-HISPANIC	34
AN	ADULT-NON-HISPANIC	34

VG9 ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES

Variables within this Variable Group		
Variable	Variable Label	Page
<u>JH</u>	JUVENILE-HISPANIC	34
<u>JN</u>	JUVENILE-NON-HISPANIC	35

ASR_ID IDENTIFIER CODE FOR THE ASR MASTER FILE

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
3	ASR Master File

Summary statistics not available for this variable.

CONTENTS RECORD CONTENTS

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
1	Agency header only
2	Agency+month header only
3	Detail record

Summary statistics not available for this variable.

STATE NUMERIC STATE CODE (FBI CODE)

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: Range is 01-62. Data records are in order by ORI code within numeric state code.

Vá	alue	Label
1		Alabama
2		Arizona

Value	Label
3	Arkansas
4	California
5	Colorado
6	Connecticut
7	Delaware
8	District of Columbia
9	Florida
10	Georgia
11	Idaho
12	Illinois
13	Indiana
14	Iowa
15	Kansas
16	Kentucky
17	Louisiana
18	Maine
19	Maryland
20	Massachusetts
21	Michigan
22	Minnesota
23	Mississippi
24	Missouri
25	Montana
26	Nebraska
27	Nevada
28	New Hampshire
29	New Jersey
30	New Mexico
31	New York
32	North Carolina
33	North Dakota
34	Ohio
35	Oklahoma
36	Oregon
37	Pennsylvania
38	Rhode Island
39	South Carolina
40	South Dakota
41	Tennessee
42	Texas
43	Utah

Value	Label
44	Vermont
45	Virginia
46	Washington
47	West Virginia
48	Wisconsin
49	Wyoming
50	Alaska
51	Hawaii
52	Canal Zone
53	Puerto Rico
54	American Samoa
55	Guam
62	Virgin Islands

Summary statistics not available for this variable.

ORI ORIGINATING AGENCY IDENTIFIER CODE

Location: 5-11 (width: 7; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Summary statistics not available for this variable.

GROUP GROUP

Location: 12-13 (width: 2; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Group 0 is possessions(Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa); 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are

inclusive.

Value	Label
0	Possessions
1	Cities 250,000 or over:
1A	Cities 1,000,000 or over
1B	Cities 500,000-999,999
1C	Cities 250,000-499,999
2	Cities 100,000-249,999
3	Cities 50,000-99,999
4	Cities 25,000-49,999
5	Cities 10,000-24,999
6	Cities 2,500-9,999
7	Cities under 2,500
8	Non-MSA Cnty:

Value	Label
8A	Non-MSA Cnty 100,000 or over
8B	Non-MSA Cnty 25,000-99,999
8C	Non-MSA Cnty 10,000-24,999
8D	Non-MSA Cnty under 10,000
8E	Non-MSA State Police
9	MSA Cnty:
9A	MSA Cnty 100,000 or over
9B	MSA Cnty 25,000-99,999
9C	MSA Cnty 10,000-24,999
9D	MSA Cnty under 10,000
9E	MSA State Police

Summary statistics not available for this variable.

DIV GEOGRAPHIC DIVISION OF STATE

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Text: Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0".

Value	Label
0	Possessions
1	New England
2	Middle Atlantic
3	East North Central
4	West North Central
5	South Atlantic
6	East South Central
7	West South Central
8	Mountain
9	Pacific

Summary statistics not available for this variable.

AGHEADER AGENCY HEADER DESIGNATION

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Text: Agency Header Designation. The HEADER record is identified with "00" in this field's position. It is

also used to show the Month for the MONTHLY and DETAIL records when value is 01 through 12.

Value	Label	
0	Agency header present	

Summary statistics not available for this variable.

YEAR YEAR

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: The year the data reflect.

Summary statistics not available for this variable.

MSA METROPOLITAN STATISTICAL AREA (FBI CODE)

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: Metropolitan Statistical Area (MSA) number in which the city is located, if any. Note: MONTHLY and

DETAIL records are identified using this field's positions -- see those record descriptions.

Value Label
998 (M) Not appicable

Summary statistics not available for this variable.

COUNTY NUMERIC COUNTY CODE (FBI CODES)

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: Three-digit numeric code for the county in which the agency is located.

Summary statistics not available for this variable.

SEQNO CITY'S ALPHABETICAL SEQUENCE NUMBER

Location: 27-31 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank

for groups 0, 8, and 9.

Value Label
99998 (M) Not applicable

Summary statistics not available for this variable.

SUB SUBURBAN AGENCY

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with

MSA counties (group 9).

Value	Label
0	Non-Suburban
1	Suburban

Summary statistics not available for this variable.

CORE CITY

Location: 33-33 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
N	Not core city of MSA
Υ	Core city of MSA

Summary statistics not available for this variable.

COVBY COVERED BY ANOTHER AGENCY

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Text: Tells if the agency is covered-by another agency.

Value	Label	
0	Not covered by	
1	Covered by	

Summary statistics not available for this variable.

POP POPULATION

Location: 35-43 (width: 9; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: Total population for the agency for the year reported.

Summary statistics not available for this variable.

AGENCY AGENCY NAME

Location: 44-67 (width: 24; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Summary statistics not available for this variable.

STNAME STATE NAME

Location: 68-73 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Summary statistics not available for this variable.

MONTH MONTH

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: This is the two-digit numeric month of 01 through 12. When "00," it is the AGENCY HEADER record.

Value Label
98 (M) Not applicable

Summary statistics not available for this variable.

MOHEADER MONTHLY HEADER DESIGNATION

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Text: When it is "000", this identifies record as the MONTHLY HEADER, else it is the OFFENSE DETAIL

record. See "Month" field for additional information.

Value Label
0 Month header present
998 (M) Not applicable

Summary statistics not available for this variable.

BREAK BREAKDOWN INDICATOR

Location: 79-79 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank =Totals and breakdowns for both offenses of 18 and 19.

Value	Label
	Tot+brk for off 18,19
1	Tot for off 18,19
2	Tot for off 18
3	Tot for off 19
8 (M)	Not applicable

Summary statistics not available for this variable.

AREO AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR

Location: 80-80 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank = Data for age, race and EO.

Value	Label	
	Age, Race, Ethnic origin Reported	

Value	Label
1	No Age Reported
2	No Race Reported
3	No Ethnic origin Reported
4	No Race or Ethnic origin Reported
5	No Age or Ethnic origin Reported
6	No Age or Race Reported
8 (M)	Not applicable

Summary statistics not available for this variable.

ZERO ZERO DATA INDICATOR

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric (ISO) Interval:

discrete

Value	Label
0	Not used
1	Reported no data
8 (M)	Not applicable

Summary statistics not available for this variable.

DTLASTUP DATE OF LAST UPDATE (MMDDYY)

82-88 (width: 7; decimal: 0) Location:

Variable Type: numeric (ISO) Interval: continuous

> Value Label 999998 (M) Not applicable

Summary statistics not available for this variable.

DTPRUP1 DATE OF 1ST PREVIOUS UPDATE (MMDDYY)

Location: 89-95 (width: 7; decimal: 0)

Variable Type: numeric (ISO) Interval: continuous

> Label Value 999998 (M) Not applicable

Summary statistics not available for this variable.

DTPRUP2 DATE OF 2ND PREVIOUS UPDATE (MMDDYY)

96-102 (width: 7; decimal: 0) Location:

Variable Type: numeric (ISO) continuous Interval:

Value	Label	
999998 (M)	Not applicable	

Summary statistics not available for this variable.

JUVDISP JUVENILE DISPOSITION (JD) INDICATOR

Location: 103-103 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Text: Blank= Update Juvenile Disposition data

Value	Label
	Update JD data
1	No JD data
2	Delete JD data
3	Adjust JD data
8 (M)	Not applicable

Summary statistics not available for this variable.

JDHANDDP JD HANDLED WITHIN DEPARTMENT AND RELEASED

Location: 104-108 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable

Summary statistics not available for this variable.

JDREFJC JD REFERRED TO JUVENILE COURT

Location: 109-113 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
99998 (M)	Not applicable

Summary statistics not available for this variable.

JDREFWA JD REFERRED TO WELFARE AGENCY

Location: 114-118 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable

Summary statistics not available for this variable.

JDREFOPA JD REFERRED TO OTHER POLICE AGENCY

Location: 119-123 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value Label

99998 (M) Not applicable

Summary statistics not available for this variable.

JDREFCC JD REFERRED TO CRIMINAL OR ADULT COURT

Location: 124-128 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value Label
99998 (M) Not applicable

Summary statistics not available for this variable.

OFFENSE CODE

Location: 129-131 (width: 3; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
01A	Murder and non-negligent manslaughter
01B	Manslaughter by negligence
02	Forcible rape
03	Robbery
04	Aggravated assault
05	Burglary-breaking or entering
06	Larceny-theft (not motor vehicles
07	Motor vehicle theft
08	Other assaults
09	Arson
10	Forgery and counterfeiting
11	Fraud
12	Embezzlement
13	Stolen property-buy, receive, poss.
14	Vandalism
15	Weapons-carry, posses, etc.
16	Prostitution and commercialized vice
17	Sex offenses (not rape or prostitution)
18	Total drug abuse violations
180	Sale/manufacture (subtotal)

Value	Label
185	Possession (subtotal)
18A	Sale/mfg-Opium, coke, and their derivatives
18B	Sale/mfg-Marijuana
18C	Sale/mfg-Truly addicting synthetic narcotics
18D	Sale/mfg-Other dangerous non-narc drugs
18E	Possession-Opium, coke, and their derivatives
18F	Possession-Marijuana
18G	Possession-Truly addicting synthetic narcotics
18H	Possession-Other dangerous non-narc drugs
19	Gambling (total)
19A	Bookmaking (horse and sports)
19B	Number and lottery
19C	All other gambling
20	Offenses against family and children
21	Driving under the influence
22	Liquor laws
23	Drunkenness
24	Disorderly conduct
25	Vagrancy
26	All other non-traffic offenses
27	Suspicion
28	Curfew and loitering violations
29	Runaways
998 (M)	Not applicable

Summary statistics not available for this variable.

OCCUR NON-ZERO OCCURRENCES FOR CODE AND COUNTS

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Text: Indicates how many arrest and counter groups contain non-zero data. May be used as loop control

to exit search when no more identifiable data exists on record.

Value Label
998 (M) Not applicable

Summary statistics not available for this variable.

M0_9 MALE UNDER 10

Location: 135-139 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M10_12 MALE 10-12

Location: 140-144 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M13_14 MALE 13-14

Location: 145-149 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M15 MALE 15

Location: 150-154 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M16 MALE 16

Location: 155-159 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M17 MALE 17

Location: 160-164 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value Label

99998 (M) Not applicable 99999 (M) None/not reported

Summary statistics not available for this variable.

M18 MALE 18

Location: 165-169 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M19 MALE 19

Location: 170-174 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

	Value	Label
	99998 (M)	Not applicable
	99999 (M)	None/not reported

Summary statistics not available for this variable.

M20 MALE 20

Location: 175-179 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M21 MALE 21

Location: 180-184 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

M22 MALE 22

Location: 185-189 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M23 MALE 23

Location: 190-194 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M24 MALE 24

Location: 195-199 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M25_29 MALE 25-29

Location: 200-204 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M30_34 MALE 30-34

Location: 205-209 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M35_39 MALE 35-39

Location: 210-214 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M40_44 MALE 40-44

Location: 215-219 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M45_49 MALE 45-49

Location: 220-224 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M50_54 MALE 50-54

Location: 225-229 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

M55_59 MALE 55-59

Location: 230-234 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M60_64 MALE 60-64

Location: 235-239 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

M65 MALE OVER 64

Location: 240-244 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F0_9 FEMALE UNDER 10

Location: 245-249 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F10_12 FEMALE 10-12

Location: 250-254 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F13_14 FEMALE 13-14

Location: 255-259 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F15 FEMALE 15

Location: 260-264 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F16 FEMALE 16

Location: 265-269 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F17 FEMALE 17

Location: 270-274 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

F18 FEMALE 18

Location: 275-279 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F19 FEMALE 19

Location: 280-284 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F20 FEMALE 20

Location: 285-289 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F21 FEMALE 21

Location: 290-294 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F22 FEMALE 22

Location: 295-299 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F23 FEMALE 23

Location: 300-304 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F24 FEMALE 24

Location: 305-309 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F25_29 FEMALE 25-29

Location: 310-314 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F30_34 FEMALE 30-34

Location: 315-319 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

F35_39 FEMALE 35-39

Location: 320-324 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F40_44 FEMALE 40-44

Location: 325-329 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F45_49 FEMALE 45-49

Location: 330-334 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F50_54 FEMALE 50-54

Location: 335-339 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F55_59 FEMALE 55-59

Location: 340-344 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F60_64 FEMALE 60-64

Location: 345-349 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

F65 FEMALE OVER 64

Location: 350-354 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

AW ADULT-WHITE

Location: 355-359 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

AB ADULT-BLACK

Location: 360-364 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

AI ADULT-INDIAN

Location: 365-369 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

AA ADULT-ASIAN

Location: 370-374 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

JW JUVENILE-WHITE

Location: 375-379 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

JB JUVENILE-BLACK

Location: 380-384 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

JI JUVENILE-INDIAN

Location: 385-389 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

JA JUVENILE ASIAN

Location: 390-394 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

AH ADULT-HISPANIC

Location: 395-399 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

AN ADULT-NON-HISPANIC

Location: 400-404 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.

JH JUVENILE-HISPANIC

Location: 405-409 (width: 5; decimal: 0)

Value	Label
99998 (M)	Not applicable

Value	Label
99999 (M)	None/not reported

Summary statistics not available for this variable.

JN JUVENILE-NON-HISPANIC

Location: 410-414 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: continuous

Value	Label
99998 (M)	Not applicable
99999 (M)	None/not reported

Summary statistics not available for this variable.