NOUVELLE
ANTI-AGING

VITALITY BOOSTER IV THERAPY — CONSENT FORM

活力能量针知情同意书

I request that Nouvelle Anti-Aging provide Vitality Booster IV Therapy as explained to me.

本人申请接受 Nouvelle Anti-Aging 向本人解释的活力能量针项目。

A specified nutrient/fluid infusion is proposed after assessing symptoms and nutritional need. It may not improve fatigue and does not replace evaluation of anemia, thyroid disease, sleep problems or other causes.

评估症状与营养需求后，拟输注指定营养或液体配方。可能无法改善疲劳，不能替代贫血、甲状腺病、睡眠问题等原因检查。

This form covers a nutrient-based Vitality Booster IV, not stem-cell infusion. Record every ingredient, dose, diluent, volume, rate and source.

本表为营养类“活力能量针”，不是干细胞点滴。记录所有成分、剂量、稀释液、总量、速率及来源。

RISKS / POSSIBLE COMPLICATIONS 风险及可能并发症

1. Needle/IV reactions: pain, warmth, bruising, bleeding, fainting, infiltration/extravasation, phlebitis and infection.

针刺或静脉反应：疼痛、温热、瘀青、出血、晕厥、渗漏或外渗、静脉炎及感染。

2. Possible symptoms include nausea, upset stomach, diarrhea, headache, dizziness, flushing, chills/fever, muscle cramps, weakness or palpitations; occurrence depends on the ingredients, dose and infusion rate.

可能出现恶心、胃部不适、腹泻、头痛、眩晕、潮红、寒战或发热、肌肉痉挛、无力或心悸，具体取决于成分、剂量及输注速率。

3. Allergy can cause itching, rash, hives, wheezing, mouth/throat swelling, breathing difficulty or anaphylaxis.

过敏可表现为瘙痒、皮疹、风团、喘鸣、口或喉肿胀、呼吸困难或过敏性休克。

4. Serious complications include fluid overload, electrolyte disturbance, abnormal heart rhythm, contamination, bloodstream infection/sepsis or endotoxin reactions.

严重并发症包括液体超负荷、电解质紊乱、心律失常、污染、血流感染或脓毒症、内毒素反应。

5. Vitamin/mineral toxicity, kidney injury or ingredient-specific interactions are possible. Magnesium, B vitamins and vitamin C have different risks; energy benefit is uncertain.

可能出现维生素或矿物质毒性、肾损伤及特定成分相互作用。镁、B 族及维 C 风险不同，精力改善获益不确定。

NOUVELLE
ANTI-AGING

HEALTH DISCLOSURE 健康情况告知

Disclose heart/kidney/liver disease, fluid limits, pregnancy, allergies and medicines. Review electrolyte levels and other tests when indicated; check all supplements to avoid duplication. Disclose diabetes/low glucose, seizure history, Leber disease if B12 is proposed, anemia/iron or folate deficiency, bone-marrow treatment and all medicines/supplements, including anticoagulants. Do not stop medication without medical advice.

告知心肾肝疾病、限液、孕期、过敏及用药。有指征时检查电解质等，并核对所有补充剂，避免重复。 另告知糖尿病或低血糖、癫痫史、拟用 B12 时的 Leber 病、贫血或铁叶酸缺乏、骨髓相关治疗及包括抗凝药在内的所有药物和补充剂。未经医生指导，不自行停药。

ALTERNATIVES / RESULTS 替代方案及效果

No infusion; oral nutrition/hydration when appropriate; investigation and treatment of the actual cause of fatigue.

不输注；适合时口服营养与补水；检查并治疗真实疲劳原因。

No result or duration is guaranteed; further sessions/correction may be needed. With no elective treatment, the original concern may remain. Fees and possible additional costs have been explained separately.

不保证效果或维持时间，可能需后续疗程或修复。不接受选择性治疗时，原有困扰可能持续。费用及可能的额外费用已另行说明。

AFTERCARE / WHEN TO SEEK HELP 护理及就医提示

Immediately report chest symptoms, palpitations, rash, nausea or site pain. Remain under the required monitoring and follow the individualized hydration plan rather than forcing extra water.

胸部症状、心悸、皮疹、恶心或针口痛应立即报告。按要求留观，依个体化方案补水，不强行大量喝水。

Breathing difficulty, chest pain, severe palpitations or fainting require emergency care. Fever or expanding IV-site redness requires prompt assessment.

呼吸困难、胸痛、严重心悸或晕厥应急诊。发热或针口红肿扩大需及时评估。

Clinic: (425) 598-1111. For severe/life-threatening symptoms call 911; do not wait for a callback.

诊所：(425) 598-1111。严重或危及生命的症状请拨 911，不等待回电。

NOUVELLE
ANTI-AGING

ACKNOWLEDGMENT / CONSENT 确认与同意

I have read all pages and had my questions about the treatment, risks, benefits and alternatives answered. I consent to the treatment described in this form and repeat treatments within the agreed plan, with my willingness confirmed before each session.

本人已阅读全部页面，关于治疗、风险、获益及替代方案的问题已获解答。本人同意接受活力能量针及约定方案内的后续重复治疗，每次治疗前确认本人愿意继续。

Patient / Responsible Party Name 顾客／合法代理人姓名

_____

Patient / Responsible Party Signature 顾客／合法代理人签字

_____

Date 日期

_____