NOUVELLE
ANTI-AGING

BELKYRA (KYBELLA) — CONSENT FORM

双下巴溶脂知情同意书

I request that Nouvelle Anti-Aging provide Belkyra (Kybella) as explained to me.

本人申请接受 Nouvelle Anti-Aging 向本人解释的双下巴溶脂项目。

Deoxycholic acid is injected into adult submental fat to reduce a double-chin appearance. It does not correct all skin laxity and may require several sessions.

将脱氧胆酸注射于成人颏下脂肪，以改善双下巴外观。无法解决所有皮肤松弛，可能需要多次治疗。

For US practice, verify actual KYBELLA product and current label. Approval concerns adult moderate-to-severe submental fullness, not routine body-fat injections.

美国执业需核实实际 KYBELLA 产品和现行说明书。核准用途为成人中重度颏下脂肪丰满，并非一般身体部位溶脂。

RISKS / POSSIBLE COMPLICATIONS 风险及可能并发症

1. Pain, redness, bruising, bleeding/hematoma, marked swelling, itching, tightness, numbness and hard nodules or masses.

疼痛、发红、瘀青、出血或血肿、明显肿胀、瘙痒、紧绷、麻木、硬结或肿块。

2. Marginal mandibular nerve injury may cause an uneven smile or facial weakness; swallowing difficulty can occur.

下颌缘神经损伤可引起笑容不对称或面部无力，也可能出现吞咽困难。

3. Skin erosion, ulceration, tissue necrosis, infection/abscess, scarring and local hair loss, which may be persistent or permanent.

皮肤糜烂、溃疡、组织坏死、感染或脓肿、瘢痕及局部脱发，部分可能持续或永久存在。

4. Injury to nearby nerves, vessels or muscles; changes in sensation, uneven contour or an unsatisfactory result. The tissue effect cannot simply be dissolved or withdrawn after injection.

邻近神经、血管或肌肉损伤、感觉改变、轮廓不平或效果不满意。注射后的组织效应不能简单溶解或抽出。

5. Allergy to the product or any anesthetic, including a serious systemic reaction; additional medicines, wound care or procedures may be needed.

对产品或麻药的过敏，包括严重全身反应；可能需要额外药物、伤口护理或操作。

Local/topical anesthetic, if used, may cause allergy or systemic toxicity; agent-specific risks have been explained.

如使用局部或表面麻醉，可能出现过敏或全身毒性；具体药物风险已说明。

NOUVELLE
ANTI-AGING

HEALTH DISCLOSURE 健康情况告知

Disclose swallowing problems, prior neck surgery, bleeding medicines, thyroid or neck masses and existing facial weakness. Active injection-site infection prevents treatment.

告知吞咽问题、颈部手术史、影响凝血的药物、甲状腺或颈部肿块及面部无力。注射部位感染时不可治疗。

I have disclosed all medicines, supplements, allergies and prior treatments. I will report changes. I will not stop medication without medical advice.

本人已告知全部用药、补充剂、过敏及既往治疗，并会报告变化。未经医生指导，不自行停药。

ALTERNATIVES / RESULTS 替代方案及效果

No treatment; weight management where indicated; liposuction or neck-lift consultation.

不治疗；有指征时进行体重管理；吸脂或颈部提升手术咨询。

No result or duration is guaranteed; further sessions/correction may be needed. With no elective treatment, the original concern may remain. Fees and possible additional costs have been explained separately.

不保证效果或维持时间，可能需后续疗程或修复。不接受选择性治疗时，原有困扰可能持续。费用及可能的额外费用已另行说明。

AFTERCARE / WHEN TO SEEK HELP 护理及就医提示

Use only clinician-approved comfort measures. Do not aggressively massage. Allow swelling to settle and attend review before another session; treatment intervals follow the prescribed product instructions.

仅采用医护认可的舒缓措施，不要用力按摩。待肿胀缓解并复诊后再决定下次治疗；间隔按所用产品说明及处方执行。

Breathing or severe swallowing difficulty requires emergency care. New smile weakness, skin breakdown, drainage or worsening swelling needs prompt assessment.

呼吸或严重吞咽困难应立即急诊。新出现笑容无力、皮肤破溃、流脓或肿胀加重，应及时评估。

Clinic: (425) 598-1111. For severe/life-threatening symptoms call 911; do not wait for a callback.

诊所：(425) 598-1111。严重或危及生命的症状请拨 911，不等待回电。

NOUVELLE
ANTI-AGING

ACKNOWLEDGMENT / CONSENT 确认与同意

I have read all pages and had my questions about the treatment, risks, benefits and alternatives answered. I consent to the treatment described in this form and repeat treatments within the agreed plan, with my willingness confirmed before each session.

本人已阅读全部页面，关于治疗、风险、获益及替代方案的问题已获解答。本人同意接受双下巴溶脂及约定方案内的后续重复治疗，每次治疗前确认本人愿意继续。

Patient / Responsible Party Name 顾客／合法代理人姓名

_____

Patient / Responsible Party Signature 顾客／合法代理人签字

_____

Date 日期

_____