NOUVELLE
ANTI-AGING

BRIGHTENING IV THERAPY — CONSENT FORM

美白焕肤针知情同意书

I request that Nouvelle Anti-Aging provide Brightening IV Therapy as explained to me.

本人申请接受 Nouvelle Anti-Aging 向本人解释的美白焕肤针项目。

A named nutrient infusion is proposed for the documented clinical goal. “Brightening” is a marketing description; safe, durable skin lightening and anti-aging are not guaranteed.

拟为记录的临床目标输注指定营养配方。“美白”为营销描述，不能保证安全持久美白或抗衰。

Complete the exact formula and ingredient-specific risks. Do not assume that vitamins or glutathione are approved for cosmetic skin whitening or that any formula is interchangeable.

必须填完整配方并解释各成分风险。不可默认维生素或谷胱甘肽获准用于美容美白，也不可任意替换配方。

RISKS / POSSIBLE COMPLICATIONS 风险及可能并发症

1. Needle/IV reactions: pain, warmth, bruising, bleeding, fainting, infiltration/extravasation, phlebitis and infection.

针刺或静脉反应：疼痛、温热、瘀青、出血、晕厥、渗漏或外渗、静脉炎及感染。

2. Possible symptoms include nausea, upset stomach, diarrhea, headache, dizziness, flushing, chills/fever, muscle cramps, weakness or palpitations; occurrence depends on the ingredients, dose and infusion rate.

可能出现恶心、胃部不适、腹泻、头痛、眩晕、潮红、寒战或发热、肌肉痉挛、无力或心悸，具体取决于成分、剂量及输注速率。

3. Allergy can cause itching, rash, hives, wheezing, mouth/throat swelling, breathing difficulty or anaphylaxis.

过敏可表现为瘙痒、皮疹、风团、喘鸣、口或喉肿胀、呼吸困难或过敏性休克。

4. Serious complications include fluid overload, electrolyte disturbance, abnormal heart rhythm, contamination, bloodstream infection/sepsis or endotoxin reactions.

严重并发症包括液体超负荷、电解质紊乱、心律失常、污染、血流感染或脓毒症、内毒素反应。

5. If high-dose vitamin C is included, oxalate kidney injury/stones and hemolysis in G6PD deficiency are concerns. Glutathione or other components have additional ingredient-specific risks; reliable cosmetic whitening is not guaranteed.

如含高剂量维 C，需注意草酸盐肾损伤或结石，以及 G6PD 缺乏者的溶血。谷胱甘肽或其他成分有额外特定风险，无法保证可靠的美容美白效果。

NOUVELLE
ANTI-AGING

HEALTH DISCLOSURE 健康情况告知

Disclose kidney disease/stones, heart failure, fluid limits, allergies, pregnancy and medicines. If high-dose vitamin C is included, assess G6PD deficiency and kidney risks first; review every other ingredient separately. Disclose diabetes/low glucose, seizure history, Leber disease if B12 is proposed, anemia/iron or folate deficiency, bone-marrow treatment and all medicines/supplements, including anticoagulants. Do not stop medication without medical advice.

告知肾病或结石、心衰、限液、过敏、孕期及用药。如含高剂量维 C，须先评估 G6PD 缺乏及肾脏风险，并逐项审查其他成分。 另告知糖尿病或低血糖、癫痫史、拟用 B12 时的 Leber 病、贫血或铁叶酸缺乏、骨髓相关治疗及包括抗凝药在内的所有药物和补充剂。未经医生指导，不自行停药。

ALTERNATIVES / RESULTS 替代方案及效果

No infusion; sun protection; topical pigment management; nutritional evaluation or dermatology care.

不输注；防晒；外用色素管理；营养评估或皮肤科治疗。

No result or duration is guaranteed; further sessions/correction may be needed. With no elective treatment, the original concern may remain. Fees and possible additional costs have been explained separately.

不保证效果或维持时间，可能需后续疗程或修复。不接受选择性治疗时，原有困扰可能持续。费用及可能的额外费用已另行说明。

AFTERCARE / WHEN TO SEEK HELP 护理及就医提示

Report rash, wheeze, chest symptoms or IV-site burning immediately. Do not add oral/IV supplements without reviewing cumulative exposure. Some high-dose vitamins interfere with laboratory or glucose tests; inform testing staff.

皮疹、喘鸣、胸部症状或针口灼痛立即报告。未核对累计摄入前不自行叠加口服或静脉补充剂。部分高剂量维生素干扰化验或血糖检测，应告知检验人员。

Breathing trouble, chest pain or collapse requires emergency care. Reduced urine, dark urine, fever or spreading IV-site redness needs urgent review.

呼吸困难、胸痛或晕倒应急诊。尿少、深色尿、发热或针口红肿扩散需紧急评估。

Clinic: (425) 598-1111. For severe/life-threatening symptoms call 911; do not wait for a callback.

诊所：(425) 598-1111。严重或危及生命的症状请拨 911，不等待回电。

NOUVELLE
ANTI-AGING

ACKNOWLEDGMENT / CONSENT 确认与同意

I have read all pages and had my questions about the treatment, risks, benefits and alternatives answered. I consent to the treatment described in this form and repeat treatments within the agreed plan, with my willingness confirmed before each session.

本人已阅读全部页面，关于治疗、风险、获益及替代方案的问题已获解答。本人同意接受美白焕肤针及约定方案内的后续重复治疗，每次治疗前确认本人愿意继续。

Patient / Responsible Party Name 顾客／合法代理人姓名

_____

Patient / Responsible Party Signature 顾客／合法代理人签字

_____

Date 日期

_____