NOUVELLE
ANTI-AGING

CO_2 FRACTIONAL LASER RESURFACING — CONSENT FORM

CO_2 点阵激光焕肤知情同意书

I request that Nouvelle Anti-Aging provide CO_2 Fractional Laser Resurfacing as explained to me.

本人申请接受 Nouvelle Anti-Aging 向本人解释的 CO_2 点阵激光焕肤项目。

Fractional CO2 laser creates microscopic ablative columns for selected scars, texture or lines. Healing takes time; multiple treatments may be needed and normal skin is also affected.

CO2 点阵激光形成微小剥脱柱，针对特定瘢痕、肤质或纹路。恢复需要时间，可能需多次治疗，也会影响正常皮肤。

Record CO2 device, density/depth settings in the procedure chart, treatment sites and anesthesia. A general laser-genesis form is not a substitute for ablative-laser counseling.

病历中记录 CO2 设备、密度深度参数、部位与麻醉。一般非剥脱激光同意书不能替代剥脱激光告知。

RISKS / POSSIBLE COMPLICATIONS 风险及可能并发症

1. Discomfort, warmth or stinging, short-term redness, swelling and bruising.

不适、温热或刺痛，以及短期泛红、肿胀及瘀青。

2. Lighter/darker skin color, which can be lasting; pre-existing pigment problems may worsen.

色素减退或加深，可能持久；原有色素问题可能加重。

3. Itching, dryness, rash or bumps; burning, blisters, erosions, bleeding or crusts.

瘙痒、干燥、皮疹或丘疹，以及灼伤、水疱、糜烂、出血或结痂。

4. Bacterial infection, herpes reactivation, delayed healing or scars; proper care reduces but does not eliminate these risks.

细菌感染、疱疹复发、延迟愈合或瘢痕；适当护理可降低但不能消除风险。

5. Sun exposure, tanning beds and artificial tanning increase adverse-reaction risk. Inadequate eye protection can cause severe permanent eye injury.

日晒、晒床及人工晒黑增加不良反应风险；眼部防护不足可造成严重永久眼损伤。

6. CO2 ablation may cause prolonged redness, oozing, acne/milia, demarcation lines or permanent pigment change. Deeper or periocular treatment can cause tissue contraction or eyelid malposition.

CO2 剥脱可造成持续泛红、渗液、痤疮或粟丘疹、分界线或永久色素变化；较深或眼周治疗可能引起组织挛缩或眼睑位置异常。

Local/topical anesthetic, if used, may cause allergy or systemic toxicity; agent-specific risks have been explained.

如使用局部或表面麻醉，可能出现过敏或全身毒性；具体药物风险已说明。

NOUVELLE
ANTI-AGING

HEALTH DISCLOSURE 健康情况告知

Disclose herpes, active acne/infection, recent isotretinoin, tanning, keloids, prior radiation, immune suppression and impaired healing. Assess skin type and ability to perform wound care; arrange herpes prophylaxis when prescribed.

告知疱疹、活动性痤疮或感染、近期异维 A 酸、晒黑、瘢痕疙瘩、放疗、免疫抑制及愈合不良。评估肤型与伤口护理能力，按处方安排疱疹预防。

I have disclosed all medicines, supplements, allergies and prior treatments. I will report changes. I will not stop medication without medical advice.

本人已告知全部用药、补充剂、过敏及既往治疗，并会报告变化。未经医生指导，不自行停药。

ALTERNATIVES / RESULTS 替代方案及效果

No treatment; nonablative laser; suitable scar treatments, peels or surgical evaluation.

不治疗；非剥脱激光；适用瘢痕治疗、换肤或手术评估。

No result or duration is guaranteed; further sessions/correction may be needed. With no elective treatment, the original concern may remain. Fees and possible additional costs have been explained separately.

不保证效果或维持时间，可能需后续疗程或修复。不接受选择性治疗时，原有困扰可能持续。费用及可能的额外费用已另行说明。

AFTERCARE / WHEN TO SEEK HELP 护理及就医提示

Obtain a written cleansing, dressing and medication plan before leaving. Do not pick skin or apply unapproved products. Avoid makeup on unhealed skin and strict sun exposure during healing. Attend the early wound check.

离院前领取书面清洁、敷料及用药方案。勿撕皮或涂未经许可的产品，未愈合处不化妆，恢复期间严格避晒，并按时早期复查。

Rapidly increasing pain, spreading redness, fever, pus or grouped blisters need urgent assessment. Visual symptoms require urgent eye care.

疼痛迅速加重、红肿扩散、发热、脓液或成簇水疱需紧急评估。视力症状需紧急眼科处理。

Clinic: (425) 598-1111. For severe/life-threatening symptoms call 911; do not wait for a callback.

诊所：(425) 598-1111。严重或危及生命的症状请拨 911，不等待回电。

NOUVELLE
ANTI-AGING

ACKNOWLEDGMENT / CONSENT 确认与同意

I have read all pages and had my questions about the treatment, risks, benefits and alternatives answered. I consent to the treatment described in this form and repeat treatments within the agreed plan, with my willingness confirmed before each session.

本人已阅读全部页面，关于治疗、风险、获益及替代方案的问题已获解答。本人同意接受 CO_2 点阵激光焕肤及约定方案内的后续重复治疗，每次治疗前确认本人愿意继续。

Patient / Responsible Party Name 顾客／合法代理人姓名

_____

Patient / Responsible Party Signature 顾客／合法代理人签字

_____

Date 日期

_____