NOUVELLE
ANTI-AGING

TIRZEPATIDE WEIGHT-LOSS INJECTION — CONSENT FORM

替西帕肽体重管理知情同意书

I request that Nouvelle Anti-Aging provide Tirzepatide Weight-Loss Injection as explained to me.

本人申请接受 Nouvelle Anti-Aging 向本人解释的替西帕肽体重管理项目。

Prescribed tirzepatide is used with nutrition and activity changes for medically appropriate weight management. Response varies, gastrointestinal effects are common and weight may return after stopping.

根据医学适用性处方替西帕肽，配合饮食与活动管理体重。反应因人而异，胃肠反应常见，停药后可能反弹。

Record brand, indication, presentation and dose in mg, with concentration and mL for vials. A compounded product is not FDA-approved or automatically equivalent; requires separate product-specific disclosure and lawful prescribing review.

记录品牌、适应证、剂型及毫克剂量；瓶装另记浓度与毫升。配制药不是 FDA 核准药或当然等效，需另作产品告知及合法处方审查。

RISKS / POSSIBLE COMPLICATIONS 风险及可能并发症

1. Nausea, vomiting, diarrhea, constipation and reflux may occur.

可能出现恶心、呕吐、腹泻、便秘及反流。

2. Serious risks include dehydration/kidney injury, gallbladder disease, pancreatitis, severe allergy and low glucose with some diabetes drugs.

严重风险包括脱水或肾损伤、胆囊疾病、胰腺炎、严重过敏，以及合用部分降糖药时的低血糖。

3. Delayed gastric emptying affects oral drugs and aspiration risk during anesthesia.

胃排空延迟影响口服药并增加麻醉时误吸风险。

4. Thyroid C-cell tumors occurred in animals; human relevance is unknown.

动物出现甲状腺 C 细胞肿瘤，对人的意义尚不确定。

HEALTH DISCLOSURE 健康情况告知

Do not use with personal/family medullary thyroid cancer, MEN2 or serious product allergy. Disclose pregnancy, pancreatitis, gallstones, severe gastroparesis, kidney disease, retinopathy, diabetes medicines and planned anesthesia. Do not combine with other tirzepatide or GLP-1 drugs.

有本人或家族甲状腺髓样癌、MEN2 或严重产品过敏时不可使用。告知孕期、胰腺炎、胆结石、严重胃轻瘫、肾病、视网膜病变、糖尿病用药及麻醉安排。不要与其他替西帕肽或 GLP-1 药物合用。

I have disclosed all medicines, supplements, allergies and prior treatments. I will report changes. I will not stop medication without medical advice.

本人已告知全部用药、补充剂、过敏及既往治疗，并会报告变化。未经医生指导，不自行停药。

NOUVELLE
ANTI-AGING

ALTERNATIVES / RESULTS 替代方案及效果

Nutrition/activity programs; other suitable approved medicines; obesity specialist or bariatric surgery assessment.

饮食运动管理；其他适用获准药物；肥胖专科或减重手术评估。

No result or duration is guaranteed; further sessions/correction may be needed. With no elective treatment, the original concern may remain. Fees and possible additional costs have been explained separately.

不保证效果或维持时间，可能需后续疗程或修复。不接受选择性治疗时，原有困扰可能持续。费用及可能的额外费用已另行说明。

AFTERCARE / WHEN TO SEEK HELP 护理及就医提示

Follow the individual prescription; do not self-escalate. Maintain hydration and monitoring. Oral contraceptive users need a nonoral method or added barrier protection for 4 weeks after starting and after every dose increase. If pregnancy occurs, stop and contact the prescriber. Inform anesthesia teams.

按个体处方执行，不自行加量，维持补水并监测。口服避孕药使用者在开始治疗及每次加量后的 4 周需改用非口服方式或加用屏障避孕。怀孕时停药并联系处方医生。告知麻醉团队。

Severe persistent abdominal pain, inability to keep fluids down or reduced urination needs urgent care; severe allergy or unconsciousness requires emergency care.

持续剧烈腹痛、无法补水或尿量下降需紧急就医；严重过敏或失去意识应急诊。

Clinic: (425) 598-1111. For severe/life-threatening symptoms call 911; do not wait for a callback.

诊所：(425) 598-1111。严重或危及生命的症状请拨 911，不等待回电。

NOUVELLE
ANTI-AGING

ACKNOWLEDGMENT / CONSENT 确认与同意

I have read all pages and had my questions about the treatment, risks, benefits and alternatives answered. I consent to the treatment described in this form and repeat treatments within the agreed plan, with my willingness confirmed before each session.

本人已阅读全部页面，关于治疗、风险、获益及替代方案的问题已获解答。本人同意接受替西帕肽体重管理及约定方案内的后续重复治疗，每次治疗前确认本人愿意继续。

Patient / Responsible Party Name 顾客／合法代理人姓名

_____

Patient / Responsible Party Signature 顾客／合法代理人签字

_____

Date 日期

_____