Université De Technologie D'Haïti

(UNITECH)

Facultés Des Sciences Informatiques

TD N°4 – Sécurité Informatique & Cybersécurité

Travaux Diriges	Méthodologie OSINT
Nom	DUVERNE
Prénom	Raynaldi
Niveau	II (3eme année)
Encadreur	Saint Amour Ismaël
Date	Le/9/3/26

INTRO : Ce travail dirigé a pour objectif de comprendre la méthodologie OSINT (Open Source Intelligence). L'OSINT consiste à collecter et analyser des informations disponibles publiquement sur internet afin de construire un profil numérique d'une personne ou d'une organisation.

Dans ce TD, nous avons utilisé plusieurs outils OSINT afin d'identifier les traces numériques d'une identité fictive.

1. Installation de Ghost-Track

Mettre à jour le système kali-linux

La commande **sudo apt update && sudo apt upgrade –y** permet de mettre à jour la machine virtuel kali-linux.

```
ray2000no@rayno-cybersec: ~
zsh: corrupt history file /home/ray2000no/.zsh_history
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ sudo apt update && sudo apt upgrade -y
[sudo] Mot de passe de ray2000no :
Ign : 1 http://http.kali.org/kali kali-rolling InRelease
Ign : 1 http://http.kali.org/kali kali-rolling InRelease
Ign : 1 http://http.kali.org/kali kali-rolling InRelease
Err : 1 http://http.kali.org/kali kali-rolling InRelease
  Erreur temporaire de résolution de « http.kali.org »
Tous les paquets sont à jour.
Attention : Impossible de récupérer http://http.kali.org/kali/dists/kali-rolling/InRelease  Erreur temporaire de résolution de « ht
tp.kali.org »
Attention : Le téléchargement de certains fichiers d'index a échoué, ils ont été ignorés, ou les anciens ont été utilisés à la plac
e.
Sommaire :
  Mise à niveau de : 0. Installation de : 0, Supprimé : 0. Non mis à jour : 0

┌──(ray2000no㉿rayno-cybersec)-[~]
└─$
```

Installer les dépendances

La commande **sudo apt install git python3 python3-pip –y** permet d'installer les dépendances python.

```
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ sudo apt install git python3 python3-pip -y
git est déjà la version la plus récente (1:2.51.0-1).
python3 est déjà la version la plus récente (3.13.7-1).
python3-pip est déjà la version la plus récente (25.2+dfsg-1).
Sommaire :
  Mise à niveau de : 0. Installation de : 0, Supprimé : 0. Non mis à jour : 0

┌──(ray2000no㉿rayno-cybersec)-[~]
└─$
```

Cloner le dépôt pour télécharger Ghost-Track

La commande **git clone** https://github.com/HunxByts/GhostTrack.git permet de télécharger Ghost-Track directement à travers le clonage.

```
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ git clone https://github.com/HunxByts/GhostTrack.git
Clonage dans 'GhostTrack' ...
remote: Enumerating objects: 71, done.
remote: Counting objects: 100% (23/23), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 71 (delta 15), reused 12 (delta 12), pack-reused 48 (from 2)
Réception d'objets: 100% (71/71), 279.15 Kio | 5.00 Kio/s, fait.
Résolution des deltas: 100% (22/22), fait.

┌──(ray2000no㉿rayno-cybersec)-[~]
└─$
```

La commande **cd GhostTrack** permet de déplacer dans le dossier

```
┌──(kali㉿nouveau)-[~]
└─$ cd GhostTrack
```

Installer les dépendances Python

La commande **pip3 install -r requirements.txt** permet d'installer les dépendances python

Il y a eu erreur lie à l'environnement j'utilise l'autre commande

python3 -m venv venv	crée un environnement python
source venv/bin/activate	activer l'environnement
pip install -r requirements.txt	installer les dépendances python

```
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ cd GhostTrack

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack]
└─$ python3 -m venv venv

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack]
└─$ source venv/bin/activate

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack]
└─$ pip install -r requirements.txt
Collecting requests (from -r requirements.txt (line 1))
  Using cached requests-2.32.5-py3-none-any.whl.metadata (4.9 kB)
Collecting phonenumbers (from -r requirements.txt (line 2))
  Using cached phonenumbers-9.0.25-py2.py3-none-any.whl.metadata (10 kB)
Collecting charset_normalizer<4,≥2 (from requests→-r requirements.txt (line 1))
  Using cached charset_normalizer-3.4.4-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (
37 kB)
Collecting idna<4,≥2.5 (from requests→-r requirements.txt (line 1))
  Using cached idna-3.11-py3-none-any.whl.metadata (8.4 kB)
Collecting urllib3<3,≥1.21.1 (from requests→-r requirements.txt (line 1))
```

Lancer Ghost-Track

La commande **python3 ghosttrack.py** permet de lancer Ghost-Track

Comme tout se fonctionne, le menu s'affiche avec :

Recherche par pseudo

Pseudo analysé: darkfox92



```
Enter Username : darkfox92

========= SHOW INFORMATION USERNAME =========

[ + ] Facebook : https://www.facebook.com/darkfox92
[ + ] Twitter : https://www.twitter.com/darkfox92
[ + ] Instagram : https://www.instagram.com/darkfox92
[ + ] LinkedIn : Username not found !
[ + ] GitHub : https://www.github.com/darkfox92
[ + ] Pinterest : https://www.pinterest.com/darkfox92
[ + ] Tumblr : https://www.tumblr.com/darkfox92
[ + ] Youtube : Username not found !
[ + ] SoundCloud : Username not found !
[ + ] Snapchat : Username not found !
[ + ] TikTok : https://www.tiktok.com/@darkfox92
[ + ] Behance : Username not found !
[ + ] Medium : Username not found !
[ + ] Quora : Username not found !
[ + ] Flickr : Username not found !
[ + ] Periscope : https://www.periscope.tv/darkfox92
[ + ] Twitch : https://www.twitch.tv/darkfox92
[ + ] Dribbble : Username not found !
[ + ] StumbleUpon : Username not found !
[ + ] Ello : Username not found !
[ + ] Product Hunt : Username not found !
[ + ] Telegram : https://www.telegram.me/darkfox92
[ + ] We Heart It : Username not found !

[ + ] Press enter to continue
```

Comptes trouvés:

Facebook	Twitter	Instagram	GitHub	Pinterest	Tumblr
Tiktok	Periscope	Twitch	Telegram		

Le pseudo est-il réutilisé ?

Oui, la même personne utilise le même pseudo sur plusieurs plateformes

Quelles informations personnelles peut-on déduire ?

Comment relier plusieurs comptes à une même personne ?

- Même **avatar**
- Même **biographie**
- Même **pseudo**
- Même **adresse email**
- Mêmes **types de publications**

2. INSTALLATION – SHERLOCK

La commande **git clone** https://github.com/sherlock-project/sherlock.git permet de cloner et télécharger sherlock

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack]
└─$ git clone https://github.com/sherlock-project/sherlock.git
Clonage dans 'sherlock'...
remote: Enumerating objects: 11647, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (7/7), done.
erreur : échec RPC ; curl 56 GnuTLS recv error (-9): Erreur de décodage du paquet TLS reçu.
erreur : 5950 octets de corps sont encore attendus
fetch-pack: unexpected disconnect while reading sideband packet
fatal : fin de fichier prématurée
fatal : fetch-pack : sortie d'index de pack invalide
```

La commande **cd sherlock** permet de se déplacer dans le dossier

La commande **python3 -m pip install -r requirements.txt** permet d'installer les dependances

```
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ git clone https://github.com/sherlock-project/sherlock.git
Clonage dans 'sherlock'...
remote: Enumerating objects: 11647, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 11647 (delta 7), reused 1 (delta 1), pack-reused 11639 (from 3)
Réception d'objets: 100% (11647/11647), 17.93 Mio | 501.00 Kio/s, fait.
Résolution des deltas: 100% (7084/7084), fait.

┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ ls
Bureau  cybersec  Documents  GhostTrack  Images  Modèles  Musique  Public  sherlock  Téléchargements  Vidéos

┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ cd sherlock

┌──(ray2000no㉿rayno-cybersec)-[~/sherlock]
└─$
```

```
┌──(ray2000no㉿rayno-cybersec)-[~/sherlock]
└─$ python3  -m venv venv

┌──(ray2000no㉿rayno-cybersec)-[~/sherlock]
└─$ source venv/bin/activate

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/sherlock]
└─$ pip install -r requirements.txt
ERROR: Could not open requirements file: [Errno 2] Aucun fichier ou dossier de ce nom: 'requirements.txt'
```

```
This environment is externally managed
To install Python packages system-wide, try apt install
python3-xyz, where xyz is the package you are trying to
install.

If you wish to install a non-Kali-packaged Python package,
create a virtual environment using python3 -m venv path/to/venv.
Then use path/to/venv/bin/python and path/to/venv/bin/pip. Make
sure you have pypy3-venv installed.

If you wish to install a non-Kali-packaged Python application,
it may be easiest to use pipx install xyz, which will manage a
virtual environment for you. Make sure you have pipx installed.

For more information, refer to the following:
* https://www.kali.org/docs/general-use/python3-external-packages/
* /usr/share/doc/python3.13/README.venv

note: If you believe this is a mistake, please contact your Python installation or OS distribution provider. You can override this,
at the risk of breaking your Python installation or OS, by passing --break-system-packages.
hint: See PEP 668 for the detailed specification.
```

La commande **python3 sherlock darkfox92** ne me permet pas de l'utiliser ça donne no file or dictory

3. INSTALLATION – SOCIAL-ANALYZER

La commande **git clone** https://github.com/qeeqbox/social-analyzer.git permet de cloner et télécharger Social-Analyzer.

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ python3 sherlock username
python3: can't open file '/home/ray2000no/GhostTrack/sherlock/sherlock': [Errno 2] No such file or directory

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ python3 sherlock darkfox92
python3: can't open file '/home/ray2000no/GhostTrack/sherlock/sherlock': [Errno 2] No such file or directory

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ git clone https://github.com/qeeqbox/social-analyzer.git
Clonage dans 'social-analyzer'...
remote: Enumerating objects: 3232, done.
remote: Counting objects: 100% (788/788), done.
remote: Compressing objects: 100% (98/98), done.
remote: Total 3232 (delta 732), reused 690 (delta 690), pack-reused 2444 (from 1)
Réception d'objets: 100% (3232/3232), 61.47 Mio | 146.00 Kio/s, fait.
Résolution des deltas: 100% (1993/1993), fait.

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ cd social-analyzer

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ python3 -m pip install -r requirements.txt
Collecting BeautifulSoup4 (from -r requirements.txt (line 1))
```

La commande **cd social-analyzer** permet de se déplacer dans le dossier

La commande **python3 -m pip install -r requirements.txt** permet d'installer les dépendances.

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ pythpon3 social-analyzer.py --username darkfox92
La commande « pythpon3 » n'a pas été trouvée, voulez-vous dire :
  commande « python3 » du deb python3-minimal
Essayez : sudo apt install <nom du deb>

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ python3 social-analyzer.py --username darkfox92
python3: can't open file '/home/ray2000no/GhostTrack/sherlock/social-analyzer/social-analyzer.py': [Errno 2] No such file or direct
ory

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ python3 -m venv venv
sou

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ source venv/bin/activate

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ (venv)

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ pip install -r requirements.txt
Collecting BeautifulSoup4 (from -r requirements.txt (line 1))
  Using cached beautifulsoup4-4.14.3-py3-none-any.whl.metadata (3.8 kB)
```

La comandes pip3 install ne permet pas d'installer pip 3

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ cd twint

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install
ERROR: You must give at least one requirement to install (see "pip help install")

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install.
ERROR: unknown command "install." - maybe you meant "install"

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install
ERROR: You must give at least one requirement to install (see "pip help install")

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 --version
pip 25.2 from /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages/pip (python 3.13)
```

La commande **python3 social-analyzer.py --username darkfox92** ne fonctionne pas

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ pythpon3 social-analyzer.py --username darkfox92
La commande « pythpon3 » n'a pas été trouvée, voulez-vous dire :
  commande « python3 » du deb python3-minimal
Essayez : sudo apt install <nom du deb>

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ python3 social-analyzer.py --username darkfox92
python3: can't open file '/home/ray2000no/GhostTrack/sherlock/social-analyzer/social-analyzer.py': [Errno 2] No such file or direct
ory

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ python3 -m venv venv
sou

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ source venv/bin/activate

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ (venv)

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ pip install -r requirements.txt
Collecting BeautifulSoup4 (from -r requirements.txt (line 1))
  Using cached beautifulsoup4-4.14.3-py3-none-any.whl.metadata (3.8 kB)
```

INSTALLATION – MAIGRET

La commande **pip3 install maigret** permet d'installer maigret.

La comande ne permet pas vraiment d'installer maigret.

```
zsh: corrupt history file /home/ray2000no/.zsh_history
┌──(ray2000no㉿rayno-cybersec)-[~]
└─$ cd GhostTrack

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack]
└─$ cd sherlock

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ pip3 install maigret
error: externally-managed-environment

× This environment is externally managed
╰─> To install Python packages system-wide, try apt install
    python3-xyz, where xyz is the package you are trying to
    install.

    If you wish to install a non-Kali-packaged Python package,
    create a virtual environment using python3 -m venv path/to/venv.
    Then use path/to/venv/bin/python and path/to/venv/bin/pip. Make
    sure you have pypy3-venv installed.

    If you wish to install a non-Kali-packaged Python application,
    it may be easiest to use pipx install xyz, which will manage a
    virtual environment for you. Make sure you have pipx installed.
```

La commande **maigret darkfox92**

```
note: If you believe this is a mistake, please contact your Python installation or OS distribution provider. You can override this,
 at the risk of breaking your Python installation or OS, by passing --break-system-packages.
hint: See PEP 668 for the detailed specification.

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ maigret darkfox92
maigret : commande introuvable

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$
```

4. INSTALLATION – TWINT (OSINT Twitter/X)

La commande **git clone** https://github.com/twintproject/twint.git permet de cloner et télécharger twint.

```
┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ git clone https://github.com/twintproject/twint.git
Clonage dans 'twint' ...
remote: Enumerating objects: 4457, done.
remote: Total 4457 (delta 0), reused 0 (delta 0), pack-reused 4457 (from 1)
Réception d'objets: 100% (4457/4457), 4.47 Mio | 21.00 Kio/s, fait.
Résolution des deltas: 100% (2636/2636), fait.

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock]
└─$ cd twint

┌──(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/twint]
└─$ pip3 install
```

La commande **cd twint** permet de se déplacer dans le dossier.

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer]
└─$ cd twint

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install
ERROR: You must give at least one requirement to install (see "pip help install")

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install.
ERROR: unknown command "install." - maybe you meant "install"

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install
ERROR: You must give at least one requirement to install (see "pip help install")

┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 --version
pip 25.2 from /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages/pip (python 3.13)
```

```
  Using cached googletransx-2.4.2-py3-none-any.whl
Requirement already satisfied: pycares<5,≥4.9.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiodns→twint==2.1.21) (4.1
1.0)
Requirement already satisfied: cffi≥1.5.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from pycares<5,≥4.9.0→aiodns→twint=
=2.1.21) (2.0.0)
Requirement already satisfied: pycparser in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from cffi≥1.5.0→pycares<5,≥4.9.0→aio
dns→twint==2.1.21) (3.0)
Requirement already satisfied: aiohappyeyeballs≥2.5.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.2
1) (2.6.1)
Requirement already satisfied: aiosignal≥1.4.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (1.4
.0)
Requirement already satisfied: attrs≥17.3.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (25.4.0
)
Requirement already satisfied: frozenlist≥1.1.1 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (1.
8.0)
Requirement already satisfied: multidict<7.0,≥4.5 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (
6.7.1)
Requirement already satisfied: propcache≥0.2.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (0.4
.1)
Requirement already satisfied: yarl<2.0,≥1.17.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from aiohttp→twint==2.1.21) (1.
23.0)
Requirement already satisfied: idna≥2.0 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from yarl<2.0,≥1.17.0→aiohttp→twint==
2.1.21) (3.11)
Requirement already satisfied: python-socks<3.0.0,≥2.4.3 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from python-socks[async
io]<3.0.0,≥2.4.3→aiohttp_socks→twint==2.1.21) (2.8.1)
Requirement already satisfied: soupsieve>1.2 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from beautifulsoup4→twint==2.1.21)
(2.8.3)
Requirement already satisfied: anyio in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elasticsearch→twint==2.1.21) (4.12.1)
Collecting elastic-transport<10,≥9.2.0 (from elasticsearch→twint==2.1.21)
  Using cached elastic_transport-9.2.1-py3-none-any.whl.metadata (3.9 kB)
Requirement already satisfied: python-dateutil in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elasticsearch→twint==2.1.21)
 (2.9.0.post0)
```

```
Requirement already satisfied: sniffio in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elasticsearch→twint==2.1.21) (1.3.1)
Requirement already satisfied: typing-extensions in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elasticsearch→twint==2.1.2
1) (4.15.0)
Requirement already satisfied: urllib3<3,≥1.26.2 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elastic-transport<10,≥9.2
.0→elasticsearch→twint==2.1.21) (2.6.3)
Requirement already satisfied: certifi in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from elastic-transport<10,≥9.2.0→elastic
search→twint==2.1.21) (2025.11.12)
Collecting geographiclib<3,≥1.52 (from geopy→twint==2.1.21)
  Using cached geographiclib-2.1-py3-none-any.whl.metadata (1.6 kB)
Requirement already satisfied: requests in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from googletransx→twint==2.1.21) (2.32.5
)
Collecting numpy≥1.26.0 (from pandas→twint==2.1.21)
  Using cached numpy-2.4.2-cp313-cp313-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl.metadata (6.6 kB)
Requirement already satisfied: six≥1.5 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from python-dateutil→elasticsearch→twin
t==2.1.21) (1.17.0)
Requirement already satisfied: charset_normalizer<4,≥2 in /home/kali/GhostTrack/venv/lib/python3.13/site-packages (from requests→googletran
sx→twint==2.1.21) (3.4.4)
Using cached dataclasses-0.6-py3-none-any.whl (14 kB)
Using cached elasticsearch-9.3.0-py3-none-any.whl (979 kB)
Using cached elastic_transport-9.2.1-py3-none-any.whl (65 kB)
Using cached fake_useragent-2.2.0-py3-none-any.whl (161 kB)
Using cached geopy-2.4.1-py3-none-any.whl (125 kB)
Using cached geographiclib-2.1-py3-none-any.whl (40 kB)
Using cached pandas-3.0.1-cp313-cp313-manylinux_2_24_x86_64.manylinux_2_28_x86_64.whl (10.9 MB)
Using cached numpy-2.4.2-cp313-cp313-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (16.6 MB)
Using cached schedule-1.2.2-py3-none-any.whl (12 kB)
Building wheels for collected packages: twint, cchardet
  Building wheel for twint (pyproject.toml) ... done
  Created wheel for twint: filename=twint-2.1.21-py3-none-any.whl size=38940 sha256=9de38756b405860a9134eebb4bb8ec7ab45b81d8175d2d60ba88f9ce0
2e8fbed
  Stored in directory: /tmp/pip-ephem-wheel-cache-2rk7q2nv/wheels/56/05/99/e83509084d86013f98222f693f9c748bedccc703aeacfd1228
  Building wheel for cchardet (pyproject.toml) ... error
```

```
        ********************************************************************************
        Please consider removing the following classifiers in favor of a SPDX license expression:

        License :: OSI Approved :: Mozilla Public License 1.1 (MPL 1.1)
        License :: OSI Approved :: GNU General Public License (GPL)
        License :: OSI Approved :: GNU Library or Lesser General Public License (LGPL)

        See https://packaging.python.org/en/latest/guides/writing-pyproject-toml/#license for details.
        ********************************************************************************

  !!
    self._finalize_license_expression()
  running bdist_wheel
  running build
  running build_py
  creating build/lib.linux-x86_64-cpython-313/cchardet
  copying src/cchardet/version.py -> build/lib.linux-x86_64-cpython-313/cchardet
  copying src/cchardet/__init__.py -> build/lib.linux-x86_64-cpython-313/cchardet
  running build_ext
  building 'cchardet._cchardet' extension
  creating build/temp.linux-x86_64-cpython-313/src/cchardet
  creating build/temp.linux-x86_64-cpython-313/src/ext/uchardet/src
  creating build/temp.linux-x86_64-cpython-313/src/ext/uchardet/src/LangModels
```

La commande **twint -u username** avec alex.martin.test@gmail.com

```
**********************************
   alex.martin.test@gmail.com
**********************************
[x] about.me
[-] adobe.com
[-] amazon.com
[x] amocrm.com
[-] any.do
```

```
[-] archive.org
[-] armurerie-auxerre.com
[x] atlassian.com
[-] axonaut.com
[x] babeshows.co.uk
[x] badeggsonline.com
[x] bios-mods.com
[x] biotechnologyforums.com
[x] bitmoji.com
[x] blablacar.com
[x] blackworldforum.com
[-] blip.fm
[x] forum.blitzortung.org
[x] bluegrassrivals.com
[-] bodybuilding.com
[x] buymeacoffee.com
[x] discussion.cambridge-mt.com
[-] caringbridge.org
[x] chinaphonearena.com
[x] clashfarmer.com
[x] codecademy.com
[x] forum.codeigniter.com
[-] codepen.io
[-] coroflot.com
[x] cpaelites.com
[x] cpahero.com
[x] cracked.to
[x] crevado.com
[x] deliveroo.com
[x] demonforums.net
[-] devrant.com
[x] diigo.com
```

```
[x] diigo.com
[x] discord.com
[-] docker.com
[x] dominos.fr
[x] ebay.com
[x] ello.co
[-] envato.com
[-] eventbrite.com
[x] evernote.com
[-] fanpop.com
[-] firefox.com
[-] flickr.com
[-] freelancer.com
[x] drachenhort.user.stunet.tu-freiberg.de
[x] garmin.com
[x] github.com
[x] google.com
[-] en.gravatar.com
[-] hubspot.com
[x] imgur.com
[-] insightly.com
[x] instagram.com
[x] issuu.com
[x] forum.kodi.tv
[x] komoot.com
[-] laposte.fr
[-] last.fm
[-] lastpass.com
[-] mail.ru
[x] community.mybb.com
[x] myspace.com
[x] nattyornotforum.nattyornot.com
```

```
[-] naturabuy.fr
[x] forum.ndemiccreations.com
[x] forums.nextpvr.com
[x] nike.com
[x] nimble.com
[x] nocrm.io
[x] nutshell.com
[x] ok.ru
[-] office365.com
[x] onlinesequencer.net
[-] parler.com
[x] patreon.com
[x] pinterest.com
[x] pipedrive.com
[-] plurk.com
[x] pornhub.com
[-] protonmail.ch
[x] quora.com
[-] rambler.ru
[x] redtube.com
[-] replit.com
[x] rocketreach.co
[x] samsung.com
[-] seoclerks.com
[-] 7cups.com
[x] smule.com
[x] snapchat.com
[x] soundcloud.com
[-] sporcle.com
[+] spotify.com
[x] strava.com
[x] strava.com
```

```
[-] taringa.net
[x] teamleader.eu
[-] teamtreehouse.com
[-] tellonym.me
[x] thecardboard.org
[x] forums.therian-guide.com
[x] thevapingforum.com
[x] tumblr.com
[x] tunefind.com
[-] twitter.com
[x] venmo.com
[x] vivino.com
[x] voxmedia.com
[x] vrbo.com
[x] vsco.co
[-] wattpad.com
[-] wordpress.com
[x] xing.com
[-] xnxx.com
[-] xvideos.com
[x] yahoo.com
[-] zoho.com

[+] Email used, [-] Email not used, [x] Rate limit
121 websites checked in 10.61 seconds
Twitter : @palenath
Github : https://github.com/megadose/holehe
For BTC Donations : 1FHDM49QfZX6pJmhjLE5tB2K6CaTLMZpXZ
100%|| 121/121 [00:10<00:00, 11.62it/s]
```

5. INSTALLATION – HOLEHE (OSINT EMAIL → réseaux sociaux)

La commande **pip3 install holehe** permet d'installer holohe

```
┌──(venv)─(ray2000no㉿rayno-cybersec)-[~/GhostTrack/sherlock/social-analyzer/twint]
└─$ pip3 install holehe
Requirement already satisfied: holehe in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (1.6
1)
Requirement already satisfied: termcolor in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (
from holehe) (3.3.0)
Requirement already satisfied: bs4 in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (from h
olehe) (0.0.2)
Requirement already satisfied: httpx in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (from
 holehe) (0.28.1)
Requirement already satisfied: trio in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (from
holehe) (0.33.0)
Requirement already satisfied: tqdm in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (from
holehe) (4.67.3)
Requirement already satisfied: colorama in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packages (f
rom holehe) (0.4.6)
Requirement already satisfied: beautifulsoup4 in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packa
ges (from bs4→holehe) (4.12.3)
Requirement already satisfied: soupsieve>1.2 in /home/ray2000no/GhostTrack/sherlock/social-analyzer/venv/lib/python3.13/site-packag
es (from beautifulsoup4→bs4→holehe) (2.8.3)

**********************
   email@gmail.com
**********************
```

```
Collecting tqdm (from holehe)
  Downloading tqdm-4.67.3-py3-none-any.whl.metadata (57 kB)
Requirement already satisfied: colorama in ./venv/lib/python3.13/site-packages (from holehe) (0.4.6)
Requirement already satisfied: beautifulsoup4 in ./venv/lib/python3.13/site-packages (from bs4→holehe) (4.12.3)
Requirement already satisfied: soupsieve>1.2 in ./venv/lib/python3.13/site-packages (from beautifulsoup4→bs4→holehe) (2.8.3)
Collecting anyio (from httpx→holehe)
  Using cached anyio-4.12.1-py3-none-any.whl.metadata (4.3 kB)
Requirement already satisfied: certifi in ./venv/lib/python3.13/site-packages (from httpx→holehe) (2025.11.12)
Collecting httpcore==1.* (from httpx→holehe)
  Downloading httpcore-1.0.9-py3-none-any.whl.metadata (21 kB)
Requirement already satisfied: idna in ./venv/lib/python3.13/site-packages (from httpx→holehe) (3.11)
Requirement already satisfied: h11≥0.16 in ./venv/lib/python3.13/site-packages (from httpcore==1.*→httpx→holehe) (0.16.0)
Requirement already satisfied: attrs≥23.2.0 in ./venv/lib/python3.13/site-packages (from trio→holehe) (25.4.0)
Requirement already satisfied: sortedcontainers in ./venv/lib/python3.13/site-packages (from trio→holehe) (2.4.0)
Requirement already satisfied: outcome in ./venv/lib/python3.13/site-packages (from trio→holehe) (1.3.0.post0)
Requirement already satisfied: sniffio≥1.3.0 in ./venv/lib/python3.13/site-packages (from trio→holehe) (1.3.1)
Downloading bs4-0.0.2-py2.py3-none-any.whl (1.2 kB)
Downloading httpx-0.28.1-py3-none-any.whl (73 kB)
Downloading httpcore-1.0.9-py3-none-any.whl (78 kB)
Using cached anyio-4.12.1-py3-none-any.whl (113 kB)
Downloading tqdm-4.67.3-py3-none-any.whl (78 kB)
Building wheels for collected packages: holehe
  Building wheel for holehe (pyproject.toml) ... done
  Created wheel for holehe: filename=holehe-1.61-py3-none-any.whl size=126218 sha256=9d069014413652318b17fb3d5f26a14100fe07dd01660b3a6aac8e74
15910eb2
  Stored in directory: /home/kali/.cache/pip/wheels/07/1c/21/cf4adc6f5534465e3440107146dc5945bf383b18bcdac0f970
Successfully built holehe
Installing collected packages: tqdm, httpcore, anyio, httpx, bs4, holehe
Successfully installed anyio-4.12.1 bs4-0.0.2 holehe-1.61 httpcore-1.0.9 httpx-0.28.1 tqdm-4.67.3

┌──(venv)─(kali㉿nouveau)-[~/GhostTrack]
└─$
```

La commande pour l'utiliser **holehe email@gmail.com** avec alex.martin.test@gmail.com

```
********************************
   alex.martin.test@gmail.com
********************************
[x] about.me
[-] adobe.com
[-] amazon.com
[x] amocrm.com
[-] any.do
```

```
[-] archive.org
[-] armurerie-auxerre.com
[x] atlassian.com
[-] axonaut.com
[x] babeshows.co.uk
[x] badeggsonline.com
[x] bios-mods.com
[x] biotechnologyforums.com
[x] bitmoji.com
[x] blablacar.com
[x] blackworldforum.com
[-] blip.fm
[x] forum.blitzortung.org
[x] bluegrassrivals.com
[-] bodybuilding.com
[x] buymeacoffee.com
[x] discussion.cambridge-mt.com
[-] caringbridge.org
[x] chinaphonearena.com
[x] clashfarmer.com
[x] codecademy.com
[x] forum.codeigniter.com
[-] codepen.io
[-] coroflot.com
[x] cpaelites.com
[x] cpahero.com
[x] cracked.to
[x] crevado.com
[x] deliveroo.com
[x] demonforums.net
[-] devrant.com
[x] diigo.com
```

```
[x] diigo.com
[x] discord.com
[-] docker.com
[x] dominos.fr
[x] ebay.com
[x] ello.co
[-] envato.com
[-] eventbrite.com
[x] evernote.com
[-] fanpop.com
[-] firefox.com
[-] flickr.com
[-] freelancer.com
[x] drachenhort.user.stunet.tu-freiberg.de
[x] garmin.com
[x] github.com
[x] google.com
[-] en.gravatar.com
[-] hubspot.com
[x] imgur.com
[-] insightly.com
[x] instagram.com
[x] issuu.com
[x] forum.kodi.tv
[x] komoot.com
[-] laposte.fr
[-] last.fm
[-] lastpass.com
[-] mail.ru
[x] community.mybb.com
[x] myspace.com
[x] nattyornotforum.nattyornot.com
```

```
[-] naturabuy.fr
[x] forum.ndemiccreations.com
[x] forums.nextpvr.com
[x] nike.com
[x] nimble.com
[x] nocrm.io
[x] nutshell.com
[x] ok.ru
[-] office365.com
[x] onlinesequencer.net
[-] parler.com
[x] patreon.com
[x] pinterest.com
[x] pipedrive.com
[-] plurk.com
[x] pornhub.com
[-] protonmail.ch
[x] quora.com
[-] rambler.ru
[x] redtube.com
[-] replit.com
[x] rocketreach.co
[x] samsung.com
[-] seoclerks.com
[-] 7cups.com
[x] smule.com
[x] snapchat.com
[x] soundcloud.com
[-] sporcle.com
[+] spotify.com
[x] strava.com
[x] strava.com
```

```
[-] taringa.net
[x] teamleader.eu
[-] teamtreehouse.com
[-] tellonym.me
[x] thecardboard.org
[x] forums.therian-guide.com
[x] thevapingforum.com
[x] tumblr.com
[x] tunefind.com
[-] twitter.com
[x] venmo.com
[x] vivino.com
[x] voxmedia.com
[x] vrbo.com
[x] vsco.co
[-] wattpad.com
[-] wordpress.com
[x] xing.com
[-] xnxx.com
[-] xvideos.com
[x] yahoo.com
[-] zoho.com

[+] Email used, [-] Email not used, [x] Rate limit
121 websites checked in 10.61 seconds
Twitter : @palenath
Github : https://github.com/megadose/holehe
For BTC Donations : 1FHDM49QfZX6pJmhjLE5tB2K6CaTLMZpXZ
100%|| 121/121 [00:10<00:00, 11.62it/s]
```

Exercice 1 Recherche à partir d’un e-mail

```
Enter Username : alex.martin.test@gmail.com

========= SHOW INFORMATION USERNAME =========

[ + ] Facebook : https://www.facebook.com/alex.martin.test@gmail.com
[ + ] Twitter : https://www.twitter.com/alex.martin.test@gmail.com
[ + ] Instagram : https://www.instagram.com/alex.martin.test@gmail.com
[ + ] LinkedIn : Username not found !
[ + ] GitHub : Username not found !
[ + ] Pinterest : https://www.pinterest.com/alex.martin.test@gmail.com
[ + ] Tumblr : Username not found !
[ + ] Youtube : Username not found !
[ + ] SoundCloud : Username not found !
[ + ] Snapchat : Username not found !
[ + ] TikTok : https://www.tiktok.com/@alex.martin.test@gmail.com
[ + ] Behance : Username not found !
[ + ] Medium : Username not found !
[ + ] Quora : Username not found !
[ + ] Flickr : Username not found !
[ + ] Periscope : Username not found !
[ + ] Twitch : https://www.twitch.tv/alex.martin.test@gmail.com
[ + ] Dribbble : Username not found !
[ + ] StumbleUpon : Username not found !
[ + ] Ello : Username not found !
[ + ] Product Hunt : Username not found !
[ + ] Telegram : https://www.telegram.me/alex.martin.test@gmail.com
[ + ] We Heart It : Username not found !

[ + ] Press enter to continue
```

Pourquoi l’e-mail est-il un pivot OSINT ?

L’email est souvent utilisé pour créer plusieurs comptes sur internet. Il permet donc de retrouver plusieurs services associés à une même personne

Quels sont les risques si un e-mail apparaît dans un leak ?

- Piratage de compte
- Spam
- Phishing
- Tentative de récupération de mot de passe

Que peut faire un attaquant avec ces informations ?

- Envoyer des emails frauduleux

- Essayer de deviner le mot de passe
- Utiliser l’email pour l’ingénierie sociale

Exercice 2 Recherche par numéro de téléphone



Quels sont les risques d’exposer son numéro ?

- Spam
- Arnaques
- phishing SMS
- Harcèlement

Qu’est-ce que le SIM swapping ?

C’est une attaque où un pirate **transfère ton numéro vers sa carte SIM** afin de recevoir tes SMS de sécurité.

Quelles attaques sont possibles avec cette donnée ?

- Piratage de compte bancaire
- Récupération de mot de passe
- Accès aux comptes réseaux sociaux

Exercice 3– Analyse des profils

Exercice 4 – Pivot avec l’adresse e-mail

Objectif : Vérifier la présence de l’e-mail sur des services en ligne.

Sur quels sites l’e-mail est-il utilisé ?

L’email est utilisé sur plusieurs services en ligne.

Y a-t-il des comptes critiques ?

Certains comptes peuvent être critiques car ils permettent l’accès à d’autres plateformes.

Exercice 5 Analyse des contenus publiés

Objectif: Construire un profil comportemental.

Horaires de publication : principalement le soir.

Lieu probable : Europe (langue française et fuseau horaire).

Habitudes : activité fréquente sur forums informatiques et réseaux sociaux liés à la technologie.