Driver Test TESTNG RESULTS

Fri Jun 16 13:18:46 MDT 2017

STATISTICS				
Passed	**Skipped**	**Failed**	**Percent**	**Total Time**
184	0	0	100.0	21.293 sec.

Data Chart



PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.878	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -getAverage			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getBrowser			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getBrowser()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.095	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.007	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getElapsedTime			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getElapsedTime

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getElapsedTime

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getElapsedTime

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getError

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getError()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -getIsCapCsv

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getIsCapCsv()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.049	PASSED

TEST MESSAGES

PASSED TESTS -getIsCapVideo

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getIsCapVideo()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getKeyString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getKeyString()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getPropertyName

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getPropertyName()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getResultSpreadsheet

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getResultSpreadsheet()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -getSheetIterations

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSheetIterations()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.156	PASSED

TEST MESSAGES

PASSED TESTS -getSpreadsheet

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSpreadsheet()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -getSuccess

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSuccess()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -getTestProfile

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestProfile()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED

TEST MESSAGES

PASSED TESTS -getTestPropertyPath

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestPropertyPath()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.003	PASSED
TEST MESSAGES			
PASSED TESTS -getTestReportPath			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestReportPath()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getTimeout			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestTimeout()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getTestcase			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestcase()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -getWebProfile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getWebProfile()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -getWorksheet			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getWorksheet()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.053	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.364	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.05	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.003	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringInvalid

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringExceptions

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -decryptStringExceptions

Class	Method	Time (sec)	Status

[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.041	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExceptions(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -encryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -encryptString			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.003	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -encryptString

Class	Method	Time (sec)	Status

[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.018	PASSED
TEST MESSAGES			
PASSED TESTS -encryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptString			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringBad(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.004	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.048	PASSED
TEST MESSAGES			
PASSED TESTS -encryptStringExceptions			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.encryptStringExceptions(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.079	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.021	PASSED
TEST MESSAGES			

PASSED TESTS -invalidKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	7.24	PASSED
TEST MESSAGES			

PASSED TESTS -validKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.validKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.176	PASSED
TEST MESSAGES			

PASSED TESTS -validKBTestFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.validKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	3.093	PASSED
TEST MESSAGES			

PASSED TESTS -testScreenShot			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdTakeScreenShot]	TestAdTakeScreenShot.testScreenShot()[pri:0, instance:raysullivan.unitTest.TestAdTakeScreenShot@7f416310]	8.616	PASSED
TEST MESSAGES			

PASSED TESTS -testFileNotFound			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdBrowserProperties]	TestAdBrowserProperties.testFileNotFound(java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdBrowserProperties@de3a06f]	0.084	PASSED
TEST MESSAGES			

PASSED TESTS -testPropertyFile			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdBrowserProperties]	TestAdBrowserProperties.testPropertyFile(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdBrowserProperties@de3a06f]	0.018	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.021	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED

TEST MESSAGES

PASSED TESTS -validateisAVariable

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateisAVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableMultiple			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableMultiple(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableMultiple			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableMultiple(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateAssertVariables			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateAssertVariables(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -validateVariable			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -validateVariableInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariableInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -validateVariableInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariableInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -validateVariableInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariableInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.057	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyInvalid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyInvalid(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.007	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.002	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -getPropertyValid			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdGetPropertyAttribute]	TestAdGetPropertyAttribute.getPropertyValid(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdGetPropertyAttribute@17695df3]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.003	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertContains			
Class	**Method**	**Time (sec)**	**Status**

[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertEquals

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertEquals

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertEquals

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertEquals

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotContains

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotContains(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotEquals			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotEquals			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.0	PASSED
TEST MESSAGES			

PASSED TESTS -TestAssertNotEquals			
Class	**Method**	**Time (sec)**	**Status**
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

EXCEPTIONS SUMMARY